

Kaycha Labs

Miami Vibes Cartridge Concentrate 1g (90%)

Miami Vibes

Matrix: Derivative Type: Distillate



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample:DA40131003-006 Harvest/Lot ID: 0240 4278 8253 7782

Batch#: 0240 4278 8253 7782

Cultivation Facility: Tampa Cultivation Processing Facility: Tampa Processing Source Facility: Tampa Cultivation

Seed to Sale# 8474 3859 8375 1357

Batch Date: 07/27/23

Sample Size Received: 16 gram Total Amount: 1955 units Retail Product Size: 1 gram

Ordered: 01/30/24 Sampled: 01/31/24

Completed: 02/02/24

Sampling Method: SOP.T.20.010

PASSED

Feb 02, 2024 | FLUENT

5540 W. Executive Drive Tampa, FL, 33609, US



Pages 1 of 6

PRODUCT IMAGE

SAFETY RESULTS



Pesticides



Heavy Metals



Microbials



Mycotoxins Residuals Solvents PASSED PASSED



Filth



Water Activity



Moisture



MISC.

Terpenes **TESTED**

PASSED



Cannabinoid

Total THC

89.034% Total THC/Container: 890.34 mg



Total CBD

0.321% Total CBD/Container: 3.21 mg



Total Cannabinoids

Total Cannabinoids/Container: 944.98 mg

	1										
%	D9-ТНС 89.034	THCA ND	CBD 0.321	CBDA ND	D8-ТНС 0.357	CBG 0.887	CBGA ND	CBN 2.497	тнсv 0.583	CBDV ND	свс 0.819
mg/unit	890.34	ND	3.21	ND	3.57	8.87	ND	24.97	5.83	ND	8.19
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
	%	%	%	%	%	%	%	%	%	%	%
Analyzed by: 3335, 1665, 585	5, 1440			Weight: 0.1024g		Extraction date: 01/31/24 11:10:3	33			Extracted by: 3335	

Analysis Method : SOP.T.40.031, SOP.T.30.031 Analytical Batch : DA068849POT Instrument Used : DA-LC-007

Analyzed Date: 01/31/24 11:19:31

Reagent: 013024.R02; 060723.24; 010224.R04

Consumables: 947.109; CE0123; 12594-247CD-247C; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

Reviewed On: 02/01/24 08:29:08 Batch Date: 01/31/24 08:20:08

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164



Kaycha Labs

Miami Vibes Cartridge Concentrate 1g (90%)

Miami Vibes Matrix: Derivative

Type: Distillate



Certificate of Analysis

PASSED

5540 W. Executive Drive Tampa, FL, 33609, US Telephone: (305) 900-6266 Email: Taylor.lones@getfluent.com Sample : DA40131003-006 Harvest/Lot ID: 0240 4278 8253 7782

Batch#: 0240 4278 8253

Sampled: 01/31/24 Ordered: 01/31/24

Sample Size Received: 16 gram Total Amount : 1955 units

Completed: 02/02/24 Expires: 02/02/25 Sample Method: SOP.T.20.010

Page 2 of 6



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	* %	Result (%)		Terpenes		LOD (%)	mg/unit	%	Result (%)	
TOTAL TERPENES	0.007	13.69	1.369			SABINENE HYDRATE		0.007	ND	ND		
ALPHA-TERPINOLENE	0.007	7.83	0.783			TOTAL TERPINEOL		0.007	ND	ND		
BETA-MYRCENE	0.007	1.87	0.187			ALPHA-BISABOLOL		0.007	ND	ND		
DCIMENE	0.007	1.59	0.159			ALPHA-CEDRENE		0.007	ND	ND		
LIMONENE	0.007	0.81	0.081			ALPHA-TERPINENE		0.007	ND	ND		
BETA-CARYOPHYLLENE	0.007	0.73	0.073			CIS-NEROLIDOL		0.007	ND	ND		
ALPHA-PHELLANDRENE	0.007	0.37	0.037			GAMMA-TERPINENE		0.007	ND	ND		
ALPHA-HUMULENE	0.007	0.24	0.024		Ī	TRANS-NEROLIDOL		0.007	ND	ND		
/ALENCENE	0.007	0.21	0.021		İ	Analyzed by:	Weight:		Extraction da	te:		Extracted by:
FARNESENE	0.001	0.04	0.004			1665, 585, 1440	1.0244g		01/31/24 11:3	34:47		1879,795
HEXAHYDROTHYMOL	0.007	< 0.20	< 0.020			Analysis Method : SOP.T.30.061A.FL, S	SOP.T.40.061A.FL					
ALPHA-PINENE	0.007	< 0.20	< 0.020			Analytical Batch : DA068860TER Instrument Used : DA-GCMS-004					: 02/01/24 09:30:29 01/31/24 08:59:51	
BETA-PINENE	0.007	< 0.20	< 0.020			Analyzed Date: 02/01/24 08:33:32			Batci	Date:	11/21/24 08:39:31	
3-CARENE	0.007	ND	ND			Dilution: 10						
BORNEOL	0.013	ND	ND			Reagent: 110123.08						
CAMPHENE	0.007	ND	ND			Consumables: 210414634; MKCN9995	5; CE0123; R1KB1	1270				
CAMPHOR	0.007	ND	ND			Pipette : N/A						
CARYOPHYLLENE OXIDE	0.007	ND	ND			Terpenoid testing is performed utilizing Gas	s Chromatography M	ass specti	rometry. For all	Flower sa	mpies, the Total Terpenes	% is ary-weight corrected.
CEDROL	0.007	ND	ND									
UCALYPTOL	0.007	ND	ND									
ENCHONE	0.007	ND	ND									
FENCHYL ALCOHOL	0.007	ND	ND									
GERANIOL	0.007	ND	ND									
GERANYL ACETATE	0.007	ND	ND									
GUAIOL	0.007	ND	ND									
SOBORNEOL	0.007	ND	ND									
SOPULEGOL	0.007	ND	ND									
LINALOOL	0.007	ND	ND									
NEROL	0.007	ND	ND									
PULEGONE	0.007	ND	ND									
SABINENE	0.007	ND	ND									
otal (%)			1.369									

Total (%)

1.369

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Kaycha Labs

Miami Vibes Cartridge Concentrate 1g (90%)

Miami Vibes Matrix : Derivative

Type: Distillate



Certificate of Analysis

PASSED

FLUENT

5540 W. Executive Drive Tampa, FL, 33609, US **Telephone:** (305) 900-6266 **Email:** Taylor.Jones@getfluent.com Sample : DA40131003-006 Harvest/Lot ID: 0240 4278 8253 7782

Batch#: 0240 4278 8253

Sampled: 01/31/24 Ordered: 01/31/24 Sample Size Received : 16 gram
Total Amount : 1955 units
Completed : 02/02/24 Expires: 02/02/25

Sample Method: SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide		LOD	Units	Action	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010) ppm	5	PASS	ND			0.010		Level		ND
TOTAL DIMETHOMORPH		ppm ppm	0.2	PASS	ND	OXAMYL		0.010		0.5	PASS	ND
TOTAL PERMETHRIN		ppm ppm	0.1	PASS	ND	PACLOBUTRAZOL		0.010		0.1	PASS	ND
TOTAL PYRETHRINS		ppm ppm	0.5	PASS	ND	PHOSMET		0.010	ppm	0.1	PASS	ND
		ppm ppm	0.2	PASS	ND	PIPERONYL BUTOXIDE		0.010	ppm	3	PASS	ND
TOTAL SPINETORAM TOTAL SPINOSAD) ppm	0.1	PASS	ND	PRALLETHRIN		0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A		ppm ppm	0.1	PASS	ND	PROPICONAZOLE		0.010	ppm	0.1	PASS	ND
		ppm ppm	0.1	PASS	ND	PROPOXUR		0.010	ppm	0.1	PASS	ND
ACEPHATE ACEQUINOCYL		ppm ppm	0.1	PASS	ND	PYRIDABEN		0.010		0.2	PASS	ND
ACETAMIPRID) ppm	0.1	PASS	ND	SPIROMESIFEN		0.010		0.1	PASS	ND
ALDICARB		ppm ppm	0.1	PASS	ND					0.1	PASS	ND
AZOXYSTROBIN		ppm ppm	0.1	PASS	ND	SPIROTETRAMAT		0.010				
BIFENAZATE		ppm ppm	0.1	PASS	ND	SPIROXAMINE		0.010		0.1	PASS	ND
BIFENTHRIN) ppm	0.1	PASS	ND	TEBUCONAZOLE		0.010		0.1	PASS	ND
		ppm ppm	0.1	PASS	ND	THIACLOPRID		0.010	ppm	0.1	PASS	ND
BOSCALID CARBARYL		ppm ppm	0.5	PASS	ND	THIAMETHOXAM		0.010	ppm	0.5	PASS	ND
CARBOFURAN		ppm ppm	0.5	PASS	ND ND	TRIFLOXYSTROBIN		0.010	ppm	0.1	PASS	ND
CHLORANTRANILIPROLE		ppm ppm	1	PASS	ND	PENTACHLORONITROBENZENE (F	PCNB) *	0.010	PPM	0.15	PASS	ND
CHLORANT RANILIPROLE CHLORMEQUAT CHLORIDE		ppm ppm	1	PASS	ND	PARATHION-METHYL *	,	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS		ppm ppm	0.1	PASS	ND	CAPTAN *		0.070		0.7	PASS	ND
CLOFENTEZINE		ppm ppm	0.2	PASS	ND	CHLORDANE *		0.010		0.1	PASS	ND
COUMAPHOS		ppm ppm	0.1	PASS	ND			0.010		0.1	PASS	ND
		ppm ppm	0.1	PASS	ND	CHLORFENAPYR *						
DAMINOZIDE DIAZINON		ppm ppm	0.1	PASS	ND	CYFLUTHRIN *		0.050		0.5	PASS	ND
		ppm ppm	0.1	PASS	ND	CYPERMETHRIN *		0.050	PPM	0.5	PASS	ND
DICHLORVOS DIMETHOATE		ppm ppm	0.1	PASS	ND	Analyzed by:	Weight:		tion date:		Extracted	l by:
ETHOPROPHOS) ppm	0.1	PASS	ND	3379, 585, 1440	0.2346g		24 13:45:52		3379	
ETOFENPROX		ppm ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.Fl	L (Gainesville), SO	P.T.30.10	2.FL (Davie)	, SOP.T.40.101	L.FL (Gainesville),
ETOXAZOLE		ppm ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie) Analytical Batch : DA068865PES			Daviowad	On:02/01/24	11.20.55	
FENHEXAMID		ppm ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (I	PFS)			:01/31/24 10		
FENOXYCARB) ppm	0.1	PASS	ND	Analyzed Date : 01/31/24 13:48:24						
FENDATCARD		ppm ppm	0.1	PASS	ND	Dilution: 250						
FIPRONIL		ppm ppm	0.1	PASS	ND	Reagent: 013124.R26; 013124.R0	03; 013024.R05; 0	13124.R2	7; 011024.F	01; 013124.R0	01; 040423.08	
FLONICAMID		ppm ppm	0.1	PASS	ND	Consumables: 326250IW						
FLUDIOXONIL		ppm ppm	0.1	PASS	ND	Pipette: DA-093; DA-094; DA-219						
HEXYTHIAZOX		ppm ppm	0.1	PASS	ND	Testing for agricultural agents is per accordance with F.S. Rule 64ER20-39		Jula Chron	natograpny i	ripie-Quadrupo	ile Mass Spectror	netry in
IMAZALIL		ppm ppm	0.1	PASS	ND	Analyzed by:	Weight:	Evi	traction dat	۵.	Extracte	ad hv:
IMIDACLOPRID		ppm ppm	0.4	PASS	ND	450, 1665, 585, 1440	0.2346q		31/24 13:45		3379	eu by.
KRESOXIM-METHYL		ppm ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.Fl					51.FL	
MALATHION) ppm	0.2	PASS	ND	Analytical Batch : DA068867VOL		Re	eviewed On	:02/01/24 10:	04:35	
METALAXYL		ppm ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-010		Ва	tch Date :	1/31/24 10:20	1:50	
METHIOCARB		ppm ppm	0.1	PASS	ND	Analyzed Date : 01/31/24 15:25:44	4					
METHOCARD		ppm ppm	0.1	PASS	ND	Dilution: 250	012224 012 01	2224 212				
MEVINPHOS) ppm	0.1	PASS	ND	Reagent: 013024.R05; 040423.08 Consumables: 326250IW; 147254		2324.K13				
MYCLOBUTANIL		ppm ppm	0.1	PASS	ND	Pipette : DA-080: DA-146: DA-218						
NALED		ppm ppm	0.25	PASS	ND	Testing for agricultural agents is per		s Chromat	tography Tris	le-Quadrupole	Mass Spectrome	try in
HOPEN	0.010	, bbiii	3.23		.10	accordance with F.S. Rule 64ER20-39	9.	2 2111 011101	5. ab., 111	2000, 00010	speed office	,

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164 1/2



Kaycha Labs

Miami Vibes Cartridge Concentrate 1g (90%)

Miami Vibes Matrix: Derivative

Type: Distillate

Certificate of Analysis

PASSED

5540 W. Executive Drive Tampa, FL, 33609, US Telephone: (305) 900-6266 Email: Taylor.lones@getfluent.com Sample : DA40131003-006 Harvest/Lot ID: 0240 4278 8253 7782

Batch#: 0240 4278 8253

Sampled: 01/31/24 Ordered: 01/31/24

Sample Size Received: 16 gram Total Amount: 1955 units Completed: 02/02/24 Expires: 02/02/25 Sample Method: SOP.T.20.010

Page 4 of 6



Residual Solvents

Λ			┏.	п
н	J	3	⊏.	u
		_		

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND
Analyzed by: 850, 585, 1440	Weight: 0.0270g	Extraction date: 01/31/24 14:57:56		Ex t 85	tracted by: 0

Analysis Method : SOP.T.40.041.FL Analytical Batch : DA068881SOL Instrument Used: DA-GCMS-003

Analyzed Date: 02/01/24 14:26:25

Reviewed On: 02/02/24 09:10:49 Batch Date: 01/31/24 13:46:04

Dilution: 1 Reagent: N/A Consumables: N/A Pipette : N/A

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Kaycha Labs

Miami Vibes Cartridge Concentrate 1g (90%)

Miami Vibes Matrix: Derivative

Type: Distillate



Certificate of Analysis

PASSED

5540 W. Executive Drive Tampa, FL, 33609, US Telephone: (305) 900-6266 Email: Taylor.lones@getfluent.com Sample : DA40131003-006 Harvest/Lot ID: 0240 4278 8253 7782

Batch#: 0240 4278 8253

Sampled: 01/31/24 **Ordered**: 01/31/24 Sample Size Received: 16 gram Total Amount : 1955 units Completed: 02/02/24 Expires: 02/02/25 Sample Method: SOP.T.20.010

Page 5 of 6



Microbial



Analyte	LOD	Units	Result	Pass / Fail	Action Level
SALMONELLA SPECIFIC GENI	Ε		Not Present	PASS	
ECOLI SHIGELLA			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000
Analyzed by: 3336, 3621, 585, 1440	Weight: 0.948g	Extraction 01/31/24 12		Extracte 3336	d by:

Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL
Analytical Batch : DA068858MIC Review **Reviewed On:** 02/02/24 09:21:40

Instrument Used: Incubator (37*C) DA- 188, DA-265 Gene-UP Batch Date: 01/31/24 08:42:22 RTPCR, DA-351 GENE-UP RTPCR, Incubator (42*C) DA- 328

Analyzed Date: 01/31/24 12:10:39

Reagent: 010524.R11; 012524.R12

Consumables: 2256280

Pipette: N/A

nalyzed by:	Weight:	Extraction date:	Extracted by:
390, 585, 1440	0.948g	01/31/24 11:59:48	3390,3336

Analysis Method: SOP.T.40.208 (Gainesville), SOP.T.40.209.FL

Analytical Batch : DA068879TYM
Instrument Used : Incubator (25-27*C) DA-096 Reviewed On: 02/02/24 15:39:27 Batch Date: 01/31/24 11:56:12 Analyzed Date: 01/31/24 12:53:29

Reagent: 010924.57; 010924.58; 012524.R09

Consumables : N/A Pipette: N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

2	Mycotoxins	PASSEL					
Analyte		LOD	Units	Result	Pass / Fail	Action Level	
AFLATOXIN B	2	0.002	ppm	ND	PASS	0.02	
AFLATOXIN B	1	0.002	ppm	ND	PASS	0.02	
		0 000			D. C. C.		

					Fail	Level
AFLATOXIN B2		0.002	ppm	ND	PASS	0.02
AFLATOXIN B1		0.002	ppm	ND	PASS	0.02
OCHRATOXIN A		0.002	ppm	ND	PASS	0.02
AFLATOXIN G1		0.002	ppm	ND	PASS	0.02
AFLATOXIN G2		0.002	ppm	ND	PASS	0.02
Analyzed by:	Weight:	Extraction date:		Extracted by:		
3379, 585, 1440	0.2346g	01/31/24 13:	45:52		3379	

Analysis Method: SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville),

SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)

Analytical Batch : DA068866MYC Reviewed On: 02/01/24 11:29:52 Instrument Used : N/A Batch Date: 01/31/24 10:20:47

Analyzed Date: 01/31/24 13:48:36

Dilution: 250
Reagent: 013124.R26; 013124.R03; 013024.R05; 013124.R27; 011024.R01; 013124.R01;

040423.08 Consumables: 326250IW Pipette: DA-093; DA-094; DA-219

 $My cotoxins\ testing\ utilizing\ Liquid\ Chromatography\ with\ Triple-Quadrupole\ Mass\ Spectrometry\ in\ accordance\ with\ F.S.\ Rule\ 64ER20-39.$



Heavy Metals

Posult Pass / Astion

Metal		LOD	UIIILS	Result	Fail	Level	
TOTAL CONTAMINANT LOA	D METALS	0.080	ppm	ND	PASS	1.1	
ARSENIC		0.020	ppm	ND	PASS	0.2	
CADMIUM		0.020	ppm	ND	PASS	0.2	
MERCURY		0.020	ppm	ND	PASS	0.2	
LEAD		0.020	ppm	ND	PASS	0.5	
Analyzed by: 1022, 1665, 585, 1440	Weight: 0.2787g	Extraction d 01/31/24 13			acted by: 2,4056,10		

Analysis Method: SOP.T.30.082.FL, SOP.T.40.082.FL

Analytical Batch : DA068875HEA Instrument Used : DA-ICPMS-004 Analyzed Date: 01/31/24 16:53:53

Reviewed On: 02/01/24 10:32:53

Batch Date: 01/31/24 10:52:15

Dilution: 50

Reagent: 010824.R08; 012924.R04; 012924.R01; 012924.R02; 012924.R03; 012424.01;

012924.R05

Consumables: 179436; 12532-225CD-225C; 210508058

Pipette: DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Kaycha Labs

Miami Vibes Cartridge Concentrate 1g (90%)

Miami Vibes Matrix: Derivative

Type: Distillate

Certificate of Analysis

PASSED

5540 W. Executive Drive Tampa, FL, 33609, US Telephone: (305) 900-6266 Email: Taylor.lones@getfluent.com Sample : DA40131003-006 Harvest/Lot ID: 0240 4278 8253 7782

Batch#: 0240 4278 8253

Sampled: 01/31/24 Ordered: 01/31/24

Sample Size Received: 16 gram Total Amount: 1955 units Completed: 02/02/24 Expires: 02/02/25 Sample Method: SOP.T.20.010

Page 6 of 6



Filth/Foreign **Material**

PASSED

Analyte LOD Units Result P/F **Action Level** Filth and Foreign Material 0.100 % ND PASS 1

Analyzed by: 1879, 585, 1440 Weight: NA N/A N/A

Analysis Method : SOP.T.40.090

Analytical Batch : DA068885FIL
Instrument Used : Filth/Foreign Material Microscope Reviewed On: 01/31/24 20:42:31 Batch Date: 01/31/24 20:22:20

Analyzed Date: 01/31/24 20:26:11

Dilution: N/AReagent: N/A Consumables : N/A Pipette: N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

Analyte	LOD	Units	Result	P/F	Action Leve	ı
Water Activity	0.010	aw	0.389	PASS	0.85	
Analyzed by: 4371, 1665, 585, 1440	Weight:		ion date:		Extracted by:	

Analysis Method : SOP.T.40.019 Analytical Batch: DA068873WAT

Reviewed On: 01/31/24 13:24:19 **Batch Date :** 01/31/24 10:34:34 Instrument Used : DA-028 Rotronic Hygropalm

Analyzed Date : N/A

Dilution: N/A Reagent: 111423.05 Consumables : PS-14 Pipette: N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha