



# Certificate of Analysis

COMPLIANCE FOR RETAIL

**Sample:** DA40210005-004  
**Harvest/Lot ID:** 7107 9982 5884 7977  
**Batch#:** 7107 9982 5884 7977  
**Cultivation Facility:** Tampa Cultivation  
**Processing Facility :** Tampa Processing  
**Source Facility :** Tampa Processing  
**Seed to Sale#** 7846 9934 0088 5163  
**Batch Date:** 10/02/23  
**Sample Size Received:** 15.5 gram  
**Total Amount:** 1856 units  
**Retail Product Size:** 0.5 gram  
**Ordered:** 02/09/24  
**Sampled:** 02/10/24  
**Completed:** 02/13/24  
**Sampling Method:** SOP.T.20.010

Feb 13, 2024 | FLUENT

5540 W. Executive Drive  
Tampa, FL, 33609, US



**PASSED**

Pages 1 of 6

PRODUCT IMAGE



SAFETY RESULTS



Pesticides  
**PASSED**



Heavy Metals  
**PASSED**



Microbials  
**PASSED**



Mycotoxins  
**PASSED**



Residuals Solvents  
**PASSED**



Filtration  
**PASSED**



Water Activity  
**PASSED**



Moisture  
**NOT TESTED**



Terpenes  
**TESTED**

MISC.



## Cannabinoid

**PASSED**



Total THC

**90.317%**

Total THC/Container : 451.59 mg



Total CBD

**0.268%**

Total CBD/Container : 1.34 mg



Total Cannabinoids

**95.001%**

Total Cannabinoids/Container : 475.01 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	90.218	0.113	0.268	ND	0.339	0.921	ND	1.657	0.617	ND	0.868
mg/unit	451.09	0.57	1.34	ND	1.70	4.61	ND	8.29	3.09	ND	4.34
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
	%	%	%	%	%	%	%	%	%	%	%

Analyzed by:  
 3335, 1665, 53, 4395, 1440

Weight:  
 0.1035g

Extraction date:  
 02/12/24 11:43:19

Extracted by:  
 1665,3335

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA069311POT

Instrument Used : DA-LC-007

Analyzed Date : 02/12/24 12:07:40

Reviewed On : 02/13/24 15:05:20

Batch Date : 02/12/24 07:49:11

Dilution : 400

Reagent : 012324.R04; 020724.R05; 060723.24

Consumables : 947.109; 280670723; CE0123; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

State License # CMTL-0002  
 ISO 17025 Accreditation # ISO/IEC  
 17025:2017 Accreditation PJLA-  
 Testing 97164

  
 Signature  
 02/13/24



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Original Blueberry Cartridge Concentrate 0.5g

Original Blueberry

Matrix : Derivative

Type: Distillate



# Certificate of Analysis

PASSED

FLUENT

5540 W. Executive Drive  
Tampa, FL, 33609, US  
Telephone: (305) 900-6266  
Email: Taylor.Jones@getfluent.com

Sample : DA40210005-004

Harvest/Lot ID: 7107 9982 5884 7977

Batch# : 7107 9982 5884  
7977

Sampled : 02/10/24

Ordered : 02/10/24

Sample Size Received : 15.5 gram

Total Amount : 1856 units

Completed : 02/13/24 Expires: 02/13/25

Sample Method : SOP.T.20.010

Page 2 of 6



## Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	16.61	3.321		PULEGONE	0.007	ND	ND	
BETA-MYRCENE	0.007	6.07	1.213		SABINENE	0.007	ND	ND	
LIMONENE	0.007	2.08	0.416		SABINENE HYDRATE	0.007	ND	ND	
BETA-CARYOPHYLLENE	0.007	1.48	0.295		VALENCENE	0.007	ND	ND	
ALPHA-PINENE	0.007	1.21	0.241		ALPHA-CEDRENE	0.007	ND	ND	
BETA-PINENE	0.007	0.78	0.156		ALPHA-PHELLANDRENE	0.007	<0.10	<0.020	
LINALOOL	0.007	0.77	0.153		CIS-NEROLIDOL	0.007	ND	ND	
BORNEOL	0.013	0.57	0.113		TRANS-NEROLIDOL	0.007	ND	ND	
ALPHA-HUMULENE	0.007	0.50	0.100		Analyzed by:	Weight:	Extraction date:	Extracted by:	
FENCHYL ALCOHOL	0.007	0.47	0.093		1879, 1665, 53, 4395, 1440	0.198g	02/10/24 16:43:01	1879,795	
FENCHONE	0.007	0.46	0.092		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
ALPHA-TERPINOLENE	0.007	0.38	0.075		Analytical Batch : DA069279TER		Reviewed On : 02/13/24 14:44:25		
FARNESENE	0.001	0.34	0.067		Instrument Used : DA-GCMS-009		Batch Date : 02/10/24 12:38:30		
OCIMENE	0.007	0.34	0.067		Analyzed Date : 02/11/24 12:34:36				
GUAJOL	0.007	0.30	0.060		Dilution : 10				
ALPHA-BISABOLOL	0.007	0.27	0.054		Reagent : 062922.47				
TOTAL TERPINEOL	0.007	0.25	0.050		Consumables : LLS-00-0005; 210414634; MKCN9995; CE0123				
GAMMA-TERPINENE	0.007	0.20	0.040		Pipette : N/A				
ALPHA-TERPINENE	0.007	0.17	0.033		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
EUCALYPTOL	0.007	0.14	0.028						
CAMPHENE	0.007	0.13	0.025						
3-CARENE	0.007	ND	ND						
CAMPHOR	0.007	ND	ND						
CARYOPHYLLENE OXIDE	0.007	ND	ND						
CEDROL	0.007	ND	ND						
GERANIOL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
ISOBORNEOL	0.007	ND	ND						
ISOPULEGOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
Total (%)			3.321						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
02/13/24



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Original Blueberry Cartridge Concentrate 0.5g

Original Blueberry

Matrix : Derivative

Type: Distillate



# Certificate of Analysis

PASSED

FLUENT

5540 W. Executive Drive  
Tampa, FL, 33609, US  
Telephone: (305) 900-6266  
Email: Taylor.Jones@getfluent.com

Sample : DA40210005-004

Harvest/Lot ID: 7107 9982 5884 7977

Batch# : 7107 9982 5884  
7977

Sampled : 02/10/24

Ordered : 02/10/24

Sample Size Received : 15.5 gram

Total Amount : 1856 units

Completed : 02/13/24 Expires: 02/13/25

Sample Method : SOP.T.20.010

Page 3 of 6



## Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
DICHLORVOS	0.010	ppm	0.1	PASS	ND	4056, 3379, 53, 4395, 1440	0.2806g	02/10/24 15:04:27	4056		
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville),					
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)					
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA069274PES		Reviewed On : 02/13/24 09:28:38			
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)		Batch Date : 02/10/24 12:04:32			
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Analyzed Date : 02/11/24 17:46:22					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Dilution : 250					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Reagent : 013024.R05; 040423.08; 020724.R17; 021024.R03; 020724.R18; 011024.R01; 013124.R01					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW					
FLONICAMID	0.010	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND						
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
IMAZALIL	0.010	ppm	0.1	PASS	ND						
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	450, 53, 4395, 1440	0.2806g	02/10/24 15:04:27	4056		
MALATHION	0.010	ppm	0.2	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
METALAXYL	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA069294VOL		Reviewed On : 02/13/24 10:34:05			
METHIOCARB	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-010		Batch Date : 02/11/24 10:55:39			
METHOMYL	0.010	ppm	0.1	PASS	ND	Analyzed Date : 02/12/24 13:17:34					
MEVINPHOS	0.010	ppm	0.1	PASS	ND	Dilution : 250					
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND	Reagent : 013024.R05; 040423.08; 012324.R12; 012324.R13					
NALED	0.010	ppm	0.25	PASS	ND	Consumables : 326250IW; 14725401					
						Pipette : DA-080; DA-146; DA-218					

Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
02/13/24



# Certificate of Analysis

**PASSED**
**FLUENT**

 5540 W. Executive Drive  
 Tampa, FL, 33609, US  
 Telephone: (305) 900-6266  
 Email: Taylor.Jones@getfluent.com

Sample : DA40210005-004

Harvest/Lot ID: 7107 9982 5884 7977

 Batch# : 7107 9982 5884  
 7977

Sampled : 02/10/24

Ordered : 02/10/24

Sample Size Received : 15.5 gram

Total Amount : 1856 units

Completed : 02/13/24 Expires: 02/13/25

Sample Method : SOP.T.20.010

Page 4 of 6



## Residual Solvents

**PASSED**

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	<2500.000
ETHYL ACETATE	40.000	ppm	400	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

 Analyzed by:  
 3605, 850, 53, 4395, 1440

 Weight:  
 0.0281g

 Extraction date:  
 02/10/24 13:46:16

 Extracted by:  
 3605,850

 Analysis Method : SOP.T.40.041.FL  
 Analytical Batch : DA06928250L  
 Instrument Used : DA-GCMS-003  
 Analyzed Date : 02/10/24 13:38:59

 Reviewed On : 02/13/24 12:37:35  
 Batch Date : 02/10/24 13:34:44

 Dilution : 1  
 Reagent : N/A  
 Consumables : R2017.167; G201.167  
 Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Original Blueberry Cartridge Concentrate 0.5g

Original Blueberry

Matrix : Derivative

Type: Distillate



# Certificate of Analysis

PASSED

FLUENT

5540 W. Executive Drive  
Tampa, FL, 33609, US  
Telephone: (305) 900-6266  
Email: Taylor.Jones@getfluent.com

Sample : DA40210005-004

Harvest/Lot ID: 7107 9982 5884 7977

Batch# : 7107 9982 5884  
7977

Sampled : 02/10/24

Ordered : 02/10/24

Sample Size Received : 15.5 gram

Total Amount : 1856 units

Completed : 02/13/24 Expires: 02/13/25

Sample Method : SOP.T.20.010

Page 5 of 6

	<b>Microbial</b>	<b>PASSED</b>		<b>Mycotoxins</b>	<b>PASSED</b>
--	------------------	---------------	--	-------------------	---------------

Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ECOLI SHIGELLA			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000	Analyzed by: 4056, 3379, 53, 4395, 1440	Weight: 0.2806g	Extraction date: 02/10/24 15:04:27		Extracted by: 4056	
Analyzed by: 3390, 4395, 1440	Weight: 0.945g	Extraction date: 02/10/24 15:00:34	Extracted by: 3336,3621			Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)					
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL			Reviewed On : 02/13/24 18:02:55			Analytical Batch : DA069295MYC			Reviewed On : 02/13/24 08:47:22		
Analytical Batch : DA069262MIC			Batch Date : 02/10/24 10:49:17			Instrument Used : N/A			Batch Date : 02/11/24 10:55:57		
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-013,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021			Analyzed Date : 02/13/24 10:12:08			Dilution : 250			Reagent : 013024.R05; 040423.08; 020724.R17; 021024.R03; 020724.R18; 011024.R01; 013124.R01		
						Consumables : 326250IW			Pipette : DA-093; DA-094; DA-219		

	<b>Heavy Metals</b>	<b>PASSED</b>
--	---------------------	---------------

Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL		Metal	LOD	Units	Result	Pass / Fail	Action Level
Analytical Batch : DA069263TYM							
Instrument Used : N/A							
Analyzed Date : N/A							
Dilution : N/A		TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1
Reagent : 010924.75; 010924.76; 012524.R09; 011924.R15		ARSENIC	0.020	ppm	ND	PASS	0.2
Consumables : N/A		CADMIUM	0.020	ppm	ND	PASS	0.2
Pipette : N/A		MERCURY	0.020	ppm	ND	PASS	0.2
		LEAD	0.020	ppm	ND	PASS	0.5
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.		Analyzed by:	Weight:	Extraction date:	Extracted by:		
		1022, 53, 4395, 1440	0.2759g	02/10/24 15:51:58	1022,4306		
		Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL					
		Analytical Batch : DA069270HEA		Reviewed On : 02/13/24 10:04:24			
		Instrument Used : DA-ICPMS-004		Batch Date : 02/10/24 11:58:57			
		Analyzed Date : 02/12/24 15:23:49					
		Dilution : 50					
		Reagent : 020724.R07; 020524.R23; 020824.R15; 020524.R14; 020524.R15; 020524.01; 012924.R05					
		Consumables : 179436; 12532-225CD-225C; 210508058					
		Pipette : DA-061; DA-191; DA-216					

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
02/13/24



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Original Blueberry Cartridge Concentrate 0.5g

Original Blueberry

Matrix : Derivative

Type: Distillate



# Certificate of Analysis

**PASSED**

## FLUENT

5540 W. Executive Drive  
Tampa, FL, 33609, US  
Telephone: (305) 900-6266  
Email: Taylor.Jones@getfluent.com

Sample : DA40210005-004

Harvest/Lot ID: 7107 9982 5884 7977

Batch# : 7107 9982 5884  
7977

Sampled : 02/10/24

Ordered : 02/10/24

Sample Size Received : 15.5 gram

Total Amount : 1856 units

Completed : 02/13/24 Expires: 02/13/25

Sample Method : SOP.T.20.010

Page 6 of 6



## Filth/Foreign Material

**PASSED**

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 4395, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A
----------------------------------	---------------	-------------------------	----------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA069284FIL

Instrument Used : Filth/Foreign Material Microscope

Analyzed Date : 02/11/24 12:57:14

Reviewed On : 02/11/24 13:03:15

Batch Date : 02/10/24 19:33:13

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



## Water Activity

**PASSED**

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.426	PASS	0.85

Analyzed by: 4044, 1665, 4395, 1440	Weight: 0.221g	Extraction date: 02/10/24 15:52:42	Extracted by: 4044
--	-------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA069271WAT

Instrument Used : DA-324 Rotronic HygroPalm HC2-AW

(Probe)

Analyzed Date : N/A

Reviewed On : 02/11/24 06:14:53

Batch Date : 02/10/24 12:01:04

Dilution : N/A

Reagent : 111423.05

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
02/13/24