

COMPLIANCE FOR RETAIL

## **Kaycha Labs**

Golden Hour Cartridge Concentrate 1g (90%)

Golden Hour

Matrix: Derivative Type: Distillate



Batch#: 0243 1750 0780 9604

**Cultivation Facility: Tampa Cultivation Processing Facility: Tampa Processing Source Facility: Tampa Processing** 

Seed to Sale# 3640 0669 6983 2392

Batch Date: 09/20/23

Sample Size Received: 16 gram Total Amount: 1966 units Retail Product Size: 1 gram

> Ordered: 02/09/24 Sampled: 02/10/24

Completed: 02/13/24

Sampling Method: SOP.T.20.010

**PASSED** 

Feb 13, 2024 | FLUENT

5540 W. Executive Drive Tampa, FL, 33609, US



Pages 1 of 6

PRODUCT IMAGE

SAFETY RESULTS







Heavy Metals

**Certificate of Analysis** 



Microbials

Mycotoxins PASSED



Residuals Solvents PASSED



Filth



Water Activity



Moisture



MISC.

Terpenes TESTED

**PASSED** 



## Cannabinoid

**Total THC** 

88.875% Total THC/Container: 888.75 mg



**Total CBD** 0.250%

Total CBD/Container: 2.50 mg



**Total Cannabinoids** 

Total Cannabinoids/Container: 941.76 mg



Analysis Method : SOP.T.40.031, SOP.T.30.031 Analytical Batch : DA069311POT Instrument Used : DA-LC-007

Analyzed Date: 02/12/24 12:07:40

Reagent: 012324.R04; 020724.R05; 060723.24 Consumables: 947.109; 280670723; CE0123; R1KB14270

**Pipette :** DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

Reviewed On: 02/13/24 15:05:51 Batch Date: 02/12/24 07:49:11

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

### **Vivian Celestino**

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164



## **Kaycha Labs**

Golden Hour Cartridge Concentrate 1g (90%)

Golden Hour Matrix: Derivative

Type: Distillate

# **Certificate of Analysis**

**PASSED** 

5540 W. Executive Drive Tampa, FL, 33609, US Telephone: (305) 900-6266 Email: Taylor.lones@getfluent.com Sample : DA40210005-008 Harvest/Lot ID: 0243 1750 0780 9604

Batch#: 0243 1750 0780

Sampled: 02/10/24 Ordered: 02/10/24

Sample Size Received: 16 gram Total Amount: 1966 units Completed: 02/13/24 Expires: 02/13/25 Sample Method: SOP.T.20.010

Page 2 of 6



## **Terpenes**

**TESTED** 

Terpenes	LOD (%)	mg/unit	t %	Result (%)	Terpenes	LOD (%)	mg/unit	t %	Result (%)
OTAL TERPENES	0.007	24.23	2.423		NEROL	0.007	ND	ND	
LPHA-TERPINOLENE	0.007	8.61	0.861		PULEGONE	0.007	ND	ND	
BETA-MYRCENE	0.007	2.27	0.227		SABINENE	0.007	ND	ND	
CIMENE	0.007	1.71	0.170		SABINENE HYDRATE	0.007	ND	ND	
IMONENE	0.007	1.39	0.139		ALPHA-CEDRENE	0.007	ND	ND	
AMPHOR	0.007	1.39	0.139		CIS-NEROLIDOL	0.007	ND	ND	
BETA-CARYOPHYLLENE	0.007	1.13	0.113		TRANS-NEROLIDOL	0.007	ND	ND	
BORNEOL	0.013	1.03	0.103		TOTAL TERPINEOL	0.007	ND	ND	
BETA-PINENE	0.007	0.75	0.075		Analyzed by:	Weight:	Ext	raction date:	Extracted by:
ALPHA-PINENE	0.007	0.67	0.067		1879, 1665, 53, 4395, 1440	0.205g		10/24 16:16:	
LPHA-HUMULENE	0.007	0.63	0.062		Analysis Method : SOP.T.30.061A.FL, SO	DP.T.40.061A.FL			
ALENCENE	0.007	0.60	0.059		Analytical Batch : DA069279TER				/13/24 14:45:09
INALOOL	0.007	0.56	0.056		Instrument Used: DA-GCMS-009 Analyzed Date: 02/11/24 12:34:36		Batc	n pate: 02/1	0/24 12:38:30
LPHA-BISABOLOL	0.007	0.54	0.054		Dilution : 10				
ENCHYL ALCOHOL	0.007	0.53	0.053		Reagent: 062922.47				
LPHA-TERPINENE	0.007	0.53	0.052		Consumables : LLS-00-0005; 21041463	4; MKCN9995; CE0123			
LPHA-PHELLANDRENE	0.007	0.52	0.052		Pipette : N/A				
IEXAHYDROTHYMOL	0.007	0.52	0.051		Terpenoid testing is performed utilizing Gas	Chromatography Mass Spectro	metry. For all	Flower sample	es, the Total Terpenes % is dry-weight corrected
SAMMA-TERPINENE	0.007	0.50	0.049						
-CARENE	0.007	0.41	0.041						
AMPHENE	0.007	< 0.20	< 0.020						
ARYOPHYLLENE OXIDE	0.007	ND	ND						
CEDROL	0.007	ND	ND						
UCALYPTOL	0.007	ND	ND						
ARNESENE	0.001	ND	ND						
ENCHONE	0.007	ND	ND						
GERANIOL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
GUAIOL	0.007	ND	ND						
SOBORNEOL	0.007	ND	ND						
ISOPULEGOL	0.007	ND	ND						
otal (%)			2.423						

Total (%) 2.423

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

## **Vivian Celestino**

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



## **Kaycha Labs**

Golden Hour Cartridge Concentrate 1g (90%)

Golden Hour





**PASSED** 

# **Certificate of Analysis**

LOD Unite

5540 W. Executive Drive Tampa, FL, 33609, US Telephone: (305) 900-6266 Email: Taylor.lones@getfluent.com Sample : DA40210005-008 Harvest/Lot ID: 0243 1750 0780 9604

Batch#: 0243 1750 0780

Sampled: 02/10/24 Ordered: 02/10/24

Pacc/Eail Pacult

Sample Size Received: 16 gram Total Amount: 1966 units Completed: 02/13/24 Expires: 02/13/25 Sample Method: SOP.T.20.010

Page 3 of 6



## **Pesticides**

## **PASSED**

Dage/Eail Beauth

Pesticide	LOD Unit	s Action Level	Pass/Fail	Result	Pesticide	LOI	) Units	Action	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010 ppm		PASS	ND	074407	0.01	0 nnm	Level 0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010 ppm		PASS	ND	OXAMYL		.0 ppm			
TOTAL PERMETHRIN	0.010 ppm		PASS	ND	PACLOBUTRAZOL		.0 ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010 ppm		PASS	ND	PHOSMET	0.01	.0 ppm	0.1	PASS	ND
TOTAL SPINETORAM	0.010 ppm	0.2	PASS	ND	PIPERONYL BUTOXIDE	0.01	0 ppm	3	PASS	ND
TOTAL SPINOSAD	0.010 ppm		PASS	ND	PRALLETHRIN	0.01	.0 ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010 ppm	0.1	PASS	ND	PROPICONAZOLE	0.01	0 ppm	0.1	PASS	ND
ACEPHATE	0.010 ppm	0.1	PASS	ND	PROPOXUR	0.01	0 ppm	0.1	PASS	ND
ACEQUINOCYL	0.010 ppm	0.1	PASS	ND	PYRIDABEN		0 ppm	0.2	PASS	ND
ACETAMIPRID	0.010 ppm		PASS	ND	SPIROMESIFEN		0 ppm	0.1	PASS	ND
ALDICARB	0.010 ppm	0.1	PASS	ND	SPIROTETRAMAT		LO ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010 ppm		PASS	ND						
BIFENAZATE	0.010 ppm		PASS	ND	SPIROXAMINE		.0 ppm	0.1	PASS	ND
BIFENTHRIN	0.010 ppm		PASS	ND	TEBUCONAZOLE		.0 ppm	0.1	PASS	ND
BOSCALID	0.010 ppm		PASS	ND	THIACLOPRID	0.01	LO ppm	0.1	PASS	ND
CARBARYL	0.010 ppm		PASS	ND	THIAMETHOXAM	0.01	0 ppm	0.5	PASS	ND
CARBOFURAN	0.010 ppm		PASS	ND	TRIFLOXYSTROBIN	0.01	0 ppm	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010 ppm		PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	O PPM	0.15	PASS	ND
CHLORMEOUAT CHLORIDE	0.010 ppm		PASS	ND	PARATHION-METHYL *	0.01	LO PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010 ppm	0.1	PASS	ND	CAPTAN *	0.07	0 PPM	0.7	PASS	ND
CLOFENTEZINE	0.010 ppm		PASS	ND	CHLORDANE *		LO PPM	0.1	PASS	ND
COUMAPHOS	0.010 ppm	0.1	PASS	ND	CHLORFENAPYR *		LO PPM	0.1	PASS	ND
DAMINOZIDE	0.010 ppm	0.1	PASS	ND			O PPM	0.5	PASS	ND
DIAZINON	0.010 ppm	0.1	PASS	ND	CYFLUTHRIN *					
DICHLORVOS	0.010 ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	O PPM	0.5	PASS	ND
DIMETHOATE	0.010 ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extractio			ted by:
ETHOPROPHOS	0.010 ppm		PASS	ND	4056, 3379, 53, 4395, 1440	0.2444g	02/10/24		4056	
ETOFENPROX	0.010 ppm	0.1	PASS	ND	Analysis Method: SOP.T.30.101.FL (Gainesv SOP.T.40.102.FL (Davie)	IIIe), SOP.1.30.	102.FL (Davie	), SOP.1.40.10.	L.FL (Gainesville	),
ETOXAZOLE	0.010 ppm	0.1	PASS	ND	Analytical Batch : DA069274PES		Reviewed	On:02/13/24	09-31-30	
FENHEXAMID	0.010 ppm		PASS	ND	Instrument Used : DA-LCMS-003 (PES)			e:02/10/24 12		
FENOXYCARB	0.010 ppm		PASS	ND	Analyzed Date: 02/11/24 17:46:22					
FENPYROXIMATE	0.010 ppm		PASS	ND	Dilution: 250					
FIPRONIL	0.010 ppm		PASS	ND	Reagent: 013024.R05; 040423.08; 020724.	R17; 021024.R	03; 020724.R	18; 011024.R0	L; 013124.R01	
FLONICAMID	0.010 ppm	0.1	PASS	ND	Consumables: 326250IW Pipette: DA-093; DA-094; DA-219					
FLUDIOXONIL	0.010 ppm		PASS	ND	Testing for agricultural agents is performed util	lizina Liauid Chr	omatography '	Triple Ouadrupe	lo Mass Sportro	notny in
HEXYTHIAZOX	0.010 ppm	0.1	PASS	ND	accordance with F.S. Rule 64ER20-39.	iizirig Liquiu Cili	omatograpmy	TTIPle-Quadrupe	не маза эресити	ned y III
IMAZALIL	0.010 ppm		PASS	ND	Analyzed by: Weig	iht: E:	xtraction dat	e:	Extracte	ed by:
IMIDACLOPRID	0.010 ppm	0.4	PASS	ND	<b>450, 53, 4395, 1440</b> 0.24		2/10/24 15:04		4056	,-
KRESOXIM-METHYL	0.010 ppm	0.1	PASS	ND	Analysis Method: SOP.T.30.151.FL (Gainesv	ille), SOP.T.30.	151A.FL (Dav	ie), SOP.T.40.1	51.FL	
MALATHION	0.010 ppm	0.2	PASS	ND	Analytical Batch : DA069294VOL			:02/13/24 10:		
METALAXYL	0.010 ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-010		Batch Date :	02/11/24 10:55	:39	
METHIOCARB	0.010 ppm	0.1	PASS	ND	Analyzed Date : 02/12/24 13:17:34					
METHOMYL	0.010 ppm	0.1	PASS	ND	Dilution: 250 Reagent: 013024.R05; 040423.08; 012324.	D12- 012324 D	13			
MEVINPHOS	0.010 ppm	0.1	PASS	ND	Consumables: 326250IW; 14725401	1112, U12324.N.	1.5			
MYCLOBUTANIL	0.010 ppm	0.1	PASS	ND	Pipette: DA-080; DA-146; DA-218					
NALED	0.010 ppm	0.25	PASS	ND	Testing for agricultural agents is performed util	lizing Gas Chron	natography Tri	iple-Quadrupole	Mass Spectrome	try in
					accordance with F.S. Rule 64ER20-39.					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

## **Vivian Celestino**

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



## **Kaycha Labs**

Golden Hour Cartridge Concentrate 1g (90%)

Golden Hour Matrix : Derivative

Type: Distillate



**Certificate of Analysis** 

**PASSED** 

FLUENT

5540 W. Executive Drive Tampa, FL, 33609, US **Telephone:** (305) 900-6266 **Email:** Taylor.lones@getfluent.com Sample : DA40210005-008 Harvest/Lot ID: 0243 1750 0780 9604

Batch#: 0243 1750 0780

Sampled: 02/10/24 Ordered: 02/10/24 Sample Size Received: 16 gram
Total Amount: 1966 units
Completed: 02/13/24 Expires: 02/

Completed: 02/13/24 Expires: 02/13/25 Sample Method: SOP.T.20.010 Page 4 of 6



## **Residual Solvents**

Λ			Б.	п
н	J	J	Е.	u

Solvents	LOD	Units	Action Level	Pass/Fail	Result	
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND	
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND	
ACETONE	75.000	ppm	750	PASS	ND	
DICHLOROMETHANE	12.500	ppm	125	PASS	ND	
BENZENE	0.100	ppm	1	PASS	ND	
2-PROPANOL	50.000	ppm	500	PASS	ND	
CHLOROFORM	0.200	ppm	2	PASS	ND	
ETHANOL	500.000	ppm	5000	PASS	ND	
ETHYL ACETATE	40.000	ppm	400	PASS	ND	
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND	
ACETONITRILE	6.000	ppm	60	PASS	ND	
ETHYL ETHER	50.000	ppm	500	PASS	ND	
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND	
HEPTANE	500.000	ppm	5000	PASS	ND	
METHANOL	25.000	ppm	250	PASS	ND	
N-HEXANE	25.000	ppm	250	PASS	ND	
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND	
TOLUENE	15.000	ppm	150	PASS	ND	
TOTAL XYLENES	15.000	ppm	150	PASS	ND	
PROPANE	500.000	ppm	5000	PASS	ND	
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND	
Analyzed by:	Weight:	Evtractio	n date:	Evi	tracted by:	

Reviewed On: 02/13/24 12:38:08

Batch Date: 02/10/24 13:34:44

 Analyzed by:
 Weight:
 Extraction date:
 Extracted by:

 3605, 850, 53, 4395, 1440
 0.0292g
 02/10/24 13:46:18
 3605,850

Analysis Method : SOP.T.40.041.FL Analytical Batch : DA069282SOL Instrument Used : DA-GCMS-003 Analyzed Date : 02/10/24 13:38:59

 $\begin{array}{l} \textbf{Dilution:} \ 1 \\ \textbf{Reagent:} \ \text{N/A} \end{array}$ 

Consumables : R2017.167; G201.167 Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164 1/2



## **Kaycha Labs**

Golden Hour Cartridge Concentrate 1g (90%)

Golden Hour Matrix: Derivative

Type: Distillate



# **Certificate of Analysis**

PASSED

5540 W. Executive Drive Tampa, FL, 33609, US Telephone: (305) 900-6266 Email: Taylor.lones@getfluent.com Sample : DA40210005-008 Harvest/Lot ID: 0243 1750 0780 9604

Batch#: 0243 1750 0780

Sampled: 02/10/24 **Ordered**: 02/10/24 Sample Size Received: 16 gram Total Amount : 1966 units Completed: 02/13/24 Expires: 02/13/25

Sample Method: SOP.T.20.010

Page 5 of 6



## **Microbial**



Analyte	LOD	Units	Result	Pass / Fail	Action Level	L
ASPERGILLUS TERREUS			Not Present	PASS		A
ASPERGILLUS NIGER			Not Present	PASS		ŀ
ASPERGILLUS FUMIGATUS			Not Present	PASS		(
ASPERGILLUS FLAVUS			Not Present	PASS		ŀ
SALMONELLA SPECIFIC GENE			Not Present	PASS		ŀ
ECOLI SHIGELLA			Not Present	PASS		Α
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000	4

Analyzed by: Weight: **Extraction date:** Extracted by: 3390, 4395, 1440 02/10/24 15:00:36 3336,3621 1.14g

Analysis Method: SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL

Analytical Batch: DA069262MIC

Reviewed On: 02/13/24 18:03:43

Instrument Used: PathogenDx Scanner DA-111.Applied Batch Date: 02/10/24 Biosystems Thermocycler DA-013, fisherbrand Isotemp Heat Block 10:49:17

DA-020, fisherbrand Isotemp Heat Block DA-049, Fisher Scientific

Isotemp Heat Block DA-021 Analyzed Date: 02/13/24 10:12:08

Reagent: 010924.75; 010924.76; 011624.R29; 100223.11

**Consumables :** 7568003070

Pipette: N/A

246	Mycocoxiiis				i AJ	JLD
Analyte		LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B	2	0.002	ppm	ND	PASS	0.02
AFLATOXIN B	1	0.002	ppm	ND	PASS	0.02
OCHRATOVIN	Λ.	0.002	nnm	ND	DASS	0.02

	nalyzed by: 056, 3379, 53, 4395, 1440	Weight: 0.2444a		ction date:	28	Extrac 4056	ted by:	
P	FLATOXIN G2		0.002	ppm	ND	PASS	0.02	
P	FLATOXIN G1		0.002	ppm	ND	PASS	0.02	
C	CHRATOXIN A		0.002	ppm	ND	PASS	0.02	
P	FLATOXIN B1		0.002	ppm	ND	PASS	0.02	
P	FLATOXIN B2		0.002	ppm	ND	PASS	0.02	

Analysis Method: SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville),

SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)

Analytical Batch : DA069295MYC Reviewed On: 02/13/24 08:50:58 Instrument Used : N/A Batch Date: 02/11/24 10:55:57

**Analyzed Date:** 02/11/24 17:46:23

Dilution: 250 Reagent: 013024.R05; 040423.08; 020724.R17; 021024.R03; 020724.R18; 011024.R01;

013124.R01

Consumables: 326250IW Pipette: DA-093; DA-094; DA-219

 $My cotoxins\ testing\ utilizing\ Liquid\ Chromatography\ with\ Triple-Quadrupole\ Mass\ Spectrometry\ in\ accordance\ with\ F.S.\ Rule\ 64ER20-39.$ 



## **Heavy Metals**

3390, 53, 4395, 1440	1.14g	02/10/24 15:00:36	3336,3621
Analysis Method : SOP.T.40. Analytical Batch : DA069263 Instrument Used : N/A Analyzed Date : N/A		lle), SOP.T.40.209.FL  Reviewed On: 02/13/2  Batch Date: 02/10/24	
Dilution: N/A Reagent: 010924.75; 01092 Consumables: N/A Pipette: N/A	24.76; 012524	.R09; 011924.R15	

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Metal		LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOA	D METALS	0.080	ppm	ND	PASS	1.1
ARSENIC		0.020	ppm	ND	PASS	0.2
CADMIUM		0.020	ppm	ND	PASS	0.2
MERCURY		0.020	ppm	ND	PASS	0.2
LEAD		0.020	ppm	ND	PASS	0.5
Analyzed by: 1022, 53, 4395, 1440	Weight: 0.271g	Extraction 02/10/24 1			Extracted 1022,430	

Analysis Method: SOP.T.30.082.FL, SOP.T.40.082.FL Reviewed On: 02/13/24 10:05:05

Analytical Batch: DA069270HEA Instrument Used : DA-ICPMS-004

Analyzed Date: 02/12/24 15:23:49

Dilution: 50

Batch Date: 02/10/24 11:58:57

Reagent: 020724.R07; 020524.R23; 020824.R15; 020524.R14; 020524.R15; 020524.01; 012924.R05

Consumables: 179436; 12532-225CD-225C; 210508058

Pipette: DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

### **Vivian Celestino**

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



## **Kaycha Labs**

Golden Hour Cartridge Concentrate 1g (90%)

Golden Hour

Matrix: Derivative Type: Distillate



# **Certificate of Analysis**

PASSED

5540 W. Executive Drive Tampa, FL, 33609, US Telephone: (305) 900-6266 Email: Taylor.lones@getfluent.com Sample : DA40210005-008 Harvest/Lot ID: 0243 1750 0780 9604

Batch#: 0243 1750 0780

Sampled: 02/10/24 Ordered: 02/10/24 Sample Size Received: 16 gram Total Amount: 1966 units Completed: 02/13/24 Expires: 02/13/25 Sample Method: SOP.T.20.010

Page 6 of 6



## Filth/Foreign **Material**

**PASSED** 

Reviewed On: 02/11/24 13:03:19 Batch Date: 02/10/24 19:33:13

Analyte LOD Units Result P/F **Action Level** Filth and Foreign Material 0.100 % ND PASS 1

Analyzed by: 1879, 4395, 1440 NA N/A N/A

Analysis Method: SOP.T.40.090

Analytical Batch : DA069284FIL
Instrument Used : Filth/Foreign Material Microscope

Analyzed Date : 02/11/24 12:57:14

Dilution: N/AReagent: N/A Consumables : N/A Pipette: N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



## **Water Activity**

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.413	PASS	0.85
Analyzed by: 4044, 1665, 4395, 1440	Weight: 0.324g		tion date: 24 15:50:02		Extracted by: 4044

Analysis Method: SOP.T.40.019 Analytical Batch: DA069271WAT

Reviewed On: 02/11/24 06:14:58 Instrument Used : DA-324 Rotronic Hygropalm HC2-AW Batch Date: 02/10/24 12:01:04

Analyzed Date : N/A

Dilution: N/A Reagent: 111423.05 Consumables: PS-14 Pipette: N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha

Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ)

**Vivian Celestino** 

Lab Director

State License # CMTL-0002 17025:2017 Accreditation PJLA-

Signature

02/13/24

are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for ISO 17025 Accreditation # ISO/IEC pass/fail does not include the MU. Any calculated totals may contain rounding errors Testing 97164