



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA40210006-003
Harvest/Lot ID: HYB-GF-011924-C0126
Batch#: 0226 8254 3714 1114
Cultivation Facility: Zolfo Springs Cultivation
Processing Facility: Zolfo Springs Processing
Source Facility: Zolfo Springs Cultivation
Seed to Sale# 6725 1355 5495 6595
Batch Date: 12/13/23
Sample Size Received: 31.5 gram
Total Amount: 1580 units
Retail Product Size: 3.5 gram
Ordered: 02/09/24
Sampled: 02/10/24
Completed: 02/13/24
Sampling Method: SOP.T.20.010

Feb 13, 2024 | FLUENT
5540 W. Executive Drive
Tampa, FL, 33609, US



PASSED

Pages 1 of 5

PRODUCT IMAGE



SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals Solvents
NOT TESTED



Filtration
PASSED



Water Activity
PASSED



Moisture
PASSED



Terpenes
TESTED

MISC.



Cannabinoid

PASSED



Total THC
28.141%
Dry Weight



Total CBD
0.066%
Dry Weight



Total Cannabinoids
32.958%
Dry Weight

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	1.338	26.26	ND	0.067	0.038	0.219	0.542	ND	ND	ND	0.075
mg/unit	46.83	919.1	ND	2.345	1.33	7.665	18.97	ND	ND	ND	2.625
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%	%	%	%	%	%	%	%	%	%	%	%

Total THC
24.368%
852.88 mg /Container

Total CBD
0.058%
2.03 mg /Container

Total Cannabinoids
28.539%
998.865 mg /Container

As Received

Analyzed by:
3335, 1665, 53, 4395, 1440

Analysis Method : SOP.T.40.031, SOP.T.30.031
Analytical Batch : DA069309POT
Instrument Used : DA-LC-002
Analyzed Date : 02/12/24 12:20:34

Weight:
0.209g

Extraction date:
02/12/24 11:45:47

Extracted by:
3335

Dilution : 400
Reagent : 012324.R04; 030923.08; 020724.R04
Consumables : 280670723; CE0123; R1KB14270
Pipette : DA-079; DA-108; DA-078

Reviewed On : 02/13/24 15:12:11
Batch Date : 02/12/24 07:42:28

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164


Signature
02/13/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

FTH - Goofiez WF 3.5g(1/8oz)

FTH - Goofiez

Matrix : Flower

Type: Flower-Cured



Certificate of Analysis

PASSED

FLUENT

5540 W. Executive Drive
Tampa, FL, 33609, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA40210006-003

Harvest/Lot ID: HYB-GF-011924-C0126

Batch# : 0226 8254 3714
1114

Sampled : 02/10/24

Ordered : 02/10/24

Sample Size Received : 31.5 gram

Total Amount : 1580 units

Completed : 02/13/24 Expires: 02/13/25

Sample Method : SOP.T.20.010

Page 2 of 5



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	75.53	2.158		VALENCENE	0.007	ND	ND	
BETA-CARYOPHYLLENE	0.007	15.57	0.444		ALPHA-CEDRENE	0.007	ND	ND	
FARNESENE	0.001	13.18	0.376		ALPHA-PHELLANDRENE	0.007	ND	ND	
LIMONENE	0.007	11.18	0.319		ALPHA-TERPINENE	0.007	ND	ND	
LINALOOL	0.007	7.99	0.228		ALPHA-TERPINOLENE	0.007	<0.70	<0.020	
ALPHA-HUMULENE	0.007	4.35	0.124		CIS-NEROLIDOL	0.007	ND	ND	
ALPHA-BISABOLOL	0.007	2.84	0.081		GAMMA-TERPINENE	0.007	ND	ND	
OCIMENE	0.007	2.74	0.078		TRANS-NEROLIDOL	0.007	ND	ND	
BETA-MYRCENE	0.007	2.62	0.074		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL	Weight:	Extraction date:	Extracted by:	
FENCHYL ALCOHOL	0.007	1.76	0.050		795, 53, 4395, 1440	1.0031g	02/10/24 15:08:17	1879	
BETA-PINENE	0.007	1.72	0.049		Analysis Batch : DA069278TER				
ALPHA-PINENE	0.007	1.63	0.046		Instrument Used : DA-GCMS-008				
TOTAL TERPINEOL	0.007	1.54	0.044		Analysis Date : N/A				
3-CARENE	0.007	ND	ND		Dilution : N/A				
BORNEOL	0.013	<1.40	<0.040		Reagent : 062922.47				
CAMPHENE	0.007	<0.70	<0.020		Consumables : LLS-00-0005; 210414634; MCKN9995; CE0123				
CAMPHOR	0.007	ND	ND		Pipette : N/A				
CARYOPHYLLENE OXIDE	0.007	<0.70	<0.020		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
CEDROL	0.007	ND	ND						
EUCALYPTOL	0.007	ND	ND						
FENCHONE	0.007	<1.40	<0.040						
GERANIOL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
GUAIOL	0.007	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
ISOBORNEOL	0.007	ND	ND						
ISOPULEGOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
SABINENE	0.007	ND	ND						
SABINENE HYDRATE	0.007	ND	ND						

Total (%)

2.158

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
02/13/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

FTH - Goofiez WF 3.5g(1/8oz)

FTH - Goofiez

Matrix : Flower

Type: Flower-Cured



Certificate of Analysis

PASSED

FLUENT

5540 W. Executive Drive
Tampa, FL, 33609, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA40210006-003

Harvest/Lot ID: HYB-GF-011924-C0126

Batch# : 0226 8254 3714

1114

Sampled : 02/10/24

Ordered : 02/10/24

Sample Size Received : 31.5 gram

Total Amount : 1580 units

Completed : 02/13/24 Expires: 02/13/25

Sample Method : SOP.T.20.010

Page 3 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND	Analyzed by: 4056, 3379, 53, 4395, 1440 Weight: 1.0168g Extraction date: 02/10/24 15:07:55 Extracted by: 4056 Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie) Analytical Batch : DA069272PES Instrument Used : DA-LCMS-003 (PES) Analyzed Date : 02/11/24 14:55:59					
DIAZINON	0.010	ppm	0.1	PASS	ND						
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Dilution : 250 Reagent : 013024.R05; 040423.08; 020724.R17; 021024.R03; 020724.R18; 011024.R01; 013124.R01 Consumables : 326250IW Pipette : DA-093; DA-094; DA-219					
DIMETHOATE	0.010	ppm	0.1	PASS	ND						
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
ETOFENPROX	0.010	ppm	0.1	PASS	ND						
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Analyzed by: 450, 53, 4395, 1440 Weight: 1.0168g Extraction date: 02/10/24 15:07:55 Extracted by: 4056 Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL (Gainesville), SOP.T.40.151A.FL (Davie) Analytical Batch : DA069296VOL Instrument Used : DA-GCMS-010 Analyzed Date : 02/12/24 13:17:04					
FENHEXAMID	0.010	ppm	0.1	PASS	ND						
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Dilution : 250 Reagent : 013024.R05; 040423.08; 012324.R12; 012324.R13 Consumables : 326250IW; 14725401 Pipette : DA-080; DA-146; DA-218					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND						
FIPRONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FLONICAMID	0.010	ppm	0.1	PASS	ND						
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND						
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND						
IMAZALIL	0.010	ppm	0.1	PASS	ND						
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND						
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND						
MALATHION	0.010	ppm	0.2	PASS	ND						
METALAXYL	0.010	ppm	0.1	PASS	ND						
METHIOCARB	0.010	ppm	0.1	PASS	ND						
METHOMYL	0.010	ppm	0.1	PASS	ND						
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
02/13/24



Certificate of Analysis

PASSED
FLUENT

 5540 W. Executive Drive
 Tampa, FL, 33609, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA40210006-003

Harvest/Lot ID: HYB-GF-011924-C0126

 Batch# : 0226 8254 3714
 1114

Sampled : 02/10/24

Ordered : 02/10/24




Sample Size Received : 31.5 gram

Total Amount : 1580 units

Completed : 02/13/24 Expires: 02/13/25

Sample Method : SOP.T.20.010

Page 4 of 5

 Microbial PASSED						 Mycotoxins PASSED					
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ECOLI SHIGELLA			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000						
Analyzed by: 3390, 4395, 1440 Weight: 1.0869g Extraction date: 02/10/24 15:00:37 Extracted by: 3336,3621 Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA069262MIC Reviewed On : 02/13/24 18:04:13 Batch Date : 02/10/24 10:49:17 Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-013,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021 Analyzed Date : 02/13/24 10:12:08 Dilution : N/A Reagent : 010924.75; 010924.76; 011624.R29; 100223.11 Consumables : 7568003070 Pipette : N/A						Analyzed by: 4056, 3379, 53, 4395, 1440 Weight: 1.0168g Extraction date: 02/10/24 15:07:55 Extracted by: 4056 Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA069297MYC Instrument Used : N/A Analyzed Date : 02/11/24 14:56:01 Reviewed On : 02/13/24 10:38:04 Batch Date : 02/11/24 10:56:17 Dilution : 250 Reagent : 013024.R05; 040423.08; 020724.R17; 021024.R03; 020724.R18; 011024.R01; 013124.R01 Consumables : 326250IW Pipette : DA-093; DA-094; DA-219 Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
Analyzed by: 3390, 53, 4395, 1440 Weight: 1.0869g Extraction date: 02/10/24 15:00:37 Extracted by: 3336,3621 Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL Analytical Batch : DA069263TYM Instrument Used : N/A Analyzed Date : N/A Dilution : N/A Reagent : 010924.75; 010924.76; 012524.R09; 011924.R15 Consumables : N/A Pipette : N/A Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.						 Heavy Metals PASSED					
Metal	LOD	Units	Result	Pass / Fail	Action Level						
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1						
ARSENIC	0.020	ppm	ND	PASS	0.2						
CADMIUM	0.020	ppm	ND	PASS	0.2						
MERCURY	0.020	ppm	ND	PASS	0.2						
LEAD	0.020	ppm	ND	PASS	0.5						
Analyzed by: 1022, 53, 4395, 1440 Weight: 0.2778g Extraction date: 02/10/24 14:12:18 Extracted by: 1022,4306 Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA069268HEA Instrument Used : DA-ICPMS-004 Analyzed Date : 02/12/24 15:21:40 Dilution : 50 Reagent : 020724.R07; 020524.R23; 020824.R15; 020524.R14; 020524.R15; 020524.01; 012924.R05 Consumables : 179436; 12532-225CD-225C; 210508058 Pipette : DA-061; DA-191; DA-216 Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.											



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

FTH - Goofiez WF 3.5g(1/8oz)

FTH - Goofiez

Matrix : Flower

Type: Flower-Cured



Certificate of Analysis

PASSED

FLUENT

5540 W. Executive Drive
Tampa, FL, 33609, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA40210006-003

Harvest/Lot ID: HYB-GF-011924-C0126

Batch# : 0226 8254 3714
1114

Sampled : 02/10/24

Ordered : 02/10/24

Sample Size Received : 31.5 gram

Total Amount : 1580 units

Completed : 02/13/24 Expires: 02/13/25

Sample Method : SOP.T.20.010

Page 5 of 5



Filth/Foreign
Material

PASSED



Moisture

PASSED

Analyte	LOD	Units	Result	P/F	Action Level	Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1	Moisture Content	1.00	%	13.41	PASS	15
Analyzed by: 1879, 4395, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A			Analyzed by: 4044, 1665, 4395, 1440	Weight: 0.507g	Extraction date: 02/10/24 16:34:42	Extracted by: 4044		
Analysis Method : SOP.T.40.090 Analytical Batch : DA069284FIL Instrument Used : Filth/Foreign Material Microscope Analyzed Date : 02/11/24 12:57:14						Analysis Method : SOP.T.40.021 Analytical Batch : DA069269MOI Reviewed On : 02/11/24 06:24:01 Batch Date : 02/10/24 11:58:26					
Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A						Instrument Used : DA-003 Moisture Analyzer, DA-046 Moisture Analyzer, DA-263 Moisture Analyser, DA-264 Moisture Analyser Analyzed Date : N/A Dilution : N/A Reagent : 092520.50; 020123.02 Consumables : N/A Pipette : DA-066					
Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.						Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.					



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.528	PASS	0.65
Analyzed by: 4056, 4044, 1665, 4395, 1440	Weight: 0.618g	Extraction date: 02/10/24 15:20:32	Extracted by: 4044		
Analysis Method : SOP.T.40.019 Analytical Batch : DA069275WAT Instrument Used : DA-324 Rotronic HygroPalm HC2-AW (Probe) Analyzed Date : N/A					
Dilution : N/A Reagent : 111423.05 Consumables : PS-14 Pipette : N/A					
Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
02/13/24