



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA40211001-006

Harvest/Lot ID: 4103 4355 0098 3774

Batch#: 4103 4355 0098 3774

Cultivation Facility: Tampa Cultivation

Processing Facility : Tampa Processing

Source Facility : Tampa Cultivation

Seed to Sale# 4805 1629 4810 5009

Batch Date: 09/20/23

Sample Size Received: 16 gram

Total Amount: 1921 units

Retail Product Size: 1 gram

Ordered: 02/10/24

Sampled: 02/11/24

Completed: 02/13/24

Sampling Method: SOP.T.20.010

Feb 13, 2024 | FLUENT

5540 W. Executive Drive
Tampa, FL, 33609, US



PASSED

Pages 1 of 6

PRODUCT IMAGE



SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals Solvents
PASSED



Filtration
PASSED



Water Activity
PASSED



Moisture
NOT TESTED



Terpenes
TESTED

MISC.



Cannabinoid

PASSED



Total THC

90.424%

Total THC/Container : 904.24 mg



Total CBD

0.274%

Total CBD/Container : 2.74 mg



Total Cannabinoids

95.806%

Total Cannabinoids/Container : 958.06 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	90.290	0.153	0.274	ND	0.376	2.101	ND	1.047	0.599	ND	0.966
mg/unit	902.90	1.53	2.74	ND	3.76	21.01	ND	10.47	5.99	ND	9.66
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
	%	%	%	%	%	%	%	%	%	%	%

Analyzed by:
3335, 1665, 53, 4395, 4044

Weight:
0.1056g

Extraction date:
02/12/24 11:43:23

Extracted by:
1665,3335

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA069311POT

Instrument Used : DA-LC-007

Analyzed Date : 02/12/24 12:07:40

Reviewed On : 02/13/24 15:06:41

Batch Date : 02/12/24 07:49:11

Dilution : 400

Reagent : 012324.R04; 020724.R05; 060723.24

Consumables : 947.109; 280670723; CE0123; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
02/13/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Miami Vibes Cartridge Concentrate 1g (90%)

Miami Vibes

Matrix : Derivative

Type: Distillate



Certificate of Analysis

PASSED

FLUENT

5540 W. Executive Drive
Tampa, FL, 33609, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA40211001-006

Harvest/Lot ID: 4103 4355 0098 3774

Batch# : 4103 4355 0098 3774

Sampled : 02/11/24

Ordered : 02/11/24

Sample Size Received : 16 gram

Total Amount : 1921 units

Completed : 02/13/24 Expires: 02/13/25

Sample Method : SOP.T.20.010

Page 2 of 6



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	17.56	1.756		SABINENE	0.007	ND	ND	
ALPHA-TERPINOLENE	0.007	8.15	0.815		SABINENE HYDRATE	0.007	ND	ND	
BETA-MYRCENE	0.007	1.74	0.174		VALENCENE	0.007	<0.20	<0.020	
OCIMENE	0.007	1.37	0.137		ALPHA-CEDRENE	0.007	ND	ND	
LIMONENE	0.007	1.22	0.121		ALPHA-PHELLANDRENE	0.007	ND	ND	
BORNEOL	0.013	0.81	0.080		CIS-NEROLIDOL	0.007	ND	ND	
BETA-CARYOPHYLLENE	0.007	0.79	0.079		TRANS-NEROLIDOL	0.007	ND	ND	
BETA-PINENE	0.007	0.67	0.067		TOTAL TERPENEOL	0.007	ND	ND	
ALPHA-PINENE	0.007	0.59	0.058		Analized by:	Weight:	Extraction date:	Extracted by:	
ALPHA-HUMULENE	0.007	0.51	0.051		1665, 53, 4395, 4044	0.1985g	02/11/24 12:18:19	1879,795	
ALPHA-TERPINENE	0.007	0.48	0.047		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
FENCHYL ALCOHOL	0.007	0.47	0.047		Analytical Batch : DA069299TER			Reviewed On : 02/13/24 14:39:36	
GAMMA-TERPINENE	0.007	0.38	0.037		Instrument Used : DA-GCMS-004			Batch Date : 02/11/24 11:01:00	
ALPHA-BISABOLOL	0.007	0.33	0.032		Analyzed Date : N/A				
FARNESENE	0.001	0.12	0.011		Dilution : 10				
3-CARENE	0.007	ND	ND		Reagent : 062922.47				
CAMPHENE	0.007	ND	ND		Consumables : LLS-00-0005; 210414634; MKCN9995; CE0123				
CAMPHOR	0.007	ND	ND		Pipette : N/A				
CARYOPHYLLENE OXIDE	0.007	<0.20	<0.020		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
CECROL	0.007	ND	ND						
EUCALYPTOL	0.007	ND	ND						
FENCHONE	0.007	ND	ND						
GERANIOL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
GUAIOL	0.007	ND	ND						
HEXAHYDROTHYMOL	0.007	<0.20	<0.020						
ISOBORNEOL	0.007	ND	ND						
ISOPULEGOL	0.007	ND	ND						
LINALOOL	0.007	<0.20	<0.020						
NEROL	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
Total (%)			1.756						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
02/13/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Miami Vibes Cartridge Concentrate 1g (90%)

Miami Vibes

Matrix : Derivative

Type: Distillate



Certificate of Analysis

PASSED

FLUENT

5540 W. Executive Drive
Tampa, FL, 33609, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA40211001-006

Harvest/Lot ID: 4103 4355 0098 3774

Batch# : 4103 4355 0098 3774

Sampled : 02/11/24

Ordered : 02/11/24

Sample Size Received : 16 gram

Total Amount : 1921 units

Completed : 02/13/24 Expires: 02/13/25

Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analyzed by: 3379, 53, 4395, 4044	Weight: 0.2032g	Extraction date: 02/11/24 17:53:18	Extracted by: 4056		
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)					
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA069277PES		Reviewed On : 02/13/24 11:40:16			
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)		Batch Date : 02/10/24 12:07:19			
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Analyzed Date : 02/12/24 13:55:46					
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Dilution : 250					
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Reagent : 013024.R05; 040423.08; 020724.R17; 021024.R03; 020724.R18; 011024.R01; 013124.R01					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FLONICAMID	0.010	ppm	0.1	PASS	ND	Analyzed by: 450, 53, 4395, 4044	Weight: 0.2032g	Extraction date: 02/11/24 17:53:18	Extracted by: 4056		
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA069290VOL		Reviewed On : 02/13/24 11:34:27			
IMAZALIL	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-010		Batch Date : 02/11/24 10:54:48			
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	Analyzed Date : N/A					
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Dilution : 250					
MALATHION	0.010	ppm	0.2	PASS	ND	Reagent : 013024.R05; 040423.08; 012324.R12; 012324.R13					
METALAXYL	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW; 14725401					
METHIOCARB	0.010	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
METHOMYL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
02/13/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Miami Vibes Cartridge Concentrate 1g (90%)

Miami Vibes

Matrix : Derivative

Type: Distillate



Certificate of Analysis

PASSED

FLUENT

5540 W. Executive Drive
Tampa, FL, 33609, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA40211001-006

Harvest/Lot ID: 4103 4355 0098 3774

Batch# : 4103 4355 0098
3774

Sampled : 02/11/24

Ordered : 02/11/24

Sample Size Received : 16 gram

Total Amount : 1921 units

Completed : 02/13/24 Expires: 02/13/25

Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

Analyzed by:
3605, 850, 53, 4395, 4044

Weight:
0.026g

Extraction date:
02/11/24 13:19:47

Extracted by:
3605

Analysis Method : SOP.T.40.041.FL
Analytical Batch : DA069301SOL
Instrument Used : DA-GCMS-003
Analyzed Date : 02/11/24 13:20:09

Reviewed On : 02/13/24 14:15:57
Batch Date : 02/11/24 12:58:47

Dilution : 1
Reagent : N/A
Consumables : R2017.167; G201.167
Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
02/13/24



Certificate of Analysis

PASSED
FLUENT

 5540 W. Executive Drive
 Tampa, FL, 33609, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA40211001-006

Harvest/Lot ID: 4103 4355 0098 3774

Batch# : 4103 4355 0098 3774

Sampled : 02/11/24

Ordered : 02/11/24



Sample Size Received : 16 gram


Total Amount : 1921 units

Completed : 02/13/24 Expires: 02/13/25

Sample Method : SOP.T.20.010

Page 5 of 6

<div></div> <div>Microbial</div> <div>PASSED</div>						<div></div> <div>Mycotoxins</div> <div>PASSED</div>					
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ECOLI SHIGELLA			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000						
Analyzed by: 3390, 4395, 4044		Weight: 0.808g		Extraction date: 02/11/24 12:32:50		Extracted by: 4351					
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL						Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)					
Analytical Batch : DA069285MIC						Analytical Batch : DA069291MYC					
Instrument Used : fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021						Instrument Used : N/A					
Analyzed Date : 02/13/24 10:12:02						Analyzed Date : 02/12/24 13:55:53					
Dilution : N/A						Dilution : 250					
Reagent : 010924.76; 010924.80; 011624.R29; 100223.11						Reagent : 013024.R05; 040423.08; 020724.R17; 021024.R03; 020724.R18; 011024.R01; 013124.R01					
Consumables : 7568004037						Consumables : 326250IW					
Pipette : N/A						Pipette : DA-093; DA-094; DA-219					
Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.											
Analyzed by: 3621, 53, 4395, 4044						Weight: 0.808g		Extraction date: 02/11/24 12:32:50		Extracted by: 4351	
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL						Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)					
Analytical Batch : DA069286TYM						Analytical Batch : DA069291MYC					
Instrument Used : Incubator (25-27°C) DA-096						Instrument Used : N/A					
Analyzed Date : N/A						Analyzed Date : 02/12/24 13:55:53					
Dilution : N/A						Dilution : 250					
Reagent : 010924.76; 010924.80; 012524.R09; 011924.R15						Reagent : 013024.R05; 040423.08; 020724.R17; 021024.R03; 020724.R18; 011024.R01; 013124.R01					
Consumables : N/A						Consumables : 326250IW					
Pipette : N/A						Pipette : DA-093; DA-094; DA-219					
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.											

<div></div> <div>Heavy Metals</div> <div>PASSED</div>					
Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1
ARSENIC	0.020	ppm	ND	PASS	0.2
CADMIUM	0.020	ppm	ND	PASS	0.2
MERCURY	0.020	ppm	ND	PASS	0.2
LEAD	0.020	ppm	ND	PASS	0.5
Analyzed by:	Weight:	Extraction date:	Extracted by:		
3621, 53, 4395, 4044	0.808g	02/11/24 12:32:50	4351		
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL					
Analytical Batch : DA069286TYM					
Instrument Used : Incubator (25-27°C) DA-096					
Analyzed Date : N/A					
Dilution : N/A					
Reagent : 010924.76; 010924.80; 012524.R09; 011924.R15					
Consumables : N/A					
Pipette : N/A					
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.					



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Miami Vibes Cartridge Concentrate 1g (90%)

Miami Vibes

Matrix : Derivative

Type: Distillate



Certificate of Analysis

PASSED

FLUENT

5540 W. Executive Drive
Tampa, FL, 33609, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA40211001-006

Harvest/Lot ID: 4103 4355 0098 3774

Batch# : 4103 4355 0098
3774

Sampled : 02/11/24

Ordered : 02/11/24

Sample Size Received : 16 gram

Total Amount : 1921 units

Completed : 02/13/24 Expires: 02/13/25

Sample Method : SOP.T.20.010

Page 6 of 6



Filth/Foreign
Material

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 4395, 4044	Weight: NA	Extraction date: N/A	Extracted by: N/A
----------------------------------	---------------	-------------------------	----------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA069284FIL

Instrument Used : Filth/Foreign Material Microscope

Analyzed Date : 02/11/24 12:57:14

Reviewed On : 02/11/24 13:06:17

Batch Date : 02/10/24 19:33:13

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.460	PASS	0.85

Analyzed by: 4044, 53, 4395	Weight: 0.27g	Extraction date: 02/11/24 15:48:58	Extracted by: 4044
--------------------------------	------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA069289WAT

Instrument Used : DA-324 Rotronic HygroPalm HC2-AW

(Probe)

Analyzed Date : 02/11/24 15:53:32

Reviewed On : 02/13/24 13:56:04

Batch Date : 02/11/24 10:28:23

Dilution : N/A

Reagent : 111423.05

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
02/13/24