



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA40211001-008
Harvest/Lot ID: 3460 0176 9756 3138
Batch#: 3460 0176 9756 3138
Cultivation Facility: Tampa Cultivation
Processing Facility: Tampa Processing
Source Facility: Tampa Cultivation
Seed to Sale#: 9047 0899 2969 9299
Batch Date: 09/20/23
Sample Size Received: 600 gram
Total Amount: 4012 units
Retail Product Size: 39.54 gram
Ordered: 02/10/24
Sampled: 02/11/24
Completed: 02/13/24
Sampling Method: SOP.T.20.010

Feb 13, 2024 | FLUENT

5540 W. Executive Drive
Tampa, FL, 33609, US



PASSED

Pages 1 of 5

PRODUCT IMAGE



SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals Solvents
PASSED



Filtration
PASSED



Water Activity
PASSED



Moisture
NOT TESTED



Terpenes
NOT TESTED

MISC.



Cannabinoid

PASSED



Total THC

0.250%

Total THC/Container : 98.85 mg



Total CBD

ND

Total CBD/Container : 0.00 mg



Total Cannabinoids

0.270%

Total Cannabinoids/Container : 106.76 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.250	ND	ND	ND	0.002	0.009	ND	0.004	0.002	ND	0.003
mg/unit	98.85	ND	ND	ND	0.79	3.56	ND	1.58	0.79	ND	1.19
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%	%	%	%	%	%	%	%	%	%	%	%

Analized by:
3335, 1665, 53, 4044

Weight:
3.0266g

Extraction date:
02/12/24 11:48:17

Extracted by:
1665,3335

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA069307POT

Instrument Used : DA-LC-007

Analyzed Date : 02/12/24 12:11:31

Reviewed On : 02/13/24 15:34:02

Batch Date : 02/12/24 07:32:47

Dilution : 40

Reagent : 012324.R04; 060723.24; 020724.R04

Consumables : 947.109; 280670723; CE0123; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
02/13/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Dark Chocolate Bar 10 PC
Dark Chocolate
Matrix : Edible
Type: Chocolate



Certificate of Analysis

PASSED

FLUENT

5540 W. Executive Drive
Tampa, FL, 33609, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA40211001-008

Harvest/Lot ID: 3460 0176 9756 3138

Batch# : 3460 0176 9756

3138

Sampled : 02/11/24

Ordered : 02/11/24

Sample Size Received : 600 gram

Total Amount : 4012 units

Completed : 02/13/24 Expires: 02/13/25

Sample Method : SOP.T.20.010

Page 2 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result		
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	30	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND		
TOTAL DIMETHOMORPH	0.010	ppm	3	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND		
TOTAL PERMETHRIN	0.010	ppm	1	PASS	ND	PHOSMET	0.010	ppm	0.2	PASS	ND		
TOTAL PYRETHRINS	0.010	ppm	1	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND		
TOTAL SPINETORAM	0.010	ppm	3	PASS	ND	PRALLETHRIN	0.010	ppm	0.4	PASS	ND		
TOTAL SPINOSAD	0.010	ppm	3	PASS	ND	PROPICONAZOLE	0.010	ppm	1	PASS	ND		
ABAMECTIN B1A	0.010	ppm	0.3	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND		
ACEPHATE	0.010	ppm	3	PASS	ND	PYRIDABEN	0.010	ppm	3	PASS	ND		
ACEQUINOCYL	0.010	ppm	2	PASS	ND	SPIROMESIFEN	0.010	ppm	3	PASS	ND		
ACETAMIPRID	0.010	ppm	3	PASS	ND	SPIROTETRAMAT	0.010	ppm	3	PASS	ND		
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND		
AZOXYSTROBIN	0.010	ppm	3	PASS	ND	TEBUCONAZOLE	0.010	ppm	1	PASS	ND		
BIFENAZATE	0.010	ppm	3	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND		
BIFENTHRIN	0.010	ppm	0.5	PASS	ND	THIAMETHOXAM	0.010	ppm	1	PASS	ND		
BOSCALID	0.010	ppm	3	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	3	PASS	ND		
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.2	PASS	ND		
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND		
CHLORANTRANILIPROLE	0.010	ppm	3	PASS	ND	CAPTAN *	0.070	PPM	3	PASS	ND		
CHLORMEQUAT CHLORIDE	0.010	ppm	3	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND		
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND		
CLOFENTEZINE	0.010	ppm	0.5	PASS	ND	CYFLUTHRIN *	0.050	PPM	1	PASS	ND		
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	1	PASS	ND		
DAMINOZIDE	0.010	ppm	0.1	PASS	ND								
DIAZINON	0.010	ppm	3	PASS	ND	Analyzed by:	3379, 53, 1665, 4044	Weight:	0.8868g	Extraction date:	02/12/24 13:50:05	Extracted by:	4056,3379
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analysis Method :	SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)			Reviewed On :	02/13/24 11:40:40		
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analytical Batch :	DA069277PES			Batch Date :	02/10/24 12:07:19		
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Instrument Used :	DA-LCMS-003 (PES)						
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Analyzed Date :	02/12/24 13:55:46						
ETOXAZOLE	0.010	ppm	1.5	PASS	ND	Dilution :	250						
FENHEXAMID	0.010	ppm	3	PASS	ND	Reagent :	013024.R05; 040423.08; 020724.R17; 021024.R03; 020724.R18; 011024.R01; 013124.R01						
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Consumables :	326250IW						
FENPYROXIMATE	0.010	ppm	2	PASS	ND	Pipette :	DA-093; DA-094; DA-219						
FIPRONIL	0.010	ppm	0.1	PASS	ND								
FLONICAMID	0.010	ppm	2	PASS	ND								
FLUDIOXONIL	0.010	ppm	3	PASS	ND								
HEXYTHIAZOX	0.010	ppm	2	PASS	ND								
IMAZALIL	0.010	ppm	0.1	PASS	ND								
IMIDACLOPRID	0.010	ppm	1	PASS	ND	Analyzed by:	450, 53, 1665, 4044	Weight:	0.8868g	Extraction date:	02/12/24 13:50:05	Extracted by:	4056,3379
KRESOXIM-METHYL	0.010	ppm	1	PASS	ND	Analysis Method :	SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL (Gainesville), SOP.T.40.151A.FL (Davie)			Reviewed On :	02/13/24 11:34:44		
MALATHION	0.010	ppm	2	PASS	ND	Analytical Batch :	DA069290VOL			Batch Date :	02/11/24 10:54:48		
METALAXYL	0.010	ppm	3	PASS	ND	Instrument Used :	DA-GCMS-010						
METHIOCARB	0.010	ppm	0.1	PASS	ND	Analyzed Date :	N/A						
METHOMYL	0.010	ppm	0.1	PASS	ND	Dilution :	250						
MEVINPHOS	0.010	ppm	0.1	PASS	ND	Reagent :	013024.R05; 040423.08; 012324.R12; 012324.R13						
MYCLOBUTANIL	0.010	ppm	3	PASS	ND	Consumables :	326250IW; 14725401						
NALED	0.010	ppm	0.5	PASS	ND	Pipette :	DA-080; DA-146; DA-218						

Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

Analyzed by: 3379, 53, 1665, 4044
Weight: 0.8868g
Extraction date: 02/12/24 13:50:05
Extracted by: 4056,3379

Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)

Analytical Batch : DA069277PES
Instrument Used : DA-LCMS-003 (PES)
Analyzed Date : 02/12/24 13:55:46

Reviewed On : 02/13/24 11:40:40
Batch Date : 02/10/24 12:07:19

Dilution : 250
Reagent : 013024.R05; 040423.08; 020724.R17; 021024.R03; 020724.R18; 011024.R01; 013124.R01
Consumables : 326250IW
Pipette : DA-093; DA-094; DA-219

Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

Analyzed by: 450, 53, 1665, 4044
Weight: 0.8868g
Extraction date: 02/12/24 13:50:05
Extracted by: 4056,3379

Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL (Gainesville), SOP.T.40.151A.FL (Davie)

Analytical Batch : DA069290VOL
Instrument Used : DA-GCMS-010
Analyzed Date : N/A

Reviewed On : 02/13/24 11:34:44
Batch Date : 02/11/24 10:54:48

Dilution : 250
Reagent : 013024.R05; 040423.08; 012324.R12; 012324.R13
Consumables : 326250IW; 14725401
Pipette : DA-080; DA-146; DA-218

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
02/13/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Dark Chocolate Bar 10 PC
Dark Chocolate
Matrix : Edible
Type: Chocolate



Certificate of Analysis

PASSED

FLUENT

5540 W. Executive Drive
Tampa, FL, 33609, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA40211001-008

Harvest/Lot ID: 3460 0176 9756 3138

Batch# : 3460 0176 9756
3138

Sampled : 02/11/24

Ordered : 02/11/24

Sample Size Received : 600 gram

Total Amount : 4012 units

Completed : 02/13/24 Expires: 02/13/25

Sample Method : SOP.T.20.010

Page 3 of 5



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

Analyzed by:
3605, 850, 53, 1665, 4044

Weight:
0.0241g

Extraction date:
02/11/24 13:19:48

Extracted by:
3605

Analysis Method : SOP.T.40.041.FL
Analytical Batch : DA069301SOL
Instrument Used : DA-GCMS-003
Analyzed Date : 02/11/24 13:20:09

Reviewed On : 02/13/24 14:16:13
Batch Date : 02/11/24 12:58:47

Dilution : 1
Reagent : N/A
Consumables : R2017.167; G201.167
Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
02/13/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Dark Chocolate Bar 10 PC
Dark Chocolate
Matrix : Edible
Type: Chocolate



Certificate of Analysis

PASSED

FLUENT

5540 W. Executive Drive
Tampa, FL, 33609, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA40211001-008

Harvest/Lot ID: 3460 0176 9756 3138

Batch# : 3460 0176 9756
3138

Sampled : 02/11/24
Ordered : 02/11/24

Sample Size Received : 600 gram

Total Amount : 4012 units

Completed : 02/13/24 Expires: 02/13/25

Sample Method : SOP.T.20.010

Page 4 of 5

	Microbial	PASSED		Mycotoxins	PASSED
--	------------------	---------------	--	-------------------	---------------

Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
ECOLI SHIGELLA			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000	Analyzed by:		Weight:		Extraction date:	
						3390, 4395, 1665, 4044		0.8868g		02/12/24 13:50:05	
										Extracted by:	
										4056,3379	
Analyzed by:	Weight:	Extraction date:	Extracted by:			Analysis Method :	SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville),				
3390, 4395, 1665, 4044	1.0926g	02/11/24 12:32:51	4351			SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)					
Analysis Method :	SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL					Analytical Batch :	DA069291MYC			Reviewed On :	02/13/24 11:21:40
Analytical Batch :	DA069285MIC					Instrument Used :	N/A			Batch Date :	02/11/24 10:55:06
						Analyzed Date :	02/12/24 13:55:53				
Instrument Used :	fisherbrand Isotemp Heat Block					Dilution :	250				
	DA-020, fisherbrand Isotemp Heat Block DA-049, Fisher					Reagent :	013024.R05; 040423.08; 020724.R17; 021024.R03; 020724.R18; 011024.R01;				
	Scientific Isotemp Heat Block DA-021						013124.R01				
Analyzed Date :	02/13/24 10:12:02					Consumables :	326250IW				
						Pipette :	DA-093; DA-094; DA-219				
Dilution :	N/A										
Reagent :	010924.76; 010924.80; 011624.R29; 100223.11										
Consumables :	7568004037										
Pipette :	N/A										

Analyzed by:	Weight:	Extraction date:	Extracted by:				Heavy Metals	PASSED
3621, 53, 1665, 4044	1.0926g	02/11/24 12:32:51	4351					
Analysis Method :	SOP.T.40.208 (Gainesville), SOP.T.40.209.FL							
Analytical Batch :	DA069286TYM							
Instrument Used :	Incubator (25-27°C) DA-096							
Analyzed Date :	N/A							
Dilution :	N/A							
Reagent :	010924.76; 010924.80; 012524.R09; 011924.R15							
Consumables :	N/A							
Pipette :	N/A							
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.								

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	<0.400	PASS	5
ARSENIC	0.020	ppm	ND	PASS	1.5
CADMIUM	0.020	ppm	0.133	PASS	0.5
MERCURY	0.020	ppm	ND	PASS	3
LEAD	0.020	ppm	ND	PASS	0.5
Analyzed by:	Weight:	Extraction date:	Extracted by:		
1022, 53, 1665, 4044	0.2477g	02/12/24 11:18:09	1022		
Analysis Method :	SOP.T.30.082.FL, SOP.T.40.082.FL				
Analytical Batch :	DA069313HEA				
Instrument Used :	DA-ICPMS-004				
Analyzed Date :	02/12/24 15:33:43				
Dilution :	50				
Reagent :	012924.R05				
Consumables :	179436; 12532-225CD-225C; 210508058				
Pipette :	DA-061; DA-191; DA-216				
Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
02/13/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Dark Chocolate Bar 10 PC
Dark Chocolate
Matrix : Edible
Type: Chocolate



Certificate of Analysis

PASSED

FLUENT

5540 W. Executive Drive
Tampa, FL, 33609, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA40211001-008

Harvest/Lot ID: 3460 0176 9756 3138

Batch# : 3460 0176 9756
3138

Sampled : 02/11/24

Ordered : 02/11/24

Sample Size Received : 600 gram

Total Amount : 4012 units

Completed : 02/13/24 Expires: 02/13/25

Sample Method : SOP.T.20.010

Page 5 of 5



Filth/Foreign
Material

PASSED

Homogeneity

PASSED

Amount of tests conducted : 28

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 1665, 4044	Weight: NA	Extraction date: N/A	Extracted by: N/A
----------------------------------	---------------	-------------------------	----------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA069284FIL

Instrument Used : Filth/Foreign Material Microscope

Analyzed Date : 02/11/24 12:57:14

Reviewed On : 02/11/24 13:06:34

Batch Date : 02/10/24 19:33:13

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.467	PASS	0.85

Analyzed by: 4044, 53, 1665	Weight: 6.8655g	Extraction date: 02/11/24 15:48:59	Extracted by: 4044
--------------------------------	--------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA069289WAT

Instrument Used : DA-324 Rotronic HygroPalm HC2-AW

(Probe)

Analyzed Date : 02/11/24 15:53:32

Reviewed On : 02/13/24 13:56:36

Batch Date : 02/11/24 10:28:23

Dilution : N/A

Reagent : 111423.05

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Pass/Fail	Result	Action Level
TOTAL THC - HOMOGENEITY (RSD)	0.001	%	PASS	0.902	25

3335, 1665, 4044	Average Weight 3.728g	Extraction date : 02/12/24 15:22:24	Extracted By : 3335
------------------	--------------------------	--	------------------------

Analysis Method : SOP.T.30.111.FL, SOP.T.40.111.FL

Analytical Batch : DA069315HOM

Instrument Used : DA-LC-005

Analyzed Date : 02/12/24 15:26:33

Reviewed On : 02/13/24 19:18:28

Batch Date : 02/12/24 10:57:32

Dilution : 40

Reagent : 020724.R05; 060723.24; 011824.R01

Consumables : 947.109; CE0123; 12594-247CD-247C; R1KB14270

Pipette : DA-079; DA-108; DA-078

Dilution : 40

Reagent : 020724.R05; 060723.24; 011824.R01

Consumables : 947.109; CE0123; 12594-247CD-247C; R1KB14270

Pipette : DA-079; DA-108; DA-078

Homogeneity testing is performed utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
02/13/24