



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Sherbanger WF 3.5g (1/8oz)  
Sherbanger WF  
Matrix: Flower  
Type: Flower-Cured



# Certificate of Analysis

## COMPLIANCE FOR RETAIL

Sample: DA40222003-005  
Harvest/Lot ID: 2053 4826 8368 0153  
Batch#: 2053 4826 8368 0153  
Cultivation Facility: Tampa Cultivation  
Processing Facility : Tampa Processing  
Source Facility : Tampa Cultivation  
Seed to Sale# 4133 7403 2166 7669  
Batch Date: 01/21/24  
Sample Size Received: 45.5 gram  
Total Amount: 3240 units  
Retail Product Size: 3.5 gram  
Ordered: 02/21/24  
Sampled: 02/22/24  
Completed: 02/24/24  
Sampling Method: SOP.T.20.010

Feb 24, 2024 | FLUENT

5540 W. Executive Drive  
Tampa, FL, 33609, US



**PASSED**

Pages 1 of 5

### PRODUCT IMAGE



### SAFETY RESULTS



Pesticides  
**PASSED**



Heavy Metals  
**PASSED**



Microbials  
**PASSED**



Mycotoxins  
**PASSED**



Residuals Solvents  
**NOT TESTED**



Filtration  
**PASSED**



Water Activity  
**PASSED**



Moisture  
**PASSED**



Terpenes  
**TESTED**

### MISC.



**Cannabinoid**

**PASSED**



Total THC  
**28.783%**  
Dry Weight



Total CBD  
**0.062%**  
Dry Weight



Total Cannabinoids  
**33.723%**  
Dry Weight

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	1.504	26.856	ND	0.062	0.03	0.183	0.617	ND	ND	ND	0.104
mg/unit	52.64	939.96	ND	2.17	1.05	6.405	21.595	ND	ND	ND	3.64
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
	%	%	%	%	%	%	%	%	%	%	%

Total THC  
**25.056%**  
876.96 mg /Container

Total CBD  
**0.054%**  
1.89 mg /Container

Total Cannabinoids  
**29.356%**  
1027.46 mg /Container

As Received

Analyzed by:  
3335, 1665, 53, 1440

Weight:  
0.2008g

Extraction date:  
02/22/24 13:56:43

Extracted by:  
3335

Analysis Method : SOP.T.40.031, SOP.T.30.031  
Analytical Batch : DA069675POT  
Instrument Used : DA-LC-002  
Analyzed Date : 02/22/24 14:19:01

Reviewed On : 02/23/24 09:49:25  
Batch Date : 02/22/24 10:45:23

Dilution : 400  
Reagent : 021424.R06; 060723.24; 021424.R01  
Consumables : 947.109; 34623011; CE0123; R1KB14270  
Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJA-  
Testing 97164

Signature  
02/24/24



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Sherbanger WF 3.5g (1/8oz)  
Sherbanger WF  
Matrix : Flower  
Type: Flower-Cured



# Certificate of Analysis

PASSED

FLUENT

5540 W. Executive Drive  
Tampa, FL, 33609, US  
Telephone: (305) 900-6266  
Email: Taylor.Jones@getfluent.com

Sample : DA40222003-005

Harvest/Lot ID: 2053 4826 8368 0153

Batch# : 2053 4826 8368  
0153

Sampled : 02/22/24

Ordered : 02/22/24

Sample Size Received : 45.5 gram

Total Amount : 3240 units

Completed : 02/24/24 Expires: 02/24/25

Sample Method : SOP.T.20.010

Page 2 of 5



## Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	54.08	1.545		SABINENE HYDRATE	0.007	ND	ND	
BETA-CARYOPHYLLENE	0.007	17.78	0.508		VALENCENE	0.007	ND	ND	
LINALOOL	0.007	7.35	0.210		ALPHA-CEDRENE	0.007	ND	ND	
LIMONENE	0.007	6.23	0.178		ALPHA-PHELLANDRENE	0.007	ND	ND	
ALPHA-BISABOLOL	0.007	5.57	0.159		ALPHA-TERPINENE	0.007	ND	ND	
ALPHA-HUMULENE	0.007	5.08	0.145		ALPHA-TERPINOLENE	0.007	ND	ND	
FENCHYL ALCOHOL	0.007	1.93	0.055		CIS-NEROLIDOL	0.007	ND	ND	
BETA-PINENE	0.007	1.86	0.053		GAMMA-TERPINENE	0.007	ND	ND	
FARNESENE	0.001	1.75	0.050						
TRANS-NEROLIDOL	0.007	1.58	0.045		Analyzed by:	Weight:	Extraction date:	Extracted by:	
TOTAL TERPINEOL	0.007	1.44	0.041		1665, 1440	0.9355g	02/23/24 21:16:48	1665	
BETA-MYRCENE	0.007	1.37	0.039		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
ALPHA-PINENE	0.007	1.26	0.036		Analytical Batch : DA069692TER			Reviewed On : 02/23/24 21:41:49	
CARYOPHYLLENE OXIDE	0.007	0.91	0.026		Instrument Used : DA-GCMS-009			Batch Date : 02/22/24 13:44:02	
3-CARENE	0.007	ND	ND		Analyzed Date : N/A				
BORNEOL	0.013	ND	ND		Dilution : 10				
CAMPHENE	0.007	ND	ND		Reagent : N/A				
CAMPHOR	0.007	ND	ND		Consumables : N/A				
CEDROL	0.007	ND	ND		Pipette : N/A				
EUCALYPTOL	0.007	ND	ND		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
FENCHONE	0.007	ND	ND						
GERANIOL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
GUAIOL	0.007	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
ISOBORNEOL	0.007	ND	ND						
ISOPULEGOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
OCIMENE	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
SABINENE	0.007	ND	ND						
Total (%)			1.545						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
02/24/24



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Sherbanger WF 3.5g (1/8oz)

Sherbanger WF

Matrix : Flower

Type: Flower-Cured



# Certificate of Analysis

**PASSED**

FLUENT

5540 W. Executive Drive  
Tampa, FL, 33609, US  
Telephone: (305) 900-6266  
Email: Taylor.Jones@getfluent.com

Sample : DA40222003-005

Harvest/Lot ID: 2053 4826 8368 0153

Batch# : 2053 4826 8368  
0153

Sampled : 02/22/24

Ordered : 02/22/24

Sample Size Received : 45.5 gram

Total Amount : 3240 units

Completed : 02/24/24 Expires: 02/24/25

Sample Method : SOP.T.20.010

Page 3 of 5



## Pesticides

**PASSED**

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analyzed by: 3379, 53, 1665, 1440	Weight: 0.8484g	Extraction date: 02/22/24 14:38:28	Extracted by: 3379		
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)					
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA069677PES		Reviewed On : 02/23/24 10:35:21			
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)		Batch Date : 02/22/24 10:47:04			
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Analyzed Date : 02/22/24 14:43:24					
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Dilution : 250					
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Reagent : 022024.R04; 040423.08; 022124.R12; 022124.R09; 021524.R13; 021324.R05; 022124.R07					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FLONICAMID	0.010	ppm	0.1	PASS	ND	Analyzed by: 450, 53, 1665, 1440	Weight: 0.8484g	Extraction date: 02/22/24 14:38:28	Extracted by: 3379		
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA069678VOL		Reviewed On : 02/23/24 10:40:29			
IMAZALIL	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-001		Batch Date : 02/22/24 10:49:49			
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	Analyzed Date : 02/22/24 16:09:14					
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Dilution : 250					
MALATHION	0.010	ppm	0.2	PASS	ND	Reagent : 022024.R04; 040423.08; 021424.R18; 021424.R19					
METALAXYL	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW; 14725401					
METHIOCARB	0.010	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
METHOMYL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
02/24/24



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Sherbanger WF 3.5g (1/8oz)  
Sherbanger WF  
Matrix : Flower  
Type: Flower-Cured



# Certificate of Analysis

PASSED

FLUENT

5540 W. Executive Drive  
Tampa, FL, 33609, US  
Telephone: (305) 900-6266  
Email: Taylor.Jones@getfluent.com

Sample : DA40222003-005

Harvest/Lot ID: 2053 4826 8368 0153

Batch# : 2053 4826 8368  
0153

Sampled : 02/22/24  
Ordered : 02/22/24



Sample Size Received : 45.5 gram


Total Amount : 3240 units

Completed : 02/24/24 Expires: 02/24/25

Sample Method : SOP.T.20.010

Page 4 of 5

	Microbial					PASSED		Mycotoxins					PASSED
Analyte	LOD	Units	Result	Pass / Fail	Action Level		Analyte	LOD	Units	Result	Pass / Fail	Action Level	
ASPERGILLUS TERREUS			Not Present	PASS			AFLATOXIN B2	0.002	ppm	ND	PASS	0.02	
ASPERGILLUS NIGER			Not Present	PASS			AFLATOXIN B1	0.002	ppm	ND	PASS	0.02	
ASPERGILLUS FUMIGATUS			Not Present	PASS			OCHRATOXIN A	0.002	ppm	ND	PASS	0.02	
ASPERGILLUS FLAVUS			Not Present	PASS			AFLATOXIN G1	0.002	ppm	ND	PASS	0.02	
SALMONELLA SPECIFIC GENE			Not Present	PASS			AFLATOXIN G2	0.002	ppm	ND	PASS	0.02	
ECOLI SHIGELLA			Not Present	PASS									
TOTAL YEAST AND MOLD	10	CFU/g	170	PASS	100000		Analyzed by: 3379, 53, 1665, 1440	Weight: 0.8484g	Extraction date: 02/22/24 14:38:28		Extracted by: 3379		
Analyzed by: 3336, 3621, 53, 1665, 1440						Weight: 1.005g	Extraction date: 02/22/24 10:47:33			Extracted by: 3621			
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL						Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)							
Analytical Batch : DA069659MIC						Reviewed On : 02/23/24 10:48:38			Analytical Batch : DA069688MYC				
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-010,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021						Batch Date : 02/22/24 09:09:06			Instrument Used : N/A				
Analyzed Date : 02/22/24 13:12:58									Analyzed Date : 02/22/24 14:43:29				
Dilution : N/A									Dilution : 250				
Reagent : 010924.52; 010924.64; 010924.74; 020724.R22; 100223.12									Reagent : 022024.R04; 040423.08; 022124.R12; 022124.R09; 021524.R13; 021324.R05; 022124.R07				
Consumables : 7569001023									Consumables : 326250IW				
Pipette : N/A									Pipette : DA-093; DA-094; DA-219				
						Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.							
Analyzed by: 3336, 3621, 1665, 1440						Weight: 1.005g	Extraction date: 02/22/24 10:47:33			Extracted by: 3621			
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL						Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)							
Analytical Batch : DA069670TYM						Reviewed On : 02/24/24 12:08:18			Analytical Batch : DA069688MYC				
Instrument Used : Incubator (25-27°C) DA-096						Batch Date : 02/22/24 10:21:41			Instrument Used : N/A				
Analyzed Date : 02/22/24 11:46:38									Analyzed Date : 02/22/24 14:43:29				
Dilution : N/A									Dilution : 250				
Reagent : 010924.52; 010924.64; 010924.74; 012524.R09									Reagent : 022024.R04; 040423.08; 022124.R12; 022124.R09; 021524.R13; 021324.R05; 022124.R07				
Consumables : N/A									Consumables : 326250IW				
Pipette : N/A									Pipette : DA-093; DA-094; DA-219				
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.													

	Heavy Metals					PASSED
Metal	LOD	Units	Result	Pass / Fail	Action Level	
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1	
ARSENIC	0.020	ppm	ND	PASS	0.2	
CADMIUM	0.020	ppm	ND	PASS	0.2	
MERCURY	0.020	ppm	ND	PASS	0.2	
LEAD	0.020	ppm	ND	PASS	0.5	
Analyzed by: 1022, 53, 1665, 1440	Weight: 0.2693g	Extraction date: 02/22/24 11:24:43		Extracted by: 1022		
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL						
Analytical Batch : DA069664HEA						
Instrument Used : DA-ICPMS-004						
Analyzed Date : 02/22/24 15:45:50						
Dilution : 50						
Reagent : 020724.R07; 021924.R03; 022124.R13; 021924.R01; 021924.R02; 020524.01; 021324.R02						
Consumables : 179436; 34623011; 210508058						
Pipette : DA-061; DA-191; DA-216						
Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
02/24/24



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

## Kaycha Labs

Sherbanger WF 3.5g (1/8oz)  
Sherbanger WF  
Matrix : Flower  
Type: Flower-Cured



# Certificate of Analysis

**PASSED**

### FLUENT

5540 W. Executive Drive  
Tampa, FL, 33609, US  
Telephone: (305) 900-6266  
Email: Taylor.Jones@getfluent.com

Sample : DA40222003-005

Harvest/Lot ID: 2053 4826 8368 0153

Batch# : 2053 4826 8368  
0153

Sampled : 02/22/24

Ordered : 02/22/24

Sample Size Received : 45.5 gram

Total Amount : 3240 units

Completed : 02/24/24 Expires: 02/24/25

Sample Method : SOP.T.20.010

Page 5 of 5



## Filth/Foreign Material

**PASSED**



## Moisture

**PASSED**

Analyte	LOD	Units	Result	P/F	Action Level	Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1	Moisture Content	1.00	%	12.95	PASS	15
Analyzed by: N/A	Weight: NA	Extraction date: N/A	Extracted by: N/A			Analyzed by: 4444, 53, 1665, 1440	Weight: 0.503g	Extraction date: 02/22/24 16:04:15	Extracted by: 4444		
Analysis Method : SOP.T.40.090 Analytical Batch : N/A Instrument Used : N/A Analyzed Date : N/A						Analysis Method : SOP.T.40.021 Analytical Batch : DA069661MOI Instrument Used : DA-003 Moisture Analyzer Analyzed Date : 02/22/24 15:58:56					
Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A						Dilution : N/A Reagent : 092520.50; 020123.02 Consumables : N/A Pipette : DA-066					

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.



## Water Activity

**PASSED**

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.467	PASS	0.65
Analyzed by: 4444, 53, 1665, 1440	Weight: 1.735g	Extraction date: 02/22/24 16:09:07	Extracted by: 4444		
Analysis Method : SOP.T.40.019 Analytical Batch : DA069662WAT Instrument Used : DA-324 Rotronic HygroPalm HC2-AW (Probe) Analyzed Date : 02/22/24 15:54:04					
Dilution : N/A Reagent : 111423.05 Consumables : PS-14 Pipette : N/A					

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

## Vivian Celestino

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
02/24/24