



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA40222004-004
Harvest/Lot ID: HYB-SB-021924-CO133
Batch#: 9517 5782 5959 0723
Cultivation Facility: Zolfo Springs Cultivation
Processing Facility: Zolfo Springs Processing
Source Facility: Zolfo Springs Cultivation
Seed to Sale# 6033 3677 4229 3609
Batch Date: 01/19/24
Sample Size Received: 31.5 gram
Total Amount: 939 units
Retail Product Size: 3.5 gram
Ordered: 02/21/24
Sampled: 02/22/24
Completed: 02/24/24
Sampling Method: SOP.T.20.010

Feb 24, 2024 | FLUENT

5540 W. Executive Drive
Tampa, FL, 33609, US



PASSED

Pages 1 of 5


PRODUCT IMAGE



SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals Solvents
NOT TESTED



Filth
PASSED



Water Activity
PASSED



Moisture
PASSED



Terpenes
TESTED

MISC.



Cannabinoid

PASSED



Total THC
28.431%
Dry Weight



Total CBD
0.058%
Dry Weight



Total Cannabinoids
34.805%
Dry Weight

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.099	27.764	ND	0.058	0.028	0.334	1.605	ND	ND	ND	0.041
mg/unit	3.465	971.74	ND	2.03	0.98	11.69	56.175	ND	ND	ND	1.435
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
	%	%	%	%	%	%	%	%	%	%	%

Total THC
24.448%
855.68 mg /Container

Total CBD
0.05%
1.75 mg /Container

Total Cannabinoids
29.929%
1047.515 mg /Container

As Received

Analyzed by:
3335, 1665, 53, 1440

Weight:
0.2043g

Extraction date:
02/22/24 13:56:44

Extracted by:
3335

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA069675POT

Instrument Used : DA-LC-002

Analyzed Date : 02/22/24 14:19:01

Reviewed On : 02/23/24 10:02:46

Batch Date : 02/22/24 10:45:23

Dilution : 400

Reagent : 021424.R06; 060723.24; 021424.R01

Consumables : 947.109; 34623011; CE0123; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
02/24/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

FTH- Super Boof
FTH- Super Boof
Matrix : Flower
Type: Flower-Cured



Certificate of Analysis

PASSED

FLUENT

5540 W. Executive Drive
Tampa, FL, 33609, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA40222004-004
Harvest/Lot ID: HYB-SB-021924-C0133
Batch# : 9517 5782 5959
Sample Size Received : 31.5 gram
Total Amount : 939 units
Completed : 02/24/24 Expires: 02/24/25
Sampled : 02/22/24
Ordered : 02/22/24
Sample Method : SOP.T.20.010

Page 2 of 5

TESTED

Terpenes				Terpenes					
Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	37.52	1.072		VALENCENE	0.007	ND	ND	
LIMONENE	0.007	9.84	0.281		ALPHA-CEDRENE	0.007	ND	ND	
BETA-MYRCENE	0.007	7.91	0.226		ALPHA-PHELLANDRENE	0.007	ND	ND	
BETA-CARYOPHYLLENE	0.007	6.83	0.195		ALPHA-TERPINENE	0.007	ND	ND	
LINALOOL	0.007	4.03	0.115		ALPHA-TERPINOLENE	0.007	ND	ND	
ALPHA-HUMULENE	0.007	2.31	0.066		CIS-NEROLIDOL	0.007	ND	ND	
ALPHA-BISABOLOL	0.007	1.75	0.050		GAMMA-TERPINENE	0.007	ND	ND	
BETA-PINENE	0.007	1.75	0.050		TRANS-NEROLIDOL	0.007	ND	ND	
ALPHA-PINENE	0.007	1.19	0.034		Analyzed by: 1665, 1440Weight: 0.9779gExtraction date: 02/23/24 21:17:01Extracted by: 1665				
FENCHYL ALCOHOL	0.007	1.09	0.031		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
TOTAL TERPINEOL	0.007	0.84	0.024		Analytical Batch : DA069692TERReviewed On : 02/23/24 21:42:00				
3-CARENE	0.007	ND	ND		Instrument Used : DA-GCMS-009Batch Date : 02/22/24 13:44:02				
BORNEOL	0.013	ND	ND		Analyzed Date : N/A				
CAMPHENE	0.007	ND	ND		Dilution : 10				
CAMPHOR	0.007	ND	ND		Reagent : N/A				
CARYOPHYLLENE OXIDE	0.007	ND	ND		Consumables : N/A				
CEDROL	0.007	ND	ND		Pipette : N/A				
EUCALYPTOL	0.007	ND	ND		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
FARNESENE	0.001	ND	ND						
FENCHONE	0.007	ND	ND						
GERANIOL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
GUAIOL	0.007	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
ISOBORNEOL	0.007	ND	ND						
ISOPULEGOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
OCIMENE	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
SABINENE	0.007	ND	ND						
SABINENE HYDRATE	0.007	ND	ND						
Total (%)			1.072						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
02/24/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

FTH- Super Boof
FTH- Super Boof
Matrix : Flower
Type: Flower-Cured



Certificate of Analysis

PASSED

FLUENT

5540 W. Executive Drive
Tampa, FL, 33609, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA40222004-004

Harvest/Lot ID: HYB-SB-021924-C0133

Batch# : 9517 5782 5959
0723

Sampled : 02/22/24

Ordered : 02/22/24

Sample Size Received : 31.5 gram

Total Amount : 939 units

Completed : 02/24/24 Expires: 02/24/25

Sample Method : SOP.T.20.010

Page 3 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
DICHLORVOS	0.010	ppm	0.1	PASS	ND	3379, 53, 1665, 1440	0.9288g	02/22/24 14:38:30	3379		
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville),					
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)					
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA069677PES		Reviewed On : 02/23/24 10:35:56			
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)		Batch Date : 02/22/24 10:47:04			
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Analyzed Date : 02/22/24 14:43:24					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Dilution : 250					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Reagent : 022024.R04; 040423.08; 022124.R12; 022124.R09; 021524.R13; 021324.R05; 022124.R07					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW					
FLONICAMID	0.010	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND						
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
IMAZALIL	0.010	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	450, 53, 1665, 1440	0.9288g	02/22/24 14:38:30	3379		
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
MALATHION	0.010	ppm	0.2	PASS	ND	Analytical Batch : DA069678VOL		Reviewed On : 02/23/24 10:40:46			
METALAXYL	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-001		Batch Date : 02/22/24 10:49:49			
METHIOCARB	0.010	ppm	0.1	PASS	ND	Analyzed Date : 02/22/24 16:09:14					
METHOMYL	0.010	ppm	0.1	PASS	ND	Dilution : 250					
MEVINPHOS	0.010	ppm	0.1	PASS	ND	Reagent : 022024.R04; 040423.08; 021424.R18; 021424.R19					
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW; 14725401					
NALED	0.010	ppm	0.25	PASS	ND	Pipette : DA-080; DA-146; DA-218					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
02/24/24





Certificate of Analysis


PASSED
FLUENT

 5540 W. Executive Drive
 Tampa, FL, 33609, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

 Sample : DA40222004-004
 Harvest/Lot ID: HYB-SB-021924-C0133
 Batch# : 9517 5782 5959 Sample Size Received : 31.5 gram
 0723 Total Amount : 939 units
 Sampled : 02/22/24 Completed : 02/24/24 Expires: 02/24/25
 Ordered : 02/22/24 Sample Method : SOP.T.20.010

Page 4 of 5

<div></div> <div>Microbial</div> <div>PASSED</div>						<div></div> <div>Mycotoxins</div> <div>PASSED</div>					
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ECOLI SHIGELLA			Not Present	PASS		Analyzed by: 3379, 53, 1665, 1440 Weight: 0.9288g Extraction date: 02/22/24 14:38:30 Extracted by: 3379					
TOTAL YEAST AND MOLD	10	CFU/g	420	PASS	100000	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)					
Analyzed by: 3336, 3621, 53, 1665, 1440	Weight: 1.0907g	Extraction date: 02/22/24 10:47:35		Extracted by: 3621		Analytical Batch : DA069688MYC Reviewed On : 02/23/24 10:43:30 Instrument Used : N/A Batch Date : 02/22/24 12:02:10 Analyzed Date : 02/22/24 14:43:29					
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA069659MIC						Dilution : 250 Reagent : 022024.R04; 040423.08; 022124.R12; 022124.R09; 021524.R13; 021324.R05; 022124.R07 Consumables : 326250IW Pipette : DA-093; DA-094; DA-219					
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-010,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021 Analyzed Date : 02/22/24 13:12:58						Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
Dilution : N/A Reagent : 010924.52; 010924.64; 010924.74; 020724.R22; 100223.12 Consumables : 7569001023 Pipette : N/A											
Analyzed by: 3336, 3621, 1665, 1440 Weight: 1.0907g Extraction date: 02/22/24 10:47:35 Extracted by: 3621											
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL Analytical Batch : DA069670TYM Reviewed On : 02/24/24 12:08:21 Instrument Used : Incubator (25-27°C) DA-096 Batch Date : 02/22/24 10:21:41 Analyzed Date : 02/22/24 11:46:38											
Dilution : N/A Reagent : 010924.52; 010924.64; 010924.74; 012524.R09 Consumables : N/A Pipette : N/A											
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.											

<div></div> <div>Heavy Metals</div> <div>PASSED</div>					
Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1
ARSENIC	0.020	ppm	ND	PASS	0.2
CADMIUM	0.020	ppm	ND	PASS	0.2
MERCURY	0.020	ppm	ND	PASS	0.2
LEAD	0.020	ppm	ND	PASS	0.5
Analyzed by: 1022, 53, 1665, 1440	Weight: 0.2697g	Extraction date: 02/22/24 11:28:51		Extracted by: 1022	
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA069664HEA Reviewed On : 02/23/24 08:40:06 Instrument Used : DA-ICPMS-004 Batch Date : 02/22/24 09:54:15 Analyzed Date : 02/22/24 15:45:50 Dilution : 50 Reagent : 020724.R07; 021924.R03; 022124.R13; 021924.R01; 021924.R02; 020524.01; 021324.R02 Consumables : 179436; 34623011; 210508058 Pipette : DA-061; DA-191; DA-216 Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

FTH- Super Boof
FTH- Super Boof
Matrix : Flower
Type: Flower-Cured



Certificate of Analysis

PASSED

FLUENT

5540 W. Executive Drive
Tampa, FL, 33609, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA40222004-004

Harvest/Lot ID: HYB-SB-021924-C0133

Batch# : 9517 5782 5959
0723

Sampled : 02/22/24
Ordered : 02/22/24

Sample Size Received : 31.5 gram

Total Amount : 939 units

Completed : 02/24/24 Expires: 02/24/25

Sample Method : SOP.T.20.010

Page 5 of 5



Filth/Foreign
Material

PASSED



Moisture

PASSED

Analyte		LOD	Units	Result	P/F	Action Level	Analyte		LOD	Units	Result	P/F	Action Level
Filth and Foreign Material		0.100	%	ND	PASS	1	Moisture Content		1.00	%	14.01	PASS	15
Analyzed by: N/A	Weight: NA	Extraction date: N/A			Extracted by: N/A		Analyzed by: 4444, 53, 1665, 1440		Weight: 0.512g	Extraction date: 02/22/24 16:04:16		Extracted by: 4444	
Analysis Method : SOP.T.40.090						Analysis Method : SOP.T.40.021							
Analytical Batch : N/A		Reviewed On : 02/23/24 15:28:40 Batch Date : N/A				Analytical Batch : DA069661MOI						Reviewed On : 02/23/24 08:26:08 Batch Date : 02/22/24 09:21:10	
Instrument Used : N/A						Instrument Used : DA-003 Moisture Analyzer							
Analyzed Date : N/A						Analyzed Date : 02/22/24 15:58:56							
Dilution : N/A						Dilution : N/A							
Reagent : N/A						Reagent : 092520.50; 020123.02							
Consumables : N/A						Consumables : N/A							
Pipette : N/A						Pipette : DA-066							

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.565	PASS	0.65
Analyzed by: 4444, 53, 1665, 1440	Weight: 1.464g	Extraction date: 02/22/24 16:09:09	Extracted by: 4444		
Analysis Method : SOP.T.40.019					
Analytical Batch : DA069662WAT			Reviewed On : 02/23/24 08:32:33		
Instrument Used : DA-324 Rotronic Hygropalm HC2-AW (Probe)			Batch Date : 02/22/24 09:30:36		
Analyzed Date : 02/22/24 15:54:04					
Dilution : N/A					
Reagent : 111423.05					
Consumables : PS-14					
Pipette : N/A					

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
02/24/24