



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Pure Michigan WF 3.5g (1/8 oz)
Pure Michigan WF
Matrix: Flower
Type: Flower-Cured



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA40126004-001
Harvest/Lot ID: ID-PUM-010924-A145
Batch#: 6553 4616 9003 1811
Cultivation Facility: Tampa Cultivation
Processing Facility : Tampa Processing
Source Facility : Tampa Cultivation
Seed to Sale# 4603 2883 1975 7324
Batch Date: 01/04/24
Sample Size Received: 77 gram
Total Amount: 5926 units
Retail Product Size: 3.5 gram
Ordered: 01/25/24
Sampled: 01/26/24
Completed: 01/30/24
Sampling Method: SOP.T.20.010

Jan 30, 2024 | FLUENT
5540 W. Executive Drive
Tampa, FL, 33609, US



PASSED

Pages 1 of 5

PRODUCT IMAGE



SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals Solvents
NOT TESTED



Filtration
PASSED



Water Activity
PASSED



Moisture
PASSED



Terpenes
TESTED

MISC.



Cannabinoid

PASSED



Total THC
17.725%
Dry Weight



Total CBD
0.075%
Dry Weight



Total Cannabinoids
20.582%
Dry Weight

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.716	16.39	ND	0.074	0.024	0.054	0.221	ND	ND	ND	0.043
mg/unit	25.06	573.65	ND	2.59	0.84	1.89	7.735	ND	ND	ND	1.505
LOD	0.001	0.001		0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
	%	%	%	%	%	%	%	%	%	%	%

Total THC
15.09%
528.15 mg /Container

Total CBD
0.064%
2.24 mg /Container

Total Cannabinoids
17.522%
613.27 mg /Container

As Received

Analyzed by:
3335, 1665, 585, 1440

Weight:
0.2007g

Extraction date:
01/26/24 11:09:52

Extracted by:
1665,3335

Analysis Method : SOP.T.40.031, SOP.T.30.031
Analytical Batch : DA068705POT
Instrument Used : DA-LC-001
Analyzed Date : 01/26/24 12:58:11

Reviewed On : 01/29/24 20:19:06
Batch Date : 01/26/24 09:54:37

Dilution : 400
Reagent : 012324.R04; 070121.27; 010224.R04
Consumables : 947.109; 280670723; CE0123; R1KB14270
Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
01/30/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Pure Michigan WF 3.5g (1/8 oz)
Pure Michigan WF
Matrix : Flower
Type: Flower-Cured



Certificate of Analysis

PASSED

FLUENT

5540 W. Executive Drive
Tampa, FL, 33609, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA40126004-001

Harvest/Lot ID: ID-PUM-010924-A145

Batch# : 6553 4616 9003
1811

Sampled : 01/26/24

Ordered : 01/26/24

Sample Size Received : 77 gram

Total Amount : 5926 units

Completed : 01/30/24 Expires: 01/30/25

Sample Method : SOP.T.20.010

Page 2 of 5



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	44.42	1.269		VALENCENE	0.007	ND	ND	
BETA-CARYOPHYLLENE	0.007	12.53	0.358		ALPHA-CEDRENE	0.007	ND	ND	
BETA-MYRCENE	0.007	9.63	0.275		ALPHA-PHELLANDRENE	0.007	ND	ND	
ALPHA-HUMULENE	0.007	6.86	0.196		ALPHA-TERPINENE	0.007	ND	ND	
LIMONENE	0.007	4.03	0.115		ALPHA-TERPINOLENE	0.007	ND	ND	
ALPHA-BISABOLOL	0.007	2.59	0.074		CIS-NEROLIDOL	0.007	ND	ND	
OCIMENE	0.007	1.12	0.032		GAMMA-TERPINENE	0.007	ND	ND	
FARNESENE	0.001	1.09	0.031		TRANS-NEROLIDOL	0.007	ND	ND	
FENCHYL ALCOHOL	0.007	<0.70	<0.020		Analysis by:	Weight:	Extraction date:	Extracted by:	
LINALOOL	0.007	<0.70	<0.020		2076, 585, 1440	1.0592g	01/26/24 14:55:35	2076	
TOTAL TERPINEOL	0.007	<0.70	<0.020		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
ALPHA-PINENE	0.007	<0.70	<0.020		Analytical Batch : DA068720TER			Reviewed On : 01/29/24 11:24:21	
BETA-PINENE	0.007	<0.70	<0.020		Instrument Used : DA-GCMS-004			Batch Date : 01/26/24 11:16:22	
3-CARENE	0.007	ND	ND		Analysis Date : 01/26/24 14:56:07				
BORNEOL	0.013	ND	ND		Dilution : 10				
CAMPHENE	0.007	ND	ND		Reagent : 110123.08				
CAMPHOR	0.007	ND	ND		Consumables : 210414634; MKCN9995; CE0123; R1KB14270				
CARYOPHYLLENE OXIDE	0.007	ND	ND		Pipette : N/A				
CEDROL	0.007	ND	ND		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
EUCALYPTOL	0.007	ND	ND						
FENCHONE	0.007	ND	ND						
GERANIOL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
GUAIOL	0.007	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
ISOBORNEOL	0.007	ND	ND						
ISOPULEGOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
SABINENE	0.007	ND	ND						
SABINENE HYDRATE	0.007	ND	ND						
Total (%)			1.269						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
01/30/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Pure Michigan WF 3.5g (1/8 oz)
Pure Michigan WF
Matrix : Flower
Type: Flower-Cured



Certificate of Analysis

PASSED

FLUENT

5540 W. Executive Drive
Tampa, FL, 33609, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA40126004-001

Harvest/Lot ID: ID-PUM-010924-A145

Batch# : 6553 4616 9003
1811

Sampled : 01/26/24
Ordered : 01/26/24

Sample Size Received : 77 gram

Total Amount : 5926 units

Completed : 01/30/24 Expires: 01/30/25

Sample Method : SOP.T.20.010

Page 3 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
DICHLORVOS	0.010	ppm	0.1	PASS	ND	4056, 585, 1440	1.0624g	01/26/24 16:50:20	450		
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville),					
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)					
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA068711PES		Reviewed On : 01/29/24 11:21:41			
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)		Batch Date : 01/26/24 10:14:07			
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Analyzed Date : 01/27/24 12:47:10					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Dilution : 250					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Reagent : 012224.R01; 012424.R14; 011724.R04; 012424.R12; 011024.R01; 011724.R05; 040423.08					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW					
FLONICAMID	0.010	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND						
IMAZALIL	0.010	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	450, 585, 1440	1.0624g	01/26/24 16:50:20	450		
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
MALATHION	0.010	ppm	0.2	PASS	ND	Analytical Batch : DA068713VOL		Reviewed On : 01/29/24 10:59:49			
METALAXYL	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-001		Batch Date : 01/26/24 10:16:03			
METHIOCARB	0.010	ppm	0.1	PASS	ND	Analyzed Date : N/A					
METHOMYL	0.010	ppm	0.1	PASS	ND	Dilution : 250					
MEVINPHOS	0.010	ppm	0.1	PASS	ND	Reagent : 011724.R04; 040423.08; 012324.R12; 012324.R13					
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW; 14725401					
NALED	0.010	ppm	0.25	PASS	ND	Pipette : DA-080; DA-146; DA-218					

Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
01/30/24



Certificate of Analysis

PASSED
FLUENT

 5540 W. Executive Drive
 Tampa, FL, 33609, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA40126004-001

Harvest/Lot ID: ID-PUM-010924-A145

 Batch# : 6553 4616 9003
 1811




 Sampled : 01/26/24
 Ordered : 01/26/24

Sample Size Received : 77 gram

Total Amount : 5926 units

 Completed : 01/30/24 Expires: 01/30/25
 Sample Method : SOP.T.20.010

Page 4 of 5

 Microbial PASSED						 Mycotoxins PASSED					
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
ECOLI SHIGELLA			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000	Analyzed by: 4056, 585, 1440 Weight: 1.0624g Extraction date: 01/26/24 16:50:20 Extracted by: 450					
Analyzed by: 3336, 3621, 585, 1440 Weight: 1.1918g Extraction date: 01/26/24 11:58:03 Extracted by: 3336 Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA068691MIC Instrument Used : Incubator (37°C) DA- 188,DA-265 Gene-UP RTPCR,DA-351 GENE-UP RTPCR,Incubator (42°C) DA- 328 Analyzed Date : N/A Dilution : N/A Reagent : 010524.R11; 011924.R11 Consumables : 2256280 Pipette : N/A						Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA068712MYC Instrument Used : DA-LCMS-003 (MYC) Analyzed Date : 01/27/24 12:47:04 Dilution : 250 Reagent : 012224.R01; 012424.R14; 011724.R04; 012424.R12; 011024.R01; 011724.R05; 040423.08 Consumables : 326250IW Pipette : DA-093; DA-094; DA-219					
Analyzed by: 3390, 4351, 585, 1440 Weight: 0.9605g Extraction date: 01/26/24 12:03:37 Extracted by: 3390,3336 Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL Analytical Batch : DA068722TYM Instrument Used : Incubator (25-27°C) DA-096 Analyzed Date : 01/26/24 15:47:52 Dilution : 10 Reagent : 111623.01; 111623.25; 012524.R09 Consumables : N/A Pipette : N/A						Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.						 Heavy Metals PASSED					
Metal	LOD	Units	Result	Pass / Fail	Action Level						
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1						
ARSENIC	0.020	ppm	ND	PASS	0.2						
CADMIUM	0.020	ppm	ND	PASS	0.2						
MERCURY	0.020	ppm	ND	PASS	0.2						
LEAD	0.020	ppm	ND	PASS	0.5						
Analyzed by: 1022, 585, 1440 Weight: 0.2884g Extraction date: 01/26/24 13:02:07 Extracted by: 1022,4306 Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA068718HEA Instrument Used : DA-ICPMS-004 Analyzed Date : 01/26/24 17:41:01 Dilution : 50 Reagent : 010824.R08; 012224.R05; 011624.R28; 012224.R03; 012224.R04; 012424.01; 011224.R12 Consumables : 179436; 12532-225CD-225C; 210508058 Pipette : DA-061; DA-191; DA-216						Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Pure Michigan WF 3.5g (1/8 oz)
Pure Michigan WF
Matrix : Flower
Type: Flower-Cured



Certificate of Analysis

PASSED

FLUENT

5540 W. Executive Drive
Tampa, FL, 33609, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA40126004-001
Harvest/Lot ID: ID-PUM-010924-A145

Batch# : 6553 4616 9003 Sample Size Received : 77 gram
1811 Total Amount : 5926 units
Sampled : 01/26/24 Completed : 01/30/24 Expires: 01/30/25
Ordered : 01/26/24 Sample Method : SOP.T.20.010

Page 5 of 5



Filth/Foreign
Material

PASSED



Moisture

PASSED

Analyte	LOD	Units	Result	P/F	Action Level	Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1	Moisture Content	1.00	%	14.87	PASS	15
Analyzed by: 1879, 585, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A			Analyzed by: 4056, 1665, 585, 1440	Weight: 0.511g	Extraction date: 01/26/24 14:23:20	Extracted by: 4056		
Analysis Method : SOP.T.40.090 Analytical Batch : DA068728FIL Instrument Used : Filth/Foreign Material Microscope Analyzed Date : 01/26/24 12:26:39						Analysis Method : SOP.T.40.021 Analytical Batch : DA068725MOI Instrument Used : DA-003 Moisture Analyzer Analyzed Date : 01/26/24 14:11:37					
Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A						Dilution : N/A Reagent : 031523.19; 020123.02 Consumables : N/A Pipette : DA-066					

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.610	PASS	0.65
Analyzed by: 4056, 1665, 585, 1440	Weight: 1.314g	Extraction date: 01/26/24 14:13:03	Extracted by: 4056		
Analysis Method : SOP.T.40.019 Analytical Batch : DA068726WAT Instrument Used : DA-028 Rotronic HygroPalm Analyzed Date : 01/26/24 14:11:26					
Dilution : N/A Reagent : 111423.05 Consumables : PS-14 Pipette : N/A					

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
01/30/24