



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA40126004-006
Harvest/Lot ID: 2081 9200 7188 2891
Batch#: 2081 9200 7188 2891
Cultivation Facility: Tampa Cultivation
Processing Facility : Tampa Processing
Source Facility : Tampa Cultivation
Seed to Sale# 5871 9427 8468 0944
Batch Date: 11/06/23
Sample Size Received: 560 gram
Total Amount: 3985 units
Retail Product Size: 40.0782 gram
Ordered: 01/25/24
Sampled: 01/26/24
Completed: 01/30/24
Sampling Method: SOP.T.20.010

Jan 30, 2024 | FLUENT
5540 W. Executive Drive
Tampa, FL, 33609, US



PASSED

Pages 1 of 5

PRODUCT IMAGE



SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals Solvents
PASSED



Filtration
PASSED



Water Activity
PASSED



Moisture
NOT TESTED



Terpenes
NOT TESTED

MISC.



Cannabinoid

PASSED



Total THC

0.246%

Total THC/Container : 98.59 mg



Total CBD

ND

Total CBD/Container : 0.00 mg



Total Cannabinoids

0.262%

Total Cannabinoids/Container : 105.01 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.246	ND	ND	ND	ND	0.006	ND	0.005	0.002	ND	0.003
mg/unit	98.59	ND	ND	ND	ND	2.40	ND	2.00	0.80	ND	1.20
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%	%	%	%	%	%	%	%	%	%	%	%

Analized by:
3335, 1665, 585, 1440

Weight:
3.0479g

Extraction date:
01/26/24 11:11:07

Extracted by:
1665,3335

Analysis Method : SOP.T.40.031, SOP.T.30.031
Analytical Batch : DA068703POT
Instrument Used : DA-LC-007
Analized Date : 01/26/24 12:50:58

Reviewed On : 01/29/24 11:28:32
Batch Date : 01/26/24 09:20:25

Dilution : 40
Reagent : 011224.01; 012324.R04; 060723.50; 060723.24; 010224.R04
Consumables : 947.109; 280670723; CE0123; R1KB14270
Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
01/30/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Dark Chocolate Bar 10 PC
Dark Chocolate Bar
Matrix : Edible
Type: Chocolate



Certificate of Analysis

PASSED

FLUENT

5540 W. Executive Drive
Tampa, FL, 33609, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA40126004-006

Harvest/Lot ID: 2081 9200 7188 2891

Batch# : 2081 9200 7188
2891

Sampled : 01/26/24
Ordered : 01/26/24

Sample Size Received : 560 gram

Total Amount : 3985 units

Completed : 01/30/24 Expires: 01/30/25

Sample Method : SOP.T.20.010

Page 2 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	30	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	3	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	1	PASS	ND	PHOSMET	0.010	ppm	0.2	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	1	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	3	PASS	ND	PRALLETHRIN	0.010	ppm	0.4	PASS	ND
TOTAL SPINOSAD	0.010	ppm	3	PASS	ND	PROPICONAZOLE	0.010	ppm	1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.3	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	3	PASS	ND	PYRIDABEN	0.010	ppm	3	PASS	ND
ACEQUINOCYL	0.010	ppm	2	PASS	ND	SPIROMESIFEN	0.010	ppm	3	PASS	ND
ACETAMIPRID	0.010	ppm	3	PASS	ND	SPIROTETRAMAT	0.010	ppm	3	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	3	PASS	ND	TEBUCONAZOLE	0.010	ppm	1	PASS	ND
BIFENAZATE	0.010	ppm	3	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.5	PASS	ND	THIAMETHOXAM	0.010	ppm	1	PASS	ND
BOSCALID	0.010	ppm	3	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	3	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.2	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	3	PASS	ND	CAPTAN *	0.070	PPM	3	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	3	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.5	PASS	ND	CYFLUTHRIN *	0.050	PPM	1	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	1	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	3	PASS	ND	Analized by:	Weight:	Extraction date:	Extracted by:		
DICHLORVOS	0.010	ppm	0.1	PASS	ND	4056, 585, 1440	1.0195g	01/26/24 16:48:13	450,4056		
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville),					
ETOFENPROX	0.010	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)					
ETOXAZOLE	0.010	ppm	1.5	PASS	ND	Analytical Batch : DA068714PES		Reviewed On : 01/29/24 10:37:21			
FENHEXAMID	0.010	ppm	3	PASS	ND	Instrument Used : DA-LCMS-003 (PES)		Batch Date : 01/26/24 10:16:44			
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Analyzed Date : 01/27/24 12:47:09					
FENPYROXIMATE	0.010	ppm	2	PASS	ND	Dilution : 250					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Reagent : 012224.R01; 012424.R14; 011724.R04; 012424.R12; 011024.R01; 011724.R05; 040423.08					
FLONICAMID	0.010	ppm	2	PASS	ND	Consumables : 326250IW					
FLUDIOXONIL	0.010	ppm	3	PASS	ND	Pipette : DA-093; DA-094; DA-219					
HEXYTHIAZOX	0.010	ppm	2	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
IMAZALIL	0.010	ppm	0.1	PASS	ND	Analized by:	Weight:	Extraction date:	Extracted by:		
IMIDACLOPRID	0.010	ppm	1	PASS	ND	450, 585, 1440	1.0195g	01/26/24 16:48:13	450,4056		
KRESOXIM-METHYL	0.010	ppm	1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
MALATHION	0.010	ppm	2	PASS	ND	Analytical Batch : DA068716VOL		Reviewed On : 01/29/24 10:35:33			
METALAXYL	0.010	ppm	3	PASS	ND	Instrument Used : DA-GCMS-001		Batch Date : 01/26/24 10:18:46			
METHIOCARB	0.010	ppm	0.1	PASS	ND	Analyzed Date : N/A					
METHOMYL	0.010	ppm	0.1	PASS	ND	Dilution : 250					
MEVINPHOS	0.010	ppm	0.1	PASS	ND	Reagent : 011724.R04; 040423.08; 012324.R12; 012324.R13					
MYCLOBUTANIL	0.010	ppm	3	PASS	ND	Consumables : 326250IW; 14725401					
NALED	0.010	ppm	0.5	PASS	ND	Pipette : DA-080; DA-146; DA-218					

Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
01/30/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Dark Chocolate Bar 10 PC
Dark Chocolate Bar
Matrix : Edible
Type: Chocolate



Certificate of Analysis

PASSED

FLUENT

5540 W. Executive Drive
Tampa, FL, 33609, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA40126004-006

Harvest/Lot ID: 2081 9200 7188 2891

Batch# : 2081 9200 7188
2891

Sampled : 01/26/24

Ordered : 01/26/24

Sample Size Received : 560 gram

Total Amount : 3985 units

Completed : 01/30/24 Expires: 01/30/25

Sample Method : SOP.T.20.010

Page 3 of 5



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

Analyzed by:
850, 585, 1440

Weight:
0.0225g

Extraction date:
01/29/24 12:21:44

Extracted by:
850

Analysis Method : SOP.T.40.041.FL
Analytical Batch : DA068731SOL
Instrument Used : DA-GCMS-002
Analyzed Date : 01/26/24 16:15:24

Reviewed On : 01/29/24 13:59:29
Batch Date : 01/26/24 14:15:26

Dilution : 1
Reagent : N/A
Consumables : R2017.167; G201.167
Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
01/30/24



Certificate of Analysis

PASSED
FLUENT

 5540 W. Executive Drive
 Tampa, FL, 33609, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA40126004-006

Harvest/Lot ID: 2081 9200 7188 2891

 Batch# : 2081 9200 7188
 2891

 Sampled : 01/26/24
 Ordered : 01/26/24



Sample Size Received : 560 gram

Total Amount : 3985 units

Completed : 01/30/24 Expires: 01/30/25

Sample Method : SOP.T.20.010

Page 4 of 5

<div>MicrobialPASSED</div>						<div>MycotoxinsPASSED</div>								
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level			
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02			
ECOLI SHIGELLA			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02			
ASPERGILLUS FLAVUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02			
ASPERGILLUS FUMIGATUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02			
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02			
ASPERGILLUS NIGER			Not Present	PASS										
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000	Analyzed by: 4056, 585, 1440	Weight: 1.0195g	Extraction date: 01/26/24 16:48:13	Extracted by: 450,4056					
Analyzed by: 3336, 3621, 585, 1440	Weight: 0.9383g	Extraction date: 01/26/24 11:58:05	Extracted by: 3336			Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)								
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL						Analytical Batch : DA068715MYC								
Analytical Batch : DA068691MIC						Instrument Used : DA-LCMS-003 (MYC)								
Instrument Used : Incubator (37°C) DA- 188,DA-265 Gene-UP						Analyzed Date : 01/27/24 12:47:00								
RTPCR,DA-351 GENE-UP RTPCR,Incubator (42°C) DA- 328						Reviewed On : 01/29/24 09:57:00								
Analyzed Date : N/A						Batch Date : 01/26/24 10:18:43								
Dilution : N/A						Dilution : 250								
Reagent : 010524.R11; 011924.R11						Reagent : 012224.R01; 012424.R14; 011724.R04; 012424.R12; 011024.R01; 011724.R05; 040423.08								
Consumables : 2256280						Consumables : 326250IW								
Pipette : N/A						Pipette : DA-093; DA-094; DA-219								
						Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.								
Analyzed by: 3390, 4351, 585, 1440	Weight: 0.9514g	Extraction date: 01/26/24 12:03:39	Extracted by: 3390,3336			<div>Heavy MetalsPASSED</div>								
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL														
Analytical Batch : DA068722TYM						Metal								
Instrument Used : Incubator (25-27°C) DA-096						TOTAL CONTAMINANT LOAD METALS								
Analyzed Date : 01/26/24 15:47:52						ARSENIC								
						CADMIUM								
						MERCURY								
						LEAD								
Dilution : 10						Analyzed by:								
Reagent : 111623.01; 111623.25; 012524.R09						1022, 585, 1440	Weight:	Extraction date:	Extracted by:					
Consumables : N/A							0.2998g	01/26/24 14:47:26	1022					
Pipette : N/A						Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL								
						Analytical Batch : DA068724HEA								
						Instrument Used : DA-ICPMS-004								
						Analyzed Date : 01/27/24 20:06:57								
						Dilution : 50								
						Reagent : 010824.R08; 012224.R05; 011624.R28; 012224.R03; 012224.R04; 012424.01; 011224.R12								
						Consumables : 179436; 12532-225CD-225C; 210508058								
						Pipette : DA-061; DA-191; DA-216								
						Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.								



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Dark Chocolate Bar 10 PC
Dark Chocolate Bar
Matrix : Edible
Type: Chocolate



Certificate of Analysis

PASSED

FLUENT

5540 W. Executive Drive
Tampa, FL, 33609, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA40126004-006

Harvest/Lot ID: 2081 9200 7188 2891

Batch# : 2081 9200 7188
2891

Sampled : 01/26/24

Ordered : 01/26/24

Sample Size Received : 560 gram

Total Amount : 3985 units

Completed : 01/30/24 Expires: 01/30/25

Sample Method : SOP.T.20.010

Page 5 of 5



Filth/Foreign
Material

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 585, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A
---------------------------------	---------------	-------------------------	----------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA068728FIL

Instrument Used : Filth/Foreign Material Microscope

Analyzed Date : 01/26/24 12:26:39

Reviewed On : 01/26/24 12:30:40

Batch Date : 01/26/24 12:24:21

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.446	PASS	0.85

Analyzed by: 4056, 1665, 585, 1440	Weight: 4.531g	Extraction date: 01/26/24 14:43:21	Extracted by: 4056
---------------------------------------	-------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA068727WAT

Instrument Used : DA-028 Rotronic HygroPalm

Analyzed Date : 01/26/24 14:11:32

Reviewed On : 01/26/24 15:00:08

Batch Date : 01/26/24 11:55:15

Dilution : N/A

Reagent : 111423.05

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

Homogeneity

PASSED

Amount of tests conducted : 26

Analyte	LOD	Units	Pass/Fail	Result	Action Level
TOTAL THC - HOMOGENEITY (RSD)	0.001	%	PASS	3.899	25

Analyzed by 3605, 585, 1440	Average Weight 4.467g	Extraction date : 01/26/24 11:14:26	Extracted By : 3335,3605
--------------------------------	--------------------------	--	-----------------------------

Analysis Method : SOP.T.30.111.FL, SOP.T.40.111.FL

Analytical Batch : DA068700HOM

Instrument Used : DA-LC-005

Analyzed Date : 01/26/24 11:37:46

Reviewed On : 01/29/24 11:24:11

Batch Date : 01/26/24 08:44:29

Dilution : 40

Reagent : 011824.R03; 060723.24; 122723.R27

Consumables : 947.109; LCJ0311R; A191022C; 266969; 1008645998; CE123; R1KB45277

Pipette : DA-055; DA-063; DA-067

Homogeneity testing is performed utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
01/30/24