



# Certificate of Analysis

## COMPLIANCE FOR RETAIL

Sample: DA40127006-002  
Harvest/Lot ID: 9804 6519 0319 1713  
Batch#: 9804 6519 0319 1713  
Cultivation Facility: Tampa Cultivation  
Processing Facility : Tampa Processing  
Source Facility : Tampa Cultivation  
Seed to Sale# 8124 6573 0531 2408  
Batch Date: 10/04/23  
Sample Size Received: 16 gram  
Total Amount: 1913.00 units  
Retail Product Size: 1 gram  
Ordered: 01/26/24  
Sampled: 01/27/24  
Completed: 01/30/24  
Sampling Method: SOP.T.20.010

Jan 30, 2024 | FLUENT

5540 W. Executive Drive  
Tampa, FL, 33609, US



**PASSED**

Pages 1 of 6

### PRODUCT IMAGE



### SAFETY RESULTS



Pesticides  
**PASSED**



Heavy Metals  
**PASSED**



Microbials  
**PASSED**



Mycotoxins  
**PASSED**



Residuals Solvents  
**PASSED**



Filtration  
**PASSED**



Water Activity  
**PASSED**



Moisture  
**NOT TESTED**



Terpenes  
**TESTED**

### MISC.



### Cannabinoid

**PASSED**



Total THC

**87.638%**

Total THC/Container : 876.38 mg



Total CBD

**0.260%**

Total CBD/Container : 2.60 mg



Total Cannabinoids

**93.868%**

Total Cannabinoids/Container : 938.68 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	87.548	0.103	0.260	ND	0.333	2.918	ND	1.006	0.609	ND	1.091
mg/unit	875.48	1.03	2.60	ND	3.33	29.18	ND	10.06	6.09	ND	10.91
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
	%	%	%	%	%	%	%	%	%	%	%

Analyzed by:  
3335, 1665, 585, 1440

Weight:  
0.1083g

Extraction date:  
01/29/24 12:20:44

Extracted by:  
3335

Analysis Method : SOP.T.40.031, SOP.T.30.031  
Analytical Batch : DA068792POT  
Instrument Used : DA-LC-007  
Analyzed Date : 01/29/24 12:27:25

Reviewed On : 01/29/24 23:12:16  
Batch Date : 01/29/24 07:30:55

Dilution : 400  
Reagent : 011624.R09; 060723.24; 010224.R04  
Consumables : 947.109; CE0123; 12594-247CD-247C; R1KB14270  
Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
01/30/24



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Sundae Driver Cartridge 1g (90%)  
Sundae Driver  
Matrix : Derivative  
Type: Distillate



# Certificate of Analysis

PASSED

FLUENT

5540 W. Executive Drive  
Tampa, FL, 33609, US  
Telephone: (305) 900-6266  
Email: Taylor.Jones@getfluent.com

Sample : DA40127006-002

Harvest/Lot ID: 9804 6519 0319 1713

Batch# : 9804 6519 0319  
1713

Sampled : 01/27/24

Ordered : 01/27/24

Sample Size Received : 16 gram

Total Amount : 1913.00 units

Completed : 01/30/24 Expires: 01/30/25

Sample Method : SOP.T.20.010

Page 2 of 6



## Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	21.34	2.134		SABINENE HYDRATE	0.007	ND	ND	
LIMONENE	0.007	8.10	0.810		VALENCENE	0.007	ND	ND	
BETA-CARYOPHYLLENE	0.007	3.47	0.347		ALPHA-CEDRENE	0.007	ND	ND	
BETA-MYRCENE	0.007	2.99	0.299		ALPHA-PHELLANDRENE	0.007	ND	ND	
LINALOOL	0.007	1.19	0.119		ALPHA-TERPINENE	0.007	ND	ND	
OCIMENE	0.007	1.17	0.117		CIS-NEROLIDOL	0.007	ND	ND	
ALPHA-HUMULENE	0.007	1.01	0.101		GAMMA-TERPINENE	0.007	ND	ND	
BETA-PINENE	0.007	0.82	0.082		TRANS-NEROLIDOL	0.007	ND	ND	
ALPHA-PINENE	0.007	0.72	0.072						
FENCHYL ALCOHOL	0.007	0.65	0.065		Analyzed by:	Weight:	Extraction date:	Extracted by:	
ALPHA-TERPINOLENE	0.007	0.48	0.048		1879, 2076, 585, 1440	0.8504g	01/27/24 13:39:20	1879,2076	
FARNESENE	0.001	0.44	0.044						
TOTAL TERPINEOL	0.007	0.30	0.030		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
CARYOPHYLLENE OXIDE	0.007	<0.20	<0.020		Analytical Batch : DA068751TER			Reviewed On : 01/30/24 10:22:09	
ALPHA-BISABOLOL	0.007	<0.20	<0.020		Instrument Used : DA-GCMS-004			Batch Date : 01/27/24 11:07:45	
3-CARENE	0.007	ND	ND		Analyzed Date : 01/29/24 10:05:23				
BORNEOL	0.013	ND	ND		Dilution : 10				
CAMPHENE	0.007	ND	ND		Reagent : 110123.08				
CAMPHOR	0.007	ND	ND		Consumables : 210414634; MKCN9995; CE0123; R1KB14270				
CEDROL	0.007	ND	ND		Pipette : N/A				
EUCALYPTOL	0.007	ND	ND						
FENCHONE	0.007	ND	ND		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
GERANIOL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
GUAJOL	0.007	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
ISOBORNEOL	0.007	ND	ND						
ISOPULEGOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
SABINENE	0.007	ND	ND						
Total (%)			2.134						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
01/30/24



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Sundae Driver Cartridge 1g (90%)  
Sundae Driver  
Matrix : Derivative  
Type: Distillate



# Certificate of Analysis

**PASSED**

FLUENT

5540 W. Executive Drive  
Tampa, FL, 33609, US  
Telephone: (305) 900-6266  
Email: Taylor.Jones@getfluent.com

Sample : DA40127006-002

Harvest/Lot ID: 9804 6519 0319 1713

Batch# : 9804 6519 0319  
1713

Sampled : 01/27/24  
Ordered : 01/27/24

Sample Size Received : 16 gram

Total Amount : 1913.00 units

Completed : 01/30/24 Expires: 01/30/25

Sample Method : SOP.T.20.010

Page 3 of 6



## Pesticides

**PASSED**

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)	Weight: 0.2655g	Extraction date: 01/27/24 17:38:57	Extracted by: 4056		
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analysis Batch : DA068765PES		Reviewed On : 01/30/24 10:07:52			
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)		Batch Date : 01/27/24 14:49:18			
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Analyzed Date : 01/28/24 17:23:28					
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Dilution : 250					
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Reagent : 011724.R04; 040423.08; 012224.R01; 012424.R14; 012424.R12; 011024.R01; 011724.R05					
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL (Gainesville), SOP.T.40.151A.FL (Davie)	Weight: 0.2655g	Extraction date: 01/27/24 17:38:57	Extracted by: 4056		
FLONICAMID	0.010	ppm	0.1	PASS	ND	Analysis Batch : DA068781VOL		Reviewed On : 01/30/24 10:06:51			
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-001		Batch Date : 01/28/24 10:43:06			
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	Analyzed Date : 01/29/24 15:14:12					
IMAZALIL	0.010	ppm	0.1	PASS	ND	Dilution : 250					
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	Reagent : 011724.R04; 040423.08; 012324.R12; 012324.R13					
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW; 14725401					
MALATHION	0.010	ppm	0.2	PASS	ND	Pipette : DA-080; DA-146; DA-218					
METALAXYL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
METHIOCARB	0.010	ppm	0.1	PASS	ND						
METHOMYL	0.010	ppm	0.1	PASS	ND						
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
01/30/24



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Sundae Driver Cartridge 1g (90%)  
Sundae Driver  
Matrix : Derivative  
Type: Distillate



# Certificate of Analysis

PASSED

FLUENT

5540 W. Executive Drive  
Tampa, FL, 33609, US  
Telephone: (305) 900-6266  
Email: Taylor.Jones@getfluent.com

Sample : DA40127006-002

Harvest/Lot ID: 9804 6519 0319 1713

Batch# : 9804 6519 0319  
1713

Sampled : 01/27/24

Ordered : 01/27/24

Sample Size Received : 16 gram

Total Amount : 1913.00 units

Completed : 01/30/24 Expires: 01/30/25

Sample Method : SOP.T.20.010

Page 4 of 6



## Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

Analyzed by:  
850, 1665, 585, 1440

Weight:  
0.0299g

Extraction date:  
01/30/24 05:00:43

Extracted by:  
850

Analysis Method : SOP.T.40.041.FL  
Analytical Batch : DA068762SOL  
Instrument Used : DA-GCMS-003  
Analyzed Date : 01/29/24 13:09:08

Reviewed On : 01/30/24 09:16:50  
Batch Date : 01/27/24 12:07:45

Dilution : 1  
Reagent : N/A  
Consumables : R2017.167; G201.167  
Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
01/30/24



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Sundae Driver Cartridge 1g (90%)  
Sundae Driver  
Matrix : Derivative  
Type: Distillate



# Certificate of Analysis

PASSED

FLUENT

5540 W. Executive Drive  
Tampa, FL, 33609, US  
Telephone: (305) 900-6266  
Email: Taylor.Jones@getfluent.com

Sample : DA40127006-002

Harvest/Lot ID: 9804 6519 0319 1713

Batch# : 9804 6519 0319  
1713

Sampled : 01/27/24  
Ordered : 01/27/24



Sample Size Received : 16 gram


Total Amount : 1913.00 units

Completed : 01/30/24 Expires: 01/30/25

Sample Method : SOP.T.20.010

Page 5 of 6

	<b>Microbial</b>	<b>PASSED</b>		<b>Mycotoxins</b>	<b>PASSED</b>									
<b>Analyte</b>			<b>Analyte</b>											
<b>LOD</b>	<b>Units</b>	<b>Result</b>	<b>Pass / Fail</b>	<b>Action Level</b>	<b>LOD</b>	<b>Units</b>	<b>Result</b>	<b>Pass / Fail</b>	<b>Action Level</b>					
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN B2			0.002	ppm	ND	PASS	0.02	
ECOLI SHIGELLA			Not Present	PASS		AFLATOXIN B1			0.002	ppm	ND	PASS	0.02	
ASPERGILLUS FLAVUS			Not Present	PASS		OCHRATOXIN A			0.002	ppm	ND	PASS	0.02	
ASPERGILLUS FUMIGATUS			Not Present	PASS		AFLATOXIN G1			0.002	ppm	ND	PASS	0.02	
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN G2			0.002	ppm	ND	PASS	0.02	
ASPERGILLUS NIGER			Not Present	PASS										
TOTAL YEAST AND MOLD			10	CFU/g	<10	PASS	100000							
Analyzed by: 4351, 3621, 3390, 585, 1440			Weight: 0.847g	Extraction date: 01/27/24 13:21:37		Extracted by: 4351								
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL														
Analytical Batch : DA068743MIC						Reviewed On : 01/30/24 19:36:04								
Instrument Used : Incubator (37°C) DA- 188,DA-265 Gene-Up						Batch Date : 01/27/24 09:55:52						Reviewed On : 01/29/24 23:05:30		
RTPCR,DA-351 GENE-UP RTPCR,Incubator (42°C) DA- 328												Batch Date : 01/28/24 10:43:19		
Analyzed Date : 01/27/24 14:15:51														
Dilution : N/A														
Reagent : 010524.R11; 111423.27														
Consumables : 2256280														
Pipette : N/A														
Analyzed by: 3621, 3390, 585, 1440						Weight: 0.923g	Extraction date: 01/27/24 13:36:04		Extracted by: 4351,3390					
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL														
Analytical Batch : DA068744TYM						Reviewed On : 01/29/24 23:12:17								
Instrument Used : Incubator (25-27°C) DA-097						Batch Date : 01/27/24 10:03:04								
Analyzed Date : 01/27/24 17:44:45														
Dilution : 10														
Reagent : 111623.01; 111623.25; 012524.R09														
Consumables : N/A														
Pipette : N/A														
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.														

	<b>Heavy Metals</b>	<b>PASSED</b>					
<b>Metal</b>			<b>LOD</b>	<b>Units</b>	<b>Result</b>	<b>Pass / Fail</b>	<b>Action Level</b>
TOTAL CONTAMINANT LOAD METALS			0.080	ppm	ND	PASS	1.1
ARSENIC			0.020	ppm	ND	PASS	0.2
CADMIUM			0.020	ppm	ND	PASS	0.2
MERCURY			0.020	ppm	ND	PASS	0.2
LEAD			0.020	ppm	ND	PASS	0.5
Analyzed by: 1022, 585, 1440			Weight: 0.2728g	Extraction date: 01/27/24 13:40:20		Extracted by: 4306,1022	
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL							
Analytical Batch : DA068756HEA			Reviewed On : 01/29/24 21:49:22				
Instrument Used : DA-ICPMS-004			Batch Date : 01/27/24 11:23:49				
Analyzed Date : 01/29/24 16:48:48							
Dilution : 50							
Reagent : 010824.R08; 012924.R04; 012924.R01; 012924.R02; 012924.R03; 012424.01; 012924.R05							
Consumables : 179436; 12532-225CD-225C; 210508058							
Pipette : DA-061; DA-191; DA-216							
Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.							

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
01/30/24



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Sundae Driver Cartridge 1g (90%)  
Sundae Driver  
Matrix : Derivative  
Type: Distillate



# Certificate of Analysis

PASSED

FLUENT

5540 W. Executive Drive  
Tampa, FL, 33609, US  
Telephone: (305) 900-6266  
Email: Taylor.Jones@getfluent.com

Sample : DA40127006-002

Harvest/Lot ID: 9804 6519 0319 1713

Batch# : 9804 6519 0319  
1713

Sampled : 01/27/24

Ordered : 01/27/24

Sample Size Received : 16 gram

Total Amount : 1913.00 units

Completed : 01/30/24 Expires: 01/30/25

Sample Method : SOP.T.20.010

Page 6 of 6



Filth/Foreign  
Material

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 585, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A
---------------------------------	---------------	-------------------------	----------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA068747FIL

Instrument Used : Filth/Foreign Material Microscope

Analyzed Date : 01/28/24 23:12:12

Reviewed On : 01/28/24 23:17:58

Batch Date : 01/27/24 10:43:16

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.523	PASS	0.85

Analyzed by: 4371, 585, 1440	Weight: 0.316g	Extraction date: 01/27/24 14:51:09	Extracted by: 4371
---------------------------------	-------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA068755WAT

Instrument Used : DA-028 Rotronic HygroPalm

Analyzed Date : N/A

Reviewed On : 01/29/24 21:36:37

Batch Date : 01/27/24 11:22:20

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
01/30/24