

Certificate of Analysis

COMPLIANCE FOR RETAIL

Kaycha Labs

Yuzu Euphoria Disposable Pen 0.3g Yuzu Euphoria

Matrix: Derivative Type: Distillate

Sample:DA40203002-006

Harvest/Lot ID: 8808 1908 5390 7622 Batch#: 8808 1908 5390 7622

Cultivation Facility: Tampa Cultivation Processing Facility: Tampa Processing

> **Source Facility: Tampa Cultivation** Seed to Sale# 6187 3237 0970 9074

> > Batch Date: 09/20/23

Sample Size Received: 15.3 gram

Total Amount: 1884 units Retail Product Size: 0.3 gram

> Ordered: 02/02/24 Sampled: 02/03/24

Completed: 02/06/24

Sampling Method: SOP.T.20.010

PASSED

Feb 06, 2024 | FLUENT

5540 W. Executive Drive Tampa, FL, 33609, US



Pages 1 of 6

PRODUCT IMAGE

SAFETY RESULTS





Pesticides

Heavy Metals



Microbials Mycotoxins PASSED



Residuals Solvents PASSED



Filth



Water Activity

mg



Moisture



MISC.

Terpenes TESTED

PASSED



Cannabinoid

Total THC

88.079% Total THC/Container : 264.24 mg



Total CBD 0.269%

Total CBD/Container: 0.81 mg



Total Cannabinoids 3.042%

Total Cannabinoids/Container: 279.13

CBDA THCA CRGA THCV CBC CBD D8-THC CRG CRN CRDV 88.079 ND 0.269 ND 0.389 2.026 ND 0.854 0.557 ND 0.868 264.24 ND 1.17 6.08 ND 2.56 1.67 ND 0.81 ND 2.60 ma/unit 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 LOD % % % % % % % % % %

Analyzed by: 3335, 1665, 585, 1440 Weight: 0.1041g Extraction date: 02/05/24 09:41:47 Extracted by: 1665,3335

Analysis Method : SOP.T.40.031, SOP.T.30.031 Analytical Batch : DA069034POT Instrument Used : DA-LC-007

Analyzed Date: 02/05/24 09:55:38

Reagent: 013024.R01; 060723.24; 011824.R01 Consumables: 947.109; 280670723; CE0123; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

Reviewed On: 02/06/24 08:51:30 Batch Date: 02/04/24 21:02:34

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164



Kaycha Labs

Yuzu Euphoria Disposable Pen 0.3g

Yuzu Euphoria Matrix: Derivative Type: Distillate



Certificate of Analysis

PASSED

5540 W. Executive Drive Tampa, FL, 33609, US Telephone: (305) 900-6266 Email: Taylor.lones@getfluent.com Sample : DA40203002-006 Harvest/Lot ID: 8808 1908 5390 7622

Batch#: 8808 1908 5390

Sampled: 02/03/24 Ordered: 02/03/24

Sample Size Received: 15.3 gram Total Amount : 1884 units

Completed: 02/06/24 Expires: 02/06/25 Sample Method: SOP.T.20.010

Page 2 of 6



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	t %	Result (%)	Terpenes	LOD (%)	mg/uni	t %	Result (%)	
TOTAL TERPENES	0.007	9.06	3.019		ALPHA-BISABOLOL	0.007	ND	ND		
BETA-MYRCENE	0.007	4.78	1.594		ALPHA-CEDRENE	0.007	ND	ND		
OCIMENE	0.007	2.03	0.676		ALPHA-PHELLANDRENE	0.007	ND	ND		
BETA-CARYOPHYLLENE	0.007	0.65	0.215		ALPHA-TERPINENE	0.007	ND	ND		
FARNESENE	0.001	0.44	0.148		ALPHA-TERPINOLENE	0.007	ND	ND		
ALPHA-PINENE	0.007	0.35	0.118		CIS-NEROLIDOL	0.007	ND	ND		
LIMONENE	0.007	0.27	0.089		GAMMA-TERPINENE	0.007	ND	ND		
ALPHA-HUMULENE	0.007	0.18	0.060		TRANS-NEROLIDOL	0.007	ND	ND		
BETA-PINENE	0.007	0.15	0.051		Analyzed by:	Weight:	Extracti	on date:		Extracted by:
LINALOOL	0.007	0.13	0.044		795, 1665, 585, 1440	0.8986g		4 13:42:31		1879,795
FENCHYL ALCOHOL	0.007	0.07	0.024		Analysis Method : SOP.T.30.061A.FL, S	OP.T.40.061A.FL				
3-CARENE	0.007	ND	ND		Analytical Batch : DA069007TER				2/06/24 08:51:32	
BORNEOL	0.013	ND	ND		Instrument Used: DA-GCMS-008 Analyzed Date: 02/04/24 19:38:26		Bato	:h Date : 02/	03/24 22:51:55	
CAMPHENE	0.007	ND	ND		Dilution : 50					
CAMPHOR	0.007	ND	ND		Reagent : N/A					
CARYOPHYLLENE OXIDE	0.007	ND	ND		Consumables : N/A					
CEDROL	0.007	ND	ND		Pipette : N/A					
EUCALYPTOL	0.007	ND	ND		Terpenoid testing is performed utilizing Gas	Chromatography Mass Spec	trometry. For al	I Flower samp	oles, the Total Terpenes %	is dry-weight corrected.
FENCHONE	0.007	ND	ND							
GERANIOL	0.007	ND	ND							
GERANYL ACETATE	0.007	ND	ND							
GUAIOL	0.007	ND	ND							
HEXAHYDROTHYMOL	0.007	ND	ND							
ISOBORNEOL	0.007	ND	ND							
ISOPULEGOL	0.007	ND	ND							
NEROL	0.007	ND	ND							
PULEGONE	0.007	ND	ND							
SABINENE	0.007	ND	ND							
SABINENE HYDRATE	0.007	ND	ND							
TOTAL TERPINEOL	0.007	ND	ND							
VALENCENE	0.007	ND	ND							
Total (%)			3.019							

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Kaycha Labs

Yuzu Euphoria Disposable Pen 0.3g

Yuzu Euphoria Matrix : Derivative Type: Distillate



Certificate of Analysis

PASSED

FLUENT

5540 W. Executive Drive Tampa, FL, 33609, US **Telephone:** (305) 900-6266 **Email:** Taylor.Jones@getfluent.com Sample : DA40203002-006 Harvest/Lot ID: 8808 1908 5390 7622

Batch#: 8808 1908 5390

Sampled: 02/03/24 Ordered: 02/03/24 Sample Size Received: 15.3 gram
Total Amount: 1884 units

Completed: 02/06/24 Expires: 02/06/25 Sample Method: SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

esticide		Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Resu
OTAL CONTAMINANT LOAD (PESTICIDES)	0.010	11.11	5	PASS	ND	OXAMYL	0.01	0 ppm	0.5	PASS	ND
OTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.01	0 ppm	0.1	PASS	ND
OTAL PERMETHRIN	0.010		0.1	PASS	ND	PHOSMET	0.01	0 ppm	0.1	PASS	ND
OTAL PYRETHRINS	0.010	1.1	0.5	PASS	ND	PIPERONYL BUTOXIDE		0 ppm	3	PASS	ND
OTAL SPINETORAM	0.010	ppm	0.2	PASS	ND			0 ppm	0.1	PASS	ND
OTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PRALLETHRIN				PASS	
BAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE		0 ppm	0.1		ND
CEPHATE	0.010	ppm	0.1	PASS	ND	PROPOXUR		0 ppm	0.1	PASS	ND
EQUINOCYL	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.01	0 ppm	0.2	PASS	ND
ETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.01	0 ppm	0.1	PASS	ND
DICARB	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.01	0 ppm	0.1	PASS	ND
OXYSTROBIN	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	0 ppm	0.1	PASS	ND
ENAZATE	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE		0 ppm	0.1	PASS	ND
ENTHRIN	0.010	ppm	0.1	PASS	ND	THIACLOPRID		0 ppm	0.1	PASS	ND
SCALID	0.010	ppm	0.1	PASS	ND			0 ppm	0.5	PASS	ND
RBARYL	0.010	ppm	0.5	PASS	ND	THIAMETHOXAM				PASS	
RBOFURAN	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN		0 ppm	0.1		ND
LORANTRANILIPROLE	0.010	ppm	1	PASS	ND	PENTACHLORONITROBENZENE (PCN	-,	0 PPM	0.15	PASS	ND
LORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	PARATHION-METHYL *	0.01	0 PPM	0.1	PASS	ND
LORPYRIFOS	0.010	ppm	0.1	PASS	ND	CAPTAN *	0.07	0 PPM	0.7	PASS	ND
DFENTEZINE	0.010	ppm	0.2	PASS	ND	CHLORDANE *	0.01	0 PPM	0.1	PASS	ND
UMAPHOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	0 PPM	0.1	PASS	ND
MINOZIDE	0.010	ppm	0.1	PASS	ND	CYFLUTHRIN *	0.05	0 PPM	0.5	PASS	ND
ZINON	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *		0 PPM	0.5	PASS	ND
HLORVOS	0.010	ppm	0.1	PASS	ND				0.5		
METHOATE	0.010	ppm	0.1	PASS	ND			tion date: 24 14:05:05		Extracted b 4056,3379	y:
HOPROPHOS	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (G			SOPT 40 101		1
OFENPROX	0.010	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)	aniesvine), 301.1.30	.UZ.I L (Davie), 301.1.40.101	L (Gairlesville	/,
OXAZOLE	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA069017PES		Reviewed	On:02/06/24	11:17:54	
NHEXAMID	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)		Batch Dat	e:02/04/24 13	:45:44	
NOXYCARB	0.010	ppm	0.1	PASS	ND	Analyzed Date : 02/05/24 14:11:43					
NPYROXIMATE	0.010	ppm	0.1	PASS	ND	Dilution: 250	2124 026 012121	2 012124 24	7 01100450	012124 005	
PRONIL	0.010	ppm	0.1	PASS	ND	Reagent: 013024.R05; 040423.08; 01 Consumables: 326250IW	3124.KZb; 013124.RC	13; U13124.Rz	27; U11024.R01	.; U13124.RU1	
ONICAMID	0.010	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
UDIOXONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is perform	ed utilizina Liquid Chr	matography 1	Friple-Quadrupo	le Mass Spectron	netry in
XYTHIAZOX	0.010	ppm	0.1	PASS	ND	accordance with F.S. Rule 64ER20-39.			,		,
AZALIL	0.010	ppm	0.1	PASS	ND	Analyzed by: Weig	ht: Extract	on date:		Extracted by	y:
IDACLOPRID	0.010	ppm	0.4	PASS	ND	450, 585, 1440 0.279	8g 02/05/2	4 14:05:05		4056,3379	
ESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (G					
LATHION	0.010	ppm	0.2	PASS	ND	Analytical Batch : DA069018VOL			:02/06/24 10:		
TALAXYL	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-001 Analyzed Date : 02/05/24 15:53:50		satch Date :	02/04/24 13:47	:11	
THIOCARB	0.010	ppm	0.1	PASS	ND	Dilution: 250					
THOMYL	0.010	ppm	0.1	PASS	ND	Reagent: 013024.R05: 040423.08: 01	2324 812-012324 01	3			
VINPHOS	0.010		0.1	PASS	ND	Consumables : 326250IW; 14725401	2327.N12, U12324.N1				
CLOBUTANIL	0.010	11.11	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
ALED	0.010		0.25	PASS	ND	Testing for agricultural agents is perform	- d . dili-i C Ch	ataaraahu Tri	nla Ouadrunala	M C	to in

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164 1/2



Kaycha Labs

Yuzu Euphoria Disposable Pen 0.3g

Yuzu Euphoria Matrix : Derivative Type: Distillate



Certificate of Analysis

PASSED

FLUENT

5540 W. Executive Drive Tampa, FL, 33609, US **Telephone:** (305) 900-6266 **Email:** Taylor.Jones@getfluent.com Sample : DA40203002-006 Harvest/Lot ID: 8808 1908 5390 7622

Batch#:8808 1908 5390

Sampled: 02/03/24 Ordered: 02/03/24 Sample Size Received: 15.3 gram
Total Amount: 1884 units
Completed: 02/06/24 Expired: 02/06

Completed: 02/06/24 Expires: 02/06/25 Sample Method: SOP.T.20.010 Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND
Analyzed by:	Weight:	Extraction date:		Ex	tracted by:

Reviewed On: 02/05/24 16:29:29

Batch Date: 02/03/24 14:08:27

 Analyzed by:
 Weight:
 Extraction date:
 Extracted by:

 850, 585, 1440
 0.0243g
 02/05/24 13:18:39
 850

Analysis Method : SOP.T.40.041.FL Analytical Batch : DA069002SOL Instrument Used : DA-GCMS-002 Analyzed Date : 02/04/24 15:27:23

Dilution: 1 Reagent: N/A

Consumables : R2017.167; G201.167 Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164 1/2



Kaycha Labs

Yuzu Euphoria Disposable Pen 0.3g

Yuzu Euphoria Matrix: Derivative Type: Distillate



Certificate of Analysis

PASSED

5540 W. Executive Drive Tampa, FL, 33609, US Telephone: (305) 900-6266 Email: Taylor.lones@getfluent.com Sample : DA40203002-006 Harvest/Lot ID: 8808 1908 5390 7622

Batch#: 8808 1908 5390

Sampled: 02/03/24 **Ordered**: 02/03/24 Sample Size Received: 15.3 gram Total Amount: 1884 units Completed: 02/06/24 Expires: 02/06/25

Sample Method: SOP.T.20.010

Page 5 of 6



Microbial



Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ECOLI SHIGELLA			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000

Analyzed by: Weight: **Extraction date:** Extracted by: 3390, 3621, 585, 1440 02/03/24 14:02:01 3336,3390 1.2g

Analysis Method: SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL

Reviewed On: 02/06/24 Analytical Batch: DA068987MIC

Batch Date: 02/03/24

Instrument Used: PathogenDx Scanner DA-111.fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block

DA-049, Fisher Scientific Isotemp Heat Block DA-021 Analyzed Date: 02/05/24 13:43:49

Reagent: 010924.59; 010924.60; 011624.R29; 100223.11 Consumables: 7567003060; 010205

Pipette: N/A

Analyzed by:	Weight:	Extraction date:	Extracted by:
3336, 3390, 585, 1440	1.2g	02/03/24 14:02:01	3336,3390

Analysis Method: SOP.T.40.208 (Gainesville), SOP.T.40.209.FL

Analytical Batch : DA068996TYM Reviewed On: 02/06/24 08:51:34 Instrument Used : Incubator (25-27*C) DA-096 Batch Date: 02/03/24 14:02:10 Analyzed Date : 02/03/24 15:55:20

Reagent: 010924.59; 010924.60; 012524.R09; 011924.R15

Consumables : N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Pipette: N/A

\mathcal{C}°	Mycotoxins		PASS					
Analyte		LOD	Units	Result	Pass / Fail	Action Level		
AFLATOXIN B	2	0.002	ppm	ND	PASS	0.02		
AFLATOXIN B	1	0.002	ppm	ND	PASS	0.02		
OCHRATOXIN	A	0.002	mag	ND	PASS	0.02		

						LCVCI
AFLATOXIN B2		0.002	ppm	ND	PASS	0.02
AFLATOXIN B1		0.002	ppm	ND	PASS	0.02
OCHRATOXIN A		0.002	ppm	ND	PASS	0.02
AFLATOXIN G1		0.002	ppm	ND	PASS	0.02
AFLATOXIN G2		0.002	ppm	ND	PASS	0.02
Analyzed by:	Weight:	Extraction dat	Extracted by:			
3379, 585, 1440	0.2798a	02/05/24 14:0	4056.3379			

Analysis Method: SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)

Analytical Batch : DA069019MYC Reviewed On: 02/06/24 11:18:34 Instrument Used : N/A **Batch Date :** 02/04/24 13:47:33

Analyzed Date: 02/05/24 14:12:09

Dilution: 250 Reagent: 013024.R05; 040423.08; 013124.R26; 013124.R03; 013124.R27; 011024.R01;

013124.R01 Consumables: 326250IW

Pipette: DA-093; DA-094; DA-219

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Heavy Metals

Metal		ı	LOD	Units	Result	Pass / Fail	Action Level	
TOTAL CONTAMINANT	LOAD METAL	.s	0.080	ppm	ND	PASS	1.1	
ARSENIC		(0.020	ppm	ND	PASS	0.2	
CADMIUM		(0.020	ppm	ND	PASS	0.2	
MERCURY		(0.020	ppm	ND	PASS	0.2	
LEAD		(0.020	ppm	ND	PASS	0.5	
Analyzed by: 1022, 585, 1440	Weight: 0.2992g	Extraction date: 02/03/24 14:59:37			Extracted by: 4306,1022			

Analysis Method: SOP.T.30.082.FL, SOP.T.40.082.FL

Reviewed On: 02/06/24 08:49:52 Analytical Batch: DA068994HEA Instrument Used : DA-ICPMS-004 Batch Date: 02/03/24 13:58:43 Analyzed Date: 02/05/24 15:00:41

Dilution: 50

Reagent: 010824.R08; 020524.R23; 012924.R01; 020524.R14; 020524.R15; 020524.01;

012924.R05

Consumables: 12532-225CD-225C; A191022C; FJ216F

Pipette: DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164



Kaycha Labs

Yuzu Euphoria Disposable Pen 0.3g

Yuzu Euphoria Matrix: Derivative Type: Distillate

Page 6 of 6



PASSED

Certificate of Analysis

5540 W. Executive Drive Tampa, FL, 33609, US Telephone: (305) 900-6266 Email: Taylor.lones@getfluent.com Sample : DA40203002-006 Harvest/Lot ID: 8808 1908 5390 7622

Batch#: 8808 1908 5390

Sampled: 02/03/24 Ordered: 02/03/24 Sample Size Received: 15.3 gram Total Amount: 1884 units Completed: 02/06/24 Expires: 02/06/25 Sample Method: SOP.T.20.010

Filth/Foreign **Material**

PASSED

Analyte LOD Units Result P/F **Action Level** Filth and Foreign Material 0.100 % ND PASS 1

Analyzed by: 1879, 585, 1440 Weight: NA N/A N/A

Analysis Method: SOP.T.40.090

Analytical Batch : DA069004FIL
Instrument Used : Filth/Foreign Material Microscope Reviewed On: 02/03/24 22:45:45 Batch Date: 02/03/24 22:26:19 Analyzed Date: 02/03/24 22:36:04

Dilution: N/AReagent: N/A Consumables : N/A Pipette: N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

Reviewed On: 02/04/24 21:38:39

Batch Date: 02/03/24 13:35:00

Analyte	LOD			P/F	Action Leve	I
Water Activity	0.010	aw	0.488	PASS	0.85	
Analyzed by: 4056 1665 585 1440	Weight:		ion date:		Extracted by:	

Analysis Method: SOP.T.40.019 Analytical Batch: DA068993WAT

Instrument Used : DA-028 Rotronic Hygropalm

Analyzed Date: 02/03/24 13:44:49

Dilution: N/A Reagent: 111423.05 Consumables : PS-14 Pipette: N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature

02/06/24

are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha

Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ)