



# Certificate of Analysis

## COMPLIANCE FOR RETAIL

Sample: DA40215005-001  
Harvest/Lot ID: HYB-CB-020824-C0121  
Batch#: 7842 1161 1878 3977  
Cultivation Facility: Zolfo Springs Cultivation  
Processing Facility: Zolfo Springs Processing  
Source Facility: Zolfo Springs Cultivation  
Seed to Sale#: 2099 4736 9838 1880  
Batch Date: 12/29/23  
Sample Size Received: 38.5 gram  
Total Amount: 2783 units  
Retail Product Size: 3.5 gram  
Ordered: 02/14/24  
Sampled: 02/15/24  
Completed: 02/19/24  
Sampling Method: SOP.T.20.010

Feb 19, 2024 | FLUENT  
5540 W. Executive Drive  
Tampa, FL, 33609, US



**PASSED**

Pages 1 of 5

### PRODUCT IMAGE



### SAFETY RESULTS



Pesticides  
**PASSED**



Heavy Metals  
**PASSED**



Microbials  
**PASSED**



Mycotoxins  
**PASSED**



Residuals Solvents  
**NOT TESTED**



Filtration  
**PASSED**



Water Activity  
**PASSED**



Moisture  
**PASSED**



Terpenes  
**TESTED**

### MISC.



### Cannabinoid

**PASSED**



**Total THC**  
**29.776%**  
Dry Weight



**Total CBD**  
**0.086%**  
Dry Weight



**Total Cannabinoids**  
**35.507%**  
Dry Weight

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.246	28.757	ND	0.085	0.039	0.168	0.925	ND	ND	ND	0.146
mg/unit	8.61	1006.495	ND	2.975	1.365	5.88	32.375	ND	ND	ND	5.11
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%											

**Total THC**  
**25.465%**  
891.275 mg /Container

**Total CBD**  
**0.074%**  
2.59 mg /Container

**Total Cannabinoids**  
**30.366%**  
1062.81 mg /Container

**As Received**

Analyzed by:  
3335, 1665, 4395, 1440

Weight:  
0.2078g

Extraction date:  
02/15/24 12:55:47

Extracted by:  
3335

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA069425POT

Instrument Used : DA-LC-002

Analyzed Date : 02/15/24 13:59:39

Reviewed On : 02/16/24 14:03:09

Batch Date : 02/15/24 10:40:23

Dilution : 400

Reagent : 021424.R06; 060723.24; 021424.R01

Consumables : 947.109; 34623011; CE0123; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
02/19/24



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

FTH-Cake Boss WF 3.5g (1/8oz)  
FTH-Cake Boss  
Matrix : Flower  
Type: Flower-Cured



# Certificate of Analysis

PASSED

FLUENT

5540 W. Executive Drive  
Tampa, FL, 33609, US  
Telephone: (305) 900-6266  
Email: Taylor.Jones@getfluent.com

Sample : DA40215005-001

Harvest/Lot ID: HYB-CB-020824-C0121

Batch# : 7842 1161 1878  
3977

Sampled : 02/15/24  
Ordered : 02/15/24

Sample Size Received : 38.5 gram

Total Amount : 2783 units

Completed : 02/19/24 Expires: 02/19/25

Sample Method : SOP.T.20.010

Page 2 of 5



## Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	76.79	2.194		PULEGONE	0.007	ND	ND	
LIMONENE	0.007	21.11	0.603		SABINENE	0.007	ND	ND	
BETA-CARYOPHYLLENE	0.007	11.97	0.342		VALENCENE	0.007	ND	ND	
ALPHA-HUMULENE	0.007	5.71	0.163		ALPHA-CEDRENE	0.007	ND	ND	
LINALOOL	0.007	5.15	0.147		ALPHA-PHELLANDRENE	0.007	ND	ND	
FARNESENE	0.001	4.62	0.132		ALPHA-TERPINENE	0.007	ND	ND	
BETA-MYRCENE	0.007	4.27	0.122		CIS-NEROLIDOL	0.007	ND	ND	
BETA-PINENE	0.007	3.57	0.102		GAMMA-TERPINENE	0.007	ND	ND	
FENCHYL ALCOHOL	0.007	2.63	0.075		Analysis by: 1665, 1440	Weight: 0.9827g	Extraction date: 02/15/24 23:08:33	Extracted by: 795	
ALPHA-PINENE	0.007	2.56	0.073		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
ALPHA-BISABOLOL	0.007	1.58	0.045		Analytical Batch : DA069442TER				Reviewed On : 02/19/24 18:11:57
TOTAL TERPINEOL	0.007	1.40	0.040		Instrument Used : DA-GCMS-004				Batch Date : 02/15/24 11:44:59
TRANS-NEROLIDOL	0.007	1.16	0.033		Analyzed Date : N/A				
BORNEOL	0.013	<1.40	<0.040		Dilution : 10				
CAMPHENE	0.007	<0.70	<0.020		Reagent : N/A				
CARYOPHYLLENE OXIDE	0.007	<0.70	<0.020		Consumables : N/A				
FENCHONE	0.007	<1.40	<0.040		Pipette : N/A				
SABINENE HYDRATE	0.007	<0.70	<0.020		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
ALPHA-TERPINOLENE	0.007	<0.70	<0.020						
3-CARENE	0.007	ND	ND						
CAMPHOR	0.007	ND	ND						
CEDROL	0.007	ND	ND						
EUCALYPTOL	0.007	ND	ND						
GERANIOL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
GUAJOL	0.007	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
ISOBORNEOL	0.007	ND	ND						
ISOPULEGOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
OCIMENE	0.007	ND	ND						
Total (%)			2.194						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
02/19/24



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

FTH-Cake Boss WF 3.5g (1/8oz)

FTH-Cake Boss

Matrix : Flower

Type: Flower-Cured



# Certificate of Analysis

**PASSED**

FLUENT

5540 W. Executive Drive  
Tampa, FL, 33609, US  
Telephone: (305) 900-6266  
Email: Taylor.Jones@getfluent.com

Sample : DA40215005-001

Harvest/Lot ID: HYB-CB-020824-C0121

Batch# : 7842 1161 1878  
3977

Sampled : 02/15/24

Ordered : 02/15/24

Sample Size Received : 38.5 gram

Total Amount : 2783 units

Completed : 02/19/24 Expires: 02/19/25

Sample Method : SOP.T.20.010

Page 3 of 5



## Pesticides

**PASSED**

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analized by:	Weight:	Extraction date:	Extracted by:		
DICHLORVOS	0.010	ppm	0.1	PASS	ND	3379, 4395, 1665, 1440	0.9162g	02/15/24 16:40:02	3379		
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville),					
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)					
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA069430PES		Reviewed On : 02/16/24 11:42:16			
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)		Batch Date : 02/15/24 11:24:56			
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Analyzed Date : 02/15/24 16:44:12					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Dilution : 250					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Reagent : 021324.R16; 040423.08; 020724.R17; 021024.R03; 020724.R18; 021324.R05; 021424.R15					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW					
FLONICAMID	0.010	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in					
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	accordance with F.S. Rule 64ER20-39.					
IMAZALIL	0.010	ppm	0.1	PASS	ND	Analized by:	Weight:	Extraction date:	Extracted by:		
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	450, 4395, 1665, 1440	0.9162g	02/15/24 16:40:02	3379		
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
MALATHION	0.010	ppm	0.2	PASS	ND	Analytical Batch : DA069431VOL		Reviewed On : 02/16/24 10:35:38			
METALAXYL	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-001		Batch Date : 02/15/24 11:25:56			
METHIOCARB	0.010	ppm	0.1	PASS	ND	Analyzed Date : 02/15/24 17:52:03					
METHOMYL	0.010	ppm	0.1	PASS	ND	Dilution : 250					
MEVINPHOS	0.010	ppm	0.1	PASS	ND	Reagent : 021324.R16; 040423.08; 021424.R18; 021424.R19					
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW; 14725401					
NALED	0.010	ppm	0.25	PASS	ND	Pipette : DA-080; DA-146; DA-218					

Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
02/19/24



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

FTH-Cake Boss WF 3.5g (1/8oz)  
FTH-Cake Boss  
Matrix : Flower  
Type: Flower-Cured



# Certificate of Analysis

PASSED

FLUENT

5540 W. Executive Drive  
Tampa, FL, 33609, US  
Telephone: (305) 900-6266  
Email: Taylor.Jones@getfluent.com

Sample : DA40215005-001

Harvest/Lot ID: HYB-CB-020824-C0121

Batch# : 7842 1161 1878  
3977

Sampled : 02/15/24  
Ordered : 02/15/24

Sample Size Received : 38.5 gram

Total Amount : 2783 units

Completed : 02/19/24 Expires: 02/19/25

Sample Method : SOP.T.20.010

Page 4 of 5

	<b>Microbial</b>	<b>PASSED</b>		<b>Mycotoxins</b>	<b>PASSED</b>
--	------------------	---------------	--	-------------------	---------------

Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ECOLI SHIGELLA			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000	Analyzed by:		Weight:		Extraction date:	
						3390, 3621, 1665, 1440		0.9162g		02/15/24 16:40:02	Extracted by:
											3379
Analyzed by:	Weight:	Extraction date:	Extracted by:			Analysis Method :	SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville),				
3390, 3621, 1665, 1440	1.0438g	02/15/24 11:34:44	3390			SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)					
Analysis Method :	SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL					Analytical Batch :	DA069449MYC			Reviewed On :	02/16/24 11:45:36
Analytical Batch :	DA069416MIC					Instrument Used :	N/A			Batch Date :	02/15/24 12:06:57
						Analyzed Date :	02/15/24 16:44:18				
Instrument Used :	PathogenDx Scanner DA-111,Applied					Dilution :	250				
Biosystems Thermocycler DA-010,fisherbrand Isotemp Heat Block	09:37:12					Reagent :	021324.R16; 040423.08; 020724.R17; 021024.R03; 020724.R18; 021324.R05;				
DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific						021424.R15					
Isotemp Heat Block DA-021						Consumables :	326250IW				
Analyzed Date :	02/15/24 13:30:04					Pipette :	DA-093; DA-094; DA-219				

Dilution : 10  
Reagent : 010924.51; 020724.R22; 083123.109  
Consumables : 7568004001  
Pipette : N/A

Analyzed by: 3621, 3336, 1665, 3390, 1440  
Weight: 1.0438g  
Extraction date: 02/15/24 11:34:44  
Extracted by: 3390

Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL  
Analytical Batch : DA069419TYM  
Instrument Used : Incubator (25-27°C) DA-097  
Analyzed Date : 02/15/24 13:00:25  
Reviewed On : 02/19/24 17:09:19  
Batch Date : 02/15/24 09:40:24

Dilution : 10  
Reagent : 010924.51; 010924.55; 012524.R09  
Consumables : N/A  
Pipette : N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.



Heavy Metals

PASSED

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1
ARSENIC	0.020	ppm	ND	PASS	0.2
CADMIUM	0.020	ppm	ND	PASS	0.2
MERCURY	0.020	ppm	ND	PASS	0.2
LEAD	0.020	ppm	ND	PASS	0.5
Analyzed by:	Weight:	Extraction date:	Extracted by:		
1022, 1665, 1440	0.2623g	02/15/24 12:15:50	1022,4306		
Analysis Method :	SOP.T.30.082.FL, SOP.T.40.082.FL				
Analytical Batch :	DA069423HEA				Reviewed On : 02/16/24 10:31:02
Instrument Used :	DA-ICPMS-004				Batch Date : 02/15/24 10:27:40
Analyzed Date :	02/15/24 13:23:40				
Dilution :	50				
Reagent :	020724.R07; 021224.R03; 020824.R15; 021224.R01; 021224.R02; 020524.01;				
021324.R02					
Consumables :	179436; 34623011; 210508058				
Pipette :	DA-061; DA-191; DA-216				

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
02/19/24



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

FTH-Cake Boss WF 3.5g (1/8oz)

FTH-Cake Boss

Matrix : Flower

Type: Flower-Cured



# Certificate of Analysis

PASSED

FLUENT

5540 W. Executive Drive  
Tampa, FL, 33609, US  
Telephone: (305) 900-6266  
Email: Taylor.Jones@getfluent.com

Sample : DA40215005-001

Harvest/Lot ID: HYB-CB-020824-C0121

Batch# : 7842 1161 1878  
3977

Sampled : 02/15/24

Ordered : 02/15/24

Sample Size Received : 38.5 gram

Total Amount : 2783 units

Completed : 02/19/24 Expires: 02/19/25

Sample Method : SOP.T.20.010

Page 5 of 5



Filth/Foreign  
Material

PASSED



Moisture

PASSED

Analyte	LOD	Units	Result	P/F	Action Level	Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1	Moisture Content	1.00	%	14.48	PASS	15
Analyzed by: 1879, 4395, 1665, 1440	Weight: NA	Extraction date: N/A	Reviewed On : 02/16/24 08:41:00 Batch Date : 02/15/24 11:41:12	Extracted by: N/A		Analyzed by: 4444, 4395, 1665, 1440	Weight: 0.505g	Extraction date: 02/15/24 16:24:07	Reviewed On : 02/16/24 09:00:29 Batch Date : 02/15/24 11:37:56	Extracted by: 1879,4056	
Analysis Method : SOP.T.40.090 Analytical Batch : DA069439FIL Instrument Used : Filth/Foreign Material Microscope Analyzed Date : 02/16/24 04:56:27						Analysis Method : SOP.T.40.021 Analytical Batch : DA069437MOI Instrument Used : DA-003 Moisture Analyzer Analyzed Date : 02/15/24 15:35:41					
Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A						Dilution : N/A Reagent : 031523.19; 020123.02 Consumables : N/A Pipette : DA-066					

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.544	PASS	0.65
Analyzed by: 1879, 4444, 4395, 1665, 1440	Weight: 1.259g	Extraction date: 02/15/24 16:42:26	Reviewed On : 02/16/24 08:51:09 Batch Date : 02/15/24 11:38:20	Extracted by: 4444,1879	
Analysis Method : SOP.T.40.019 Analytical Batch : DA069438WAT Instrument Used : DA-028 Rotronic HygroPalm Analyzed Date : 02/15/24 15:42:27					
Dilution : N/A Reagent : 111423.05 Consumables : PS-14 Pipette : N/A					

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
02/19/24