



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA40217004-005
Harvest/Lot ID: HYB-CF-021224-CO130
Batch#: 9083 8362 1108 0162
Cultivation Facility: Zolfo Springs Cultivation
Processing Facility: Zolfo Springs Processing
Source Facility: Zolfo Springs Cultivation
Seed to Sale# 1429 7251 2939 3057
Batch Date: 01/11/24
Sample Size Received: 38.5 gram
Total Amount: 2812 units
Retail Product Size: 3.5 gram
Ordered: 02/16/24
Sampled: 02/17/24
Completed: 02/20/24
Sampling Method: SOP.T.20.010

Feb 20, 2024 | FLUENT
5540 W. Executive Drive
Tampa, FL, 33609, US



PASSED

Pages 1 of 5

PRODUCT IMAGE



SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals Solvents
NOT TESTED



Filtration
PASSED



Water Activity
PASSED



Moisture
PASSED



Terpenes
TESTED

MISC.



Cannabinoid

PASSED



Total THC
31.152%
Dry Weight



Total CBD
0.065%
Dry Weight



Total Cannabinoids
36.394%
Dry Weight

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.64	29.617	ND	0.064	0.031	0.106	0.585	ND	ND	ND	0.049
mg/unit	22.4	1036.595	ND	2.24	1.085	3.71	20.475	ND	ND	ND	1.715
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%											

Total THC
26.614%
931.49 mg /Container

Total CBD
0.056%
1.96 mg /Container

Total Cannabinoids
31.092%
1088.22 mg /Container

As Received

Analyzed by:
3335, 1665, 4395, 53, 1440

Analysis Method : SOP.T.40.031, SOP.T.30.031
Analytical Batch : DA069550POT
Instrument Used : DA-LC-002
Analyzed Date : 02/19/24 10:55:02

Dilution : 400
Reagent : 012324.R04; 070121.27; 020724.R04
Consumables : 947.109; 280670723; CE0123; R1KB14270
Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
02/20/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

FTH- Carbon Fiber WF 3.5g (1/8oz)

FTH- Carbon Fiber

Matrix : Flower

Type: Flower-Cured



Certificate of Analysis

PASSED

FLUENT

5540 W. Executive Drive
Tampa, FL, 33609, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA40217004-005

Harvest/Lot ID: HYB-CF-021224-CO130

Batch# : 9083 8362 1108
0162

Sampled : 02/17/24

Ordered : 02/17/24

Sample Size Received : 38.5 gram

Total Amount : 2812 units

Completed : 02/20/24 Expires: 02/20/25

Sample Method : SOP.T.20.010

Page 2 of 5



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	94.29	2.694		NEROL	0.007	ND	ND	
BETA-CARYOPHYLLENE	0.007	21.98	0.628		PULEGONE	0.007	ND	ND	
LIMONENE	0.007	21.28	0.608		VALENCENE	0.007	ND	ND	
ALPHA-PINENE	0.007	7.77	0.222		ALPHA-CEDRENE	0.007	ND	ND	
ALPHA-HUMULENE	0.007	6.06	0.173		ALPHA-PHELLANDRENE	0.007	ND	ND	
BETA-PINENE	0.007	5.15	0.147		ALPHA-TERPINENE	0.007	ND	ND	
ALPHA-BISABOLOL	0.007	4.94	0.141		CIS-NEROLIDOL	0.007	ND	ND	
FENCHYL ALCOHOL	0.007	3.05	0.087		TRANS-NEROLIDOL	0.007	ND	ND	
LINALOOL	0.007	2.87	0.082						
TOTAL TERPINEOL	0.007	2.10	0.060		Analysis by:	Weight:	Extraction date:	Extracted by:	
BETA-MYRCENE	0.007	1.93	0.055		1665, 4395, 53, 1440	0.8603g	02/18/24 11:17:54	1665	
FARNESENE	0.001	1.30	0.037		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
OCIMENE	0.007	1.23	0.035		Analytical Batch : DA069534TER		Reviewed On : 02/20/24 09:50:46		
CAMPHENE	0.007	0.95	0.027		Instrument Used : DA-GCMS-009		Batch Date : 02/18/24 07:05:38		
BORNEOL	0.013	<1.40	<0.040		Analysis Date : 02/18/24 11:19:11				
CARYOPHYLLENE OXIDE	0.007	<0.70	<0.020		Dilution : 10				
FENCHONE	0.007	<1.40	<0.040		Reagent : N/A				
SABINENE	0.007	<0.70	<0.020		Consumables : N/A				
SABINENE HYDRATE	0.007	<0.70	<0.020		Pipette : N/A				
ALPHA-TERPINOLENE	0.007	<0.70	<0.020						
GAMMA-TERPINENE	0.007	<0.70	<0.020						
3-CARENE	0.007	ND	ND						
CAMPHOR	0.007	ND	ND						
CEDROL	0.007	ND	ND						
EUCALYPTOL	0.007	ND	ND						
GERANIOL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
GUAJOL	0.007	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
ISOBORNEOL	0.007	ND	ND						
ISOPULEGOL	0.007	ND	ND						
Total (%)			2.694						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
02/20/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

FTH- Carbon Fiber WF 3.5g (1/8oz)
FTH- Carbon Fiber
Matrix : Flower
Type: Flower-Cured



Certificate of Analysis

PASSED

FLUENT

5540 W. Executive Drive
Tampa, FL, 33609, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA40217004-005

Harvest/Lot ID: HYB-CF-021224-CO130

Batch# : 9083 8362 1108
0162

Sampled : 02/17/24
Ordered : 02/17/24

Sample Size Received : 38.5 gram

Total Amount : 2812 units

Completed : 02/20/24 Expires: 02/20/25

Sample Method : SOP.T.20.010

Page 3 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)	Weight: 0.8922g	Extraction date: 02/19/24 13:22:45	Extracted by: 3379		
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analysis Method : DA069559PES		Reviewed On : 02/20/24 09:25:49			
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)		Batch Date : 02/19/24 08:28:16			
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Analysis Date : 02/19/24 13:23:30					
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Dilution : 250					
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Reagent : 021524.R14; 021024.R03; 021324.R16; 021524.R13; 021324.R05; 021424.R15; 040423.08					
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL	Weight: 0.8922g	Extraction date: 02/19/24 13:22:45	Extracted by: 3379		
FLONICAMID	0.010	ppm	0.1	PASS	ND	Analysis Method : DA069561VOL		Reviewed On : 02/20/24 11:36:00			
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-001		Batch Date : 02/19/24 08:30:11			
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	Analysis Date : 02/19/24 15:18:06					
IMAZALIL	0.010	ppm	0.1	PASS	ND	Dilution : 250					
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	Reagent : 021324.R16; 040423.08; 021424.R18; 021424.R19					
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW; 14725401					
MALATHION	0.010	ppm	0.2	PASS	ND	Pipette : DA-080; DA-146; DA-218					
METALAXYL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
METHIOCARB	0.010	ppm	0.1	PASS	ND						
METHOMYL	0.010	ppm	0.1	PASS	ND						
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
02/20/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

.....
FTH- Carbon Fiber WF 3.5g (1/8oz)
FTH- Carbon Fiber
Matrix : Flower
Type: Flower-Cured



Certificate of Analysis

PASSED

FLUENT

5540 W. Executive Drive
Tampa, FL, 33609, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA40217004-005
Harvest/Lot ID: HYB-CF-021224-CO130

Batch# : 9083 8362 1108
0162
Sample Size Received : 38.5 gram
Total Amount : 2812 units
Completed : 02/20/24 Expires: 02/20/25
Sample Method : SOP.T.20.010

Page 4 of 5

	Microbial	PASSED		Mycotoxins	PASSED
Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ECOLI SHIGELLA			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	720	PASS	100000
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL	Weight: 0.9927g	Extraction date: 02/17/24 10:55:00	Extracted by: 3621	Reviewed On : 02/20/24 13:30:54	Batch Date : 02/17/24 09:18:50
Analytical Batch : DA069513MIC					
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-010,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021					
Analysis Date : 02/19/24 13:19:55					
Dilution : N/A					
Reagent : 010924.52; 010924.56; 020724.R22; 083123.109					
Consumables : 7568004002					
Pipette : N/A					
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL	Weight: 0.9927g	Extraction date: 02/17/24 10:55:00	Extracted by: 3621	Reviewed On : 02/20/24 13:34:40	Batch Date : 02/17/24 10:55:57
Analytical Batch : DA069522TYM					
Instrument Used : Incubator (25-27°C) DA-097					
Analysis Date : 02/17/24 15:28:07					
Dilution : N/A					
Reagent : 010924.52; 010924.56; 012524.R09					
Consumables : N/A					
Pipette : N/A					
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.					
	Heavy Metals	PASSED			
Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1
ARSENIC	0.020	ppm	ND	PASS	0.2
CADMIUM	0.020	ppm	ND	PASS	0.2
MERCURY	0.020	ppm	ND	PASS	0.2
LEAD	0.020	ppm	ND	PASS	0.5
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL	Weight: 0.2723g	Extraction date: 02/17/24 12:58:37	Extracted by: 1022,4306	Reviewed On : 02/20/24 09:02:15	Batch Date : 02/17/24 09:29:18
Analytical Batch : DA069514HEA					
Instrument Used : DA-ICPMS-004					
Analysis Date : 02/19/24 11:56:20					
Dilution : 50					
Reagent : 020724.R07; 021224.R03; 020824.R15; 021224.R01; 021224.R02; 020524.01; 021324.R02					
Consumables : 179436; 34623011; 210508058					
Pipette : DA-061; DA-191; DA-216					
Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
02/20/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

FTH- Carbon Fiber WF 3.5g (1/8oz)
FTH- Carbon Fiber
Matrix : Flower
Type: Flower-Cured



Certificate of Analysis

PASSED

FLUENT

5540 W. Executive Drive
Tampa, FL, 33609, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA40217004-005
Harvest/Lot ID: HYB-CF-021224-CO130
Batch# : 9083 8362 1108
Sample Size Received : 38.5 gram
Total Amount : 2812 units
Completed : 02/20/24 Expires: 02/20/25
Sample Method : SOP.T.20.010
Sampled : 02/17/24
Ordered : 02/17/24

Page 5 of 5



Filth/Foreign
Material

PASSED



Moisture

PASSED

Analyte	LOD	Units	Result	P/F	Action Level	Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1	Moisture Content	1.00	%	14.57	PASS	15
Analyzed by: 1665, 53, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A			Analyzed by: 4044, 1665, 53, 1440	Weight: 0.503g	Extraction date: 02/17/24 16:53:52	Extracted by: 4444,4044		
Analysis Method : SOP.T.40.090 Analytical Batch : DA069555FIL Instrument Used : N/A Analyzed Date : N/A						Analysis Method : SOP.T.40.021 Analytical Batch : DA069518MOI Instrument Used : DA-003 Moisture Analyzer Analyzed Date : 02/17/24 16:46:07					
Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A						Dilution : N/A Reagent : 031523.19; 020123.02 Consumables : N/A Pipette : DA-066					

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.562	PASS	0.65
Analyzed by: 4044, 4395, 53, 1440	Weight: 1.624g	Extraction date: 02/17/24 17:09:38	Extracted by: 4044		
Analysis Method : SOP.T.40.019 Analytical Batch : DA069519WAT Instrument Used : DA-028 Rotronic Hygropalm Analyzed Date : 02/17/24 16:46:39					
Dilution : N/A Reagent : 111423.05 Consumables : PS-14 Pipette : N/A					

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
02/20/24