



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA40217003-003
Harvest/Lot ID: 7547 1990 9629 6868
Batch#: 7547 1990 9629 6868
Cultivation Facility: Tampa Cultivation
Processing Facility: Tampa Processing
Source Facility: Tampa Cultivation
Seed to Sale#: 3998 1276 4243 0356
Batch Date: 02/08/24
Sample Size Received: 16 gram
Total Amount: 2994 units
Retail Product Size: 1 gram
Ordered: 02/16/24
Sampled: 02/17/24
Completed: 02/20/24
Sampling Method: SOP.T.20.010

Feb 20, 2024 | FLUENT

5540 W. Executive Drive
Tampa, FL, 33609, US



PASSED

Pages 1 of 6

PRODUCT IMAGE



SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals Solvents
PASSED



Filth
PASSED



Water Activity
PASSED



Moisture
NOT TESTED



Terpenes
TESTED

MISC.



Cannabinoid

PASSED



Total THC

87.765%

Total THC/Container : 877.65 mg



Total CBD

0.262%

Total CBD/Container : 2.62 mg



Total Cannabinoids

94.289%

Total Cannabinoids/Container : 942.89 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	87.672	0.107	0.262	ND	0.319	2.296	0.107	0.942	0.609	ND	1.975
mg/unit	876.72	1.07	2.62	ND	3.19	22.96	1.07	9.42	6.09	ND	19.75
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
	%	%	%	%	%	%	%	%	%	%	%

Analyzed by:
3335, 1665, 4395, 53, 1440

Weight:
0.1155g

Extraction date:
02/19/24 10:26:56

Extracted by:
1665,3335

Analysis Method : SOP.T.40.031, SOP.T.30.031
Analytical Batch : DA069553POT
Instrument Used : DA-LC-007
Analyzed Date : 02/19/24 10:43:06

Reviewed On : 02/20/24 13:58:22
Batch Date : 02/18/24 17:48:55

Dilution : 400
Reagent : 012324.R04; 070121.27; 020724.R04
Consumables : 947.109; 280670723; CE0123; R1KB14270
Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
02/20/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Everglade Haze Disposable Pen 1g
Everglade Haze
Matrix : Derivative
Type: Distillate



Certificate of Analysis

PASSED

FLUENT

5540 W. Executive Drive
Tampa, FL, 33609, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA40217003-003

Harvest/Lot ID: 7547 1990 9629 6868

Batch# : 7547 1990 9629
6868

Sampled : 02/17/24
Ordered : 02/17/24

Sample Size Received : 16 gram

Total Amount : 2994 units

Completed : 02/20/24 Expires: 02/20/25

Sample Method : SOP.T.20.010

Page 2 of 6



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	30.25	3.025		ISOPULEGOL	0.007	ND	ND	
ALPHA-TERPINOLENE	0.007	8.45	0.845		NEROL	0.007	ND	ND	
BETA-CARYOPHYLLENE	0.007	3.45	0.345		PULEGONE	0.007	ND	ND	
FARNESENE	0.001	2.82	0.282		SABINENE	0.007	ND	ND	
LIMONENE	0.007	2.61	0.261		SABINENE HYDRATE	0.007	ND	ND	
BETA-MYRCENE	0.007	2.28	0.228		ALPHA-CEDRENE	0.007	ND	ND	
BETA-PINENE	0.007	1.71	0.171		CIS-NEROLIDOL	0.007	ND	ND	
OCIMENE	0.007	1.39	0.139		TRANS-NEROLIDOL	0.007	ND	ND	
ALPHA-PINENE	0.007	1.27	0.127		Analyzed by:	Weight:	Extraction date:	Extracted by:	
BORNEOL	0.013	0.85	0.085		795, 1665, 4395, 53, 1440	0.2111g	02/18/24 10:58:19	795	
FENCHYL ALCOHOL	0.007	0.76	0.076		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
VALENCENE	0.007	0.73	0.073		Analytical Batch : DA069536TER			Reviewed On : 02/20/24 09:29:45	
CAMPHOR	0.007	0.71	0.071		Instrument Used : DA-GCMS-004			Batch Date : 02/18/24 07:13:03	
TOTAL TERPINEOL	0.007	0.59	0.059		Analyzed Date : 02/18/24 11:05:18				
LINALOOL	0.007	0.45	0.045		Dilution : 10				
ALPHA-TERPINENE	0.007	0.44	0.044		Reagent : N/A				
ALPHA-BISABOLOL	0.007	0.41	0.041		Consumables : N/A				
ALPHA-HUMULENE	0.007	0.38	0.038		Pipette : N/A				
CARYOPHYLLENE OXIDE	0.007	0.36	0.036		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
GAMMA-TERPINENE	0.007	0.36	0.036						
HEXAHYDROTHYMOL	0.007	0.23	0.023						
3-CARENE	0.007	<0.20	<0.020						
ALPHA-PHELLANDRENE	0.007	<0.20	<0.020						
CAMPENE	0.007	ND	ND						
CEDROL	0.007	ND	ND						
EUCALYPTOL	0.007	ND	ND						
FENCHONE	0.007	ND	ND						
GERANIOL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
GUAIOL	0.007	ND	ND						
ISOBORNEOL	0.007	ND	ND						
Total (%)			3.025						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
02/20/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Everglade Haze Disposable Pen 1g
Everglade Haze
Matrix : Derivative
Type: Distillate



Certificate of Analysis

PASSED

FLUENT

5540 W. Executive Drive
Tampa, FL, 33609, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA40217003-003

Harvest/Lot ID: 7547 1990 9629 6868

Batch# : 7547 1990 9629
6868

Sampled : 02/17/24
Ordered : 02/17/24

Sample Size Received : 16 gram

Total Amount : 2994 units

Completed : 02/20/24 Expires: 02/20/25

Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analized by:	Weight:	Extraction date:	Extracted by:		
DICHLORVOS	0.010	ppm	0.1	PASS	ND	4056, 3379, 53, 1440	0.2505g	02/17/24 15:57:24	4056		
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville),					
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)					
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA069523PES		Reviewed On : 02/19/24 16:00:49			
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)		Batch Date : 02/17/24 11:09:48			
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Analyzed Date : 02/17/24 15:06:57					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Dilution : 250					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Reagent : 021324.R16; 040423.08; 021524.R14; 021024.R03; 021524.R13; 021324.R05; 021424.R15					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW					
FLONICAMID	0.010	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND						
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
IMAZALIL	0.010	ppm	0.1	PASS	ND						
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	Analized by:	Weight:	Extraction date:	Extracted by:		
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	450, 4395, 53, 1440	0.2505g	02/17/24 15:57:24	4056		
MALATHION	0.010	ppm	0.2	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
METALAXYL	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA069524VOL		Reviewed On : 02/20/24 11:27:48			
METHIOCARB	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-001		Batch Date : 02/17/24 11:11:20			
METHOMYL	0.010	ppm	0.1	PASS	ND	Analyzed Date : 02/19/24 15:17:42					
MEVINPHOS	0.010	ppm	0.1	PASS	ND	Dilution : 250					
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND	Reagent : 021324.R16; 040423.08; 021424.R18; 021424.R19					
NALED	0.010	ppm	0.25	PASS	ND	Consumables : 326250IW; 14725401					
						Pipette : DA-080; DA-146; DA-218					

Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
02/20/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Everglade Haze Disposable Pen 1g
Everglade Haze
Matrix : Derivative
Type: Distillate



Certificate of Analysis

PASSED

FLUENT

5540 W. Executive Drive
Tampa, FL, 33609, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA40217003-003

Harvest/Lot ID: 7547 1990 9629 6868

Batch# : 7547 1990 9629
6868

Sampled : 02/17/24
Ordered : 02/17/24

Sample Size Received : 16 gram

Total Amount : 2994 units

Completed : 02/20/24 Expires: 02/20/25

Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

Analyzed by:
850, 4395, 53, 1440

Weight:
0.0239g

Extraction date:
02/20/24 14:11:38

Extracted by:
850

Analysis Method : SOP.T.40.041.FL
Analytical Batch : DA069568SOL
Instrument Used : DA-GCMS-003
Analyzed Date : 02/20/24 14:22:58

Reviewed On : 02/20/24 14:40:10
Batch Date : 02/19/24 11:12:40

Dilution : 1
Reagent : N/A
Consumables : R2017.167; G201.062
Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
02/20/24



Certificate of Analysis

PASSED
FLUENT

 5540 W. Executive Drive
 Tampa, FL, 33609, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA40217003-003

Harvest/Lot ID: 7547 1990 9629 6868

Batch# : 7547 1990 9629 6868

Sampled : 02/17/24

Ordered : 02/17/24



Sample Size Received : 16 gram

Total Amount : 2994 units

Completed : 02/20/24 Expires: 02/20/25

Sample Method : SOP.T.20.010

Page 5 of 6

	Microbial	PASSED		Mycotoxins	PASSED						
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ECOLI SHIGELLA			Not Present	PASS		Analyzed by: 4056, 3379, 4395, 53, 1440 Weight: 0.2505g Extraction date: 02/17/24 15:57:24 Extracted by: 4056					
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA069525MYC Reviewed On : 02/20/24 09:10:40 Instrument Used : N/A Batch Date : 02/17/24 11:13:57 Analyzed Date : 02/17/24 15:06:52					
Analyzed by: 3390, 4395, 53, 1440 Weight: 1.0204g Extraction date: 02/17/24 10:54:58 Extracted by: 3621 Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA069513MIC Reviewed On : 02/20/24 13:30:23 Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-010,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021 Analyzed Date : 02/19/24 13:19:55 Batch Date : 02/17/24 09:18:50						Dilution : 250 Reagent : 021324.R16; 040423.08; 021524.R14; 021024.R03; 021524.R13; 021324.R05; 021424.R15 Consumables : 326250IW Pipette : DA-093; DA-094; DA-219					
Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.											
<div><div><div>Hg</div></div></div>						Heavy Metals PASSED					
Metal							LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS							0.080	ppm	ND	PASS	1.1
ARSENIC							0.020	ppm	ND	PASS	0.2
CADMIUM							0.020	ppm	ND	PASS	0.2
MERCURY							0.020	ppm	ND	PASS	0.2
LEAD							0.020	ppm	ND	PASS	0.5
Analyzed by: 1022, 4395, 53, 1440 Weight: 0.2761g Extraction date: 02/17/24 15:02:27 Extracted by: 1022,4306							Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA069515HEA Reviewed On : 02/20/24 11:31:41 Instrument Used : DA-ICPMS-004 Batch Date : 02/17/24 09:33:27 Analyzed Date : 02/19/24 12:10:53				
Dilution : 50 Reagent : 020724.R07; 021924.R03; 020824.R15; 021924.R01; 021924.R02; 020524.01; 021324.R02 Consumables : 179436; 34623011; 210508058 Pipette : DA-061; DA-191; DA-216											
Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.											



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Everglade Haze Disposable Pen 1g
Everglade Haze
Matrix : Derivative
Type: Distillate



Certificate of Analysis

PASSED

FLUENT

5540 W. Executive Drive
Tampa, FL, 33609, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA40217003-003
Harvest/Lot ID: 7547 1990 9629 6868
Batch# : 7547 1990 9629 6868
Sample Size Received : 16 gram
Total Amount : 2994 units
Sampled : 02/17/24
Completed : 02/20/24 Expires: 02/20/25
Ordered : 02/17/24
Sample Method : SOP.T.20.010

Page 6 of 6



Filth/Foreign
Material

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1665, 53, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A
--------------------------------	---------------	-------------------------	----------------------

Analysis Method : SOP.T.40.090
Analytical Batch : DA069555FIL
Instrument Used : N/A
Analyzed Date : N/A
Reviewed On : 02/19/24 07:03:35
Batch Date : 02/19/24 06:41:24

Dilution : N/A
Reagent : N/A
Consumables : N/A
Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.484	PASS	0.85

Analyzed by: 4044, 1665, 53, 1440	Weight: 0.23g	Extraction date: 02/17/24 17:14:49	Extracted by: 4044
--------------------------------------	------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.019
Analytical Batch : DA069520WAT
Instrument Used : DA-028 Rotronic Hygropalm
Analyzed Date : 02/17/24 16:46:24
Reviewed On : 02/18/24 11:43:22
Batch Date : 02/17/24 10:50:33

Dilution : N/A
Reagent : 111423.05
Consumables : PS-14
Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
02/20/24