



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA40217004-006
Harvest/Lot ID: HYB-MB-021224-CO130
Batch#: 7040 1207 0436 4398
Cultivation Facility: Zolfo Springs Cultivation
Processing Facility: Zolfo Springs Processing
Source Facility: Zolfo Springs Cultivation
Seed to Sale#: 6971 0482 4042 8519
Batch Date: 01/11/24
Sample Size Received: 31.5 gram
Total Amount: 1600 units
Retail Product Size: 3.5 gram
Ordered: 02/16/24
Sampled: 02/17/24
Completed: 02/21/24
Sampling Method: SOP.T.20.010

Feb 21, 2024 | FLUENT
5540 W. Executive Drive
Tampa, FL, 33609, US



PASSED

Pages 1 of 5

PRODUCT IMAGE



SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals Solvents
NOT TESTED



Filtration
PASSED



Water Activity
PASSED



Moisture
PASSED



Terpenes
TESTED

MISC.



Cannabinoid

PASSED



Total THC
20.681%
Dry Weight



Total CBD
0.045%
Dry Weight



Total Cannabinoids
24.563%
Dry Weight

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.466	19.882	ND	0.045	0.021	0.046	0.746	ND	ND	ND	0.056
mg/unit	16.31	695.87	ND	1.575	0.735	1.61	26.11	ND	ND	ND	1.96
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%											

Total THC
17.902%
626.57 mg /Container

Total CBD
0.039%
1.365 mg /Container

Total Cannabinoids
21.262%
744.17 mg /Container

As Received

Analyzed by:
3335, 1665, 4395, 1440

Weight:
0.2053g

Extraction date:
02/19/24 10:31:02

Extracted by:
1665,3335

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA069550POT

Instrument Used : DA-LC-002

Analyzed Date : 02/19/24 10:55:02

Reviewed On : 02/21/24 07:15:33

Batch Date : 02/18/24 17:34:42

Dilution : 400

Reagent : 012324.R04; 070121.27; 020724.R04

Consumables : 947.109; 280670723; CE0123; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
02/21/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

FTH- Mendo Breath WF 3.5g (1/8oz)
FTH-Mendo Breath
Matrix : Flower
Type: Flower-Cured



Certificate of Analysis

PASSED

FLUENT

5540 W. Executive Drive
Tampa, FL, 33609, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA40217004-006
Harvest/Lot ID: HYB-MB-021224-C0130
Batch# : 7040 1207 0436 Sample Size Received : 31.5 gram
4398 Total Amount : 1600 units
Sampled : 02/17/24 Completed : 02/21/24 Expires: 02/21/25
Ordered : 02/17/24 Sample Method : SOP.T.20.010

Page 2 of 5



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	31.78	0.908		PULEGONE	0.007	ND	ND	
BETA-MYRCENE	0.007	9.38	0.268		SABINENE HYDRATE	0.007	ND	ND	
BETA-CARYOPHYLLENE	0.007	7.07	0.202		TOTAL TERPINEOL	0.007	ND	ND	
ALPHA-HUMULENE	0.007	3.33	0.095		VALENCENE	0.007	ND	ND	
OCIMENE	0.007	1.44	0.041		ALPHA-CEDRENE	0.007	ND	ND	
ALPHA-PINENE	0.007	1.30	0.037		ALPHA-PHELLANDRENE	0.007	ND	ND	
LIMONENE	0.007	1.12	0.032		ALPHA-TERPINOLENE	0.007	ND	ND	
LINALOOL	0.007	1.09	0.031		CIS-NEROLIDOL	0.007	ND	ND	
ALPHA-BISABOLOL	0.007	1.05	0.030		Analyzed by:	Weight:	Extraction date:	Extracted by:	
TRANS-NEROLIDOL	0.007	0.91	0.026		1665, 4395, 1440	0.8555g	02/18/24 11:17:58	1665	
BETA-PINENE	0.007	0.84	0.024		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
BORNEOL	0.013	<1.40	<0.040		Analytical Batch : DA069534TER			Reviewed On : 02/20/24 09:50:51	
CARYOPHYLLENE OXIDE	0.007	<0.70	<0.020		Instrument Used : DA-GCMS-009			Batch Date : 02/18/24 07:05:38	
FARNESENE	0.001	<0.32	<0.009		Analyzed Date : 02/18/24 11:19:11				
FENCHYL ALCOHOL	0.007	<0.70	<0.020		Dilution : 10				
SABINENE	0.007	<0.70	<0.020		Reagent : N/A				
ALPHA-TERPINENE	0.007	<0.70	<0.020		Consumables : N/A				
GAMMA-TERPINENE	0.007	<0.70	<0.020		Pipette : N/A				
3-CARENE	0.007	ND	ND		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
CAMPHENE	0.007	ND	ND						
CAMPHOR	0.007	ND	ND						
CEDROL	0.007	ND	ND						
EUCALYPTOL	0.007	ND	ND						
FENCHONE	0.007	ND	ND						
GERANIOL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
GUAIOL	0.007	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
ISOBORNEOL	0.007	ND	ND						
ISOPULEGOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
Total (%)			0.908						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
02/21/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

FTH- Mendo Breath WF 3.5g (1/8oz)
FTH-Mendo Breath
Matrix : Flower
Type: Flower-Cured



Certificate of Analysis

PASSED

FLUENT

5540 W. Executive Drive
Tampa, FL, 33609, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA40217004-006

Harvest/Lot ID: HYB-MB-021224-C0130

Batch# : 7040 1207 0436
4398

Sampled : 02/17/24

Ordered : 02/17/24

Sample Size Received : 31.5 gram

Total Amount : 1600 units

Completed : 02/21/24 Expires: 02/21/25

Sample Method : SOP.T.20.010

Page 3 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
DICHLORVOS	0.010	ppm	0.1	PASS	ND	3379, 4395, 1440	0.816g	02/19/24 13:22:45	3379		
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville),					
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)					
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA069559PES		Reviewed On : 02/20/24 09:25:56			
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)		Batch Date : 02/19/24 08:28:16			
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Analyzed Date : 02/19/24 13:23:30					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Dilution : 250					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Reagent : 021524.R14; 021024.R03; 021324.R16; 021524.R13; 021324.R05; 021424.R15; 040423.08					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW					
FLONICAMID	0.010	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
IMAZALIL	0.010	ppm	0.1	PASS	ND	450, 4395, 1440	0.816g	02/19/24 13:22:45	3379		
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA069561VOL		Reviewed On : 02/20/24 11:36:06			
MALATHION	0.010	ppm	0.2	PASS	ND	Instrument Used : DA-GCMS-001		Batch Date : 02/19/24 08:30:11			
METALAXYL	0.010	ppm	0.1	PASS	ND	Analyzed Date : 02/19/24 15:18:06					
METHIOCARB	0.010	ppm	0.1	PASS	ND	Dilution : 250					
METHOMYL	0.010	ppm	0.1	PASS	ND	Reagent : 021324.R16; 040423.08; 021424.R18; 021424.R19					
MEVINPHOS	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW; 14725401					
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
NALED	0.010	ppm	0.25	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
02/21/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

FTH- Mendo Breath WF 3.5g (1/8oz)
FTH-Mendo Breath
Matrix : Flower
Type: Flower-Cured



Certificate of Analysis



PASSED


FLUENT

5540 W. Executive Drive
Tampa, FL, 33609, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA40217004-006
Harvest/Lot ID: HYB-MB-021224-C0130
Batch# : 7040 1207 0436 Sample Size Received : 31.5 gram
4398 Total Amount : 1600 units
Sampled : 02/17/24 Completed : 02/21/24 Expires: 02/21/25
Ordered : 02/17/24 Sample Method : SOP.T.20.010

Page 4 of 5

	Microbial					PASSED						Mycotoxins					PASSED				
Analyte		LOD	Units	Result	Pass / Fail	Action Level	Analyte		LOD	Units	Result	Pass / Fail	Action Level								
ASPERGILLUS TERREUS				Not Present	PASS		AFLATOXIN B2				0.002	ppm	ND	PASS	0.02						
ASPERGILLUS NIGER				Not Present	PASS		AFLATOXIN B1				0.002	ppm	ND	PASS	0.02						
ASPERGILLUS FUMIGATUS				Not Present	PASS		OCHRATOXIN A				0.002	ppm	ND	PASS	0.02						
ASPERGILLUS FLAVUS				Not Present	PASS		AFLATOXIN G1				0.002	ppm	ND	PASS	0.02						
SALMONELLA SPECIFIC GENE				Not Present	PASS		AFLATOXIN G2				0.002	ppm	ND	PASS	0.02						
ECOLI SHIGELLA				Not Present	PASS		Analyzed by: 3379, 4395, 1440		Weight: 0.816g	Extraction date: 02/19/24 13:22:45		Extracted by: 3379									
TOTAL YEAST AND MOLD		10	CFU/g	3000	PASS	100000	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)														
Analyzed by: 3390, 4395, 1440		Weight: 0.9911g		Extraction date: 02/17/24 10:55:01		Extracted by: 3621		Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)													
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL						Reviewed On : 02/20/24 13:30:59															
Analytical Batch : DA069513MIC						Batch Date : 02/17/24 09:18:50															
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-010,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021																					
Analyzed Date : 02/19/24 13:19:55																					
Dilution : N/A																					
Reagent : 010924.52; 010924.56; 020724.R22; 083123.109																					
Consumables : 7568004002																					
Pipette : N/A																					
Analyzed by: 3336, 3390, 4395, 1440		Weight: 0.9911g		Extraction date: 02/17/24 10:55:01		Extracted by: 3621															
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL																					
Analytical Batch : DA069522TYM						Reviewed On : 02/20/24 13:34:44															
Instrument Used : Incubator (25-27°C) DA-097						Batch Date : 02/17/24 10:55:57															
Analyzed Date : 02/17/24 15:28:07																					
Dilution : N/A																					
Reagent : 010924.52; 010924.56; 012524.R09																					
Consumables : N/A																					
Pipette : N/A																					
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.																					

	Heavy Metals					PASSED				
Metal		LOD	Units	Result	Pass / Fail	Action Level				
TOTAL CONTAMINANT LOAD METALS		0.080	ppm	ND	PASS	1.1				
ARSENIC		0.020	ppm	ND	PASS	0.2				
CADMIUM		0.020	ppm	ND	PASS	0.2				
MERCURY		0.020	ppm	ND	PASS	0.2				
LEAD		0.020	ppm	ND	PASS	0.5				
Analyzed by: 1022, 4395, 1440		Weight: 0.2823g	Extraction date: 02/17/24 13:00:03		Extracted by: 1022.4306					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
02/21/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

FTH- Mendo Breath WF 3.5g (1/8oz)
FTH-Mendo Breath
Matrix : Flower
Type: Flower-Cured



Certificate of Analysis

PASSED

FLUENT

5540 W. Executive Drive
Tampa, FL, 33609, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA40217004-006
Harvest/Lot ID: HYB-MB-021224-C0130
Batch# : 7040 1207 0436
Sample Size Received : 31.5 gram
4398
Total Amount : 1600 units
Sampled : 02/17/24
Completed : 02/21/24 Expires: 02/21/25
Ordered : 02/17/24
Sample Method : SOP.T.20.010

Page 5 of 5



Filth/Foreign
Material

PASSED



Moisture

PASSED

Analyte	LOD	Units	Result	P/F	Action Level	Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1	Moisture Content	1.00	%	13.44	PASS	15
Analyzed by: 1665, 4395, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A			Analyzed by: 4044, 1665, 4395, 1440	Weight: 0.506g	Extraction date: 02/17/24 16:53:53	Extracted by: 4444,4044		
Analysis Method : SOP.T.40.090 Analytical Batch : DA069555FIL Instrument Used : N/A Analyzed Date : N/A						Analysis Method : SOP.T.40.021 Analytical Batch : DA069518MOI Instrument Used : DA-003 Moisture Analyzer Analyzed Date : 02/17/24 16:46:07					
Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A						Dilution : N/A Reagent : 031523.19; 020123.02 Consumables : N/A Pipette : DA-066					

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.586	PASS	0.65
Analyzed by: 4044, 4395, 1440	Weight: 1.582g	Extraction date: 02/17/24 17:09:39	Extracted by: 4044		
Analysis Method : SOP.T.40.019 Analytical Batch : DA069519WAT Instrument Used : DA-028 Rotronic HygroPalm Analyzed Date : 02/17/24 16:46:39					
Dilution : N/A Reagent : 111423.05 Consumables : PS-14 Pipette : N/A					

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
02/21/24