



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA31210002-001
Harvest/Lot ID: 2978 5537 4495 8511
Batch#: 2978 5537 4495 8511
Cultivation Facility: Tampa Cultivation
Processing Facility : Tampa Processing
Source Facility : Tampa Cultivation
Seed to Sale# 5523 1134 9756 9379
Batch Date: 08/31/23
Sample Size Received: 78.75 gram
Total Amount: 1468 units
Retail Product Size: 11.25 gram
Ordered: 12/09/23
Sampled: 12/10/23
Completed: 12/13/23
Sampling Method: SOP.T.20.010

Dec 13, 2023 | FLUENT

82 NE 26th street
 Miami, FL, 33137, US



PASSED

Pages 1 of 6


PRODUCT IMAGE



SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals Solvents
PASSED



Filtration
PASSED



Water Activity
PASSED



Moisture
 NOT TESTED



Terpenes
TESTED

MISC.



Cannabinoid

PASSED



Total THC
3.851%
 Total THC/Container : 433.24 mg



Total CBD
0.009%
 Total CBD/Container : 1.01 mg



Total Cannabinoids
4.041%
 Total Cannabinoids/Container : 454.61 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	3.848	0.004	0.009	ND	0.009	0.099	ND	0.028	0.021	ND	0.023
mg/unit	432.90	0.45	1.01	ND	1.01	11.14	ND	3.15	2.36	ND	2.59
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
	%	%	%	%	%	%	%	%	%	%	%

Analyzed by:
 1665, 585, 4044

Weight:
 3.0854g

Extraction date:
 12/11/23 10:11:52

Extracted by:
 3335

Analysis Method : SOP.T.40.031, SOP.T.30.031
 Analytical Batch : DA067244POT
 Instrument Used : DA-LC-007
 Analyzed Date : 12/11/23 11:40:20

Reviewed On : 12/12/23 16:45:57
 Batch Date : 12/11/23 08:44:49

Dilution : 400
 Reagent : 111423.R05; 070121.27; 111423.R04
 Consumables : 280670723; CE0123; R1KB14270
 Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
 Lab Director

State License # CMTL-0002
 ISO 17025 Accreditation # ISO/IEC
 17025:2017 Accreditation PJLA-
 Testing 97164



Signature
 12/13/23



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Everglade Haze Drops 11.25g
Everglade Haze
Matrix : Derivative
usable products)



Type: Products for oral administration (pills, capsules, tinctures, and similar

Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA31210002-001

Harvest/Lot ID: 2978 5537 4495 8511

Batch# : 2978 5537 4495 8511

Sampled : 12/10/23

Ordered : 12/10/23

Sample Size Received : 78.75 gram

Total Amount : 1468 units

Completed : 12/13/23 Expires: 12/13/24

Sample Method : SOP.T.20.010

Page 2 of 6

Terpenes				TESTED			
Terpenes	LOD (%)	mg/unit %	Result (%)	Terpenes	LOD (%)	mg/unit %	Result (%)
TOTAL TERPENES	0.007	28.13	0.250	ALPHA-CEDRENE	0.007	ND	ND
ALPHA-TERPINOLENE	0.007	9.56	0.085	ALPHA-PHELLANDRENE	0.007	ND	ND
ISOPULEGOL	0.007	8.33	0.074	ALPHA-PINENE	0.007	ND	ND
LIMONENE	0.007	3.60	0.032	ALPHA-TERPINENE	0.007	ND	ND
BETA-CARYOPHYLLENE	0.007	2.93	0.026	BETA-MYRCENE	0.007	ND	ND
ALPHA-BISABOLOL	0.007	2.70	0.024	CIS-NEROLIDOL	0.007	ND	ND
FARNESENE	0.001	1.01	0.009	GAMMA-TERPINENE	0.007	ND	ND
BORNEOL	0.013	<4.50	<-0.040	TRANS-NEROLIDOL	0.007	ND	ND
OCIMENE	0.007	<2.25	<-0.020				
SABINENE	0.007	<2.25	<-0.020				
ALPHA-HUMULENE	0.007	<2.25	<-0.020				
BETA-PINENE	0.007	<2.25	<-0.020				
3-CARENE	0.007	ND	ND				
CAMPHENE	0.007	ND	ND				
CAMPHOR	0.007	ND	ND				
CARYOPHYLLENE OXIDE	0.007	ND	ND				
CEDROL	0.007	ND	ND				
EUCALYPTOL	0.007	ND	ND				
FENCHONE	0.007	ND	ND				
FENCHYL ALCOHOL	0.007	ND	ND				
GERANIOL	0.007	ND	ND				
GERANYL ACETATE	0.007	ND	ND				
GUAIOL	0.007	ND	ND				
HEXAHYDROTHYMOL	0.007	ND	ND				
ISOBORNEOL	0.007	ND	ND				
LINALOOL	0.007	ND	ND				
NEROL	0.007	ND	ND				
PULEGONE	0.007	ND	ND				
SABINENE HYDRATE	0.007	ND	ND				
TOTAL TERPINEOL	0.007	ND	ND				
VALENCENE	0.007	ND	ND				
Total (%)		0.250					

Analyzed by: 2076, 585, 4044 Weight: 0.9844g Extraction date: 12/10/23 10:49:20 Extracted by: 1879.4351
 Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL
 Analytical Batch : DA067217TER Reviewed On : 12/12/23 16:45:59
 Instrument Used : DA-GCMS-008 Batch Date : 12/09/23 17:02:17
 Analyzed Date : N/A
 Dilution : 10
 Reagent : 121622.26
 Consumables : 210414634; MKCN9995; CE0123; R1KB14270
 Pipette : N/A
 Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
 ISO 17025 Accreditation # ISO/IEC
 17025:2017 Accreditation PJA-
 Testing 97164

Signature
12/13/23



Type: Products for oral administration (pills, capsules, tinctures, and similar

Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA31210002-001

Harvest/Lot ID: 2978 5537 4495 8511

Batch# : 2978 5537 4495

8511

Sampled : 12/10/23

Ordered : 12/10/23


Sample Size Received : 78.75 gram

Total Amount : 1468 units

Completed : 12/13/23 Expires: 12/13/24

Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	30	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	3	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	1	PASS	ND	PHOSMET	0.010	ppm	0.2	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	1	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	3	PASS	ND	PRALLETHRIN	0.010	ppm	0.4	PASS	ND
TOTAL SPINOSAD	0.010	ppm	3	PASS	ND	PROPICONAZOLE	0.010	ppm	1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.3	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	3	PASS	ND	PYRIDABEN	0.010	ppm	3	PASS	ND
ACEQUINO CYL	0.010	ppm	2	PASS	ND	SPIROMESIFEN	0.010	ppm	3	PASS	ND
ACETAMIPRID	0.010	ppm	3	PASS	ND	SPIROTETRAMAT	0.010	ppm	3	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	3	PASS	ND	TEBUCONAZOLE	0.010	ppm	1	PASS	ND
BIFENAZATE	0.010	ppm	3	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.5	PASS	ND	THIAMETHOXAM	0.010	ppm	1	PASS	ND
BOSCALID	0.010	ppm	3	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	3	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.2	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	3	PASS	ND	CAPTAN *	0.070	PPM	3	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	3	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.5	PASS	ND	CYFLUTHRIN *	0.050	PPM	1	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	1	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	3	PASS	ND						
DICHLORVOS	0.010	ppm	0.1	PASS	ND						
DIMETHOATE	0.010	ppm	0.1	PASS	ND						
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND						
ETOFENPROX	0.010	ppm	0.1	PASS	ND						
ETOXAZOLE	0.010	ppm	1.5	PASS	ND						
FENHEXAMID	0.010	ppm	3	PASS	ND						
FENOXYCARB	0.010	ppm	0.1	PASS	ND						
FENPYROXIMATE	0.010	ppm	2	PASS	ND						
FIPRONIL	0.010	ppm	0.1	PASS	ND						
FLONICAMID	0.010	ppm	2	PASS	ND						
FLUDIOXONIL	0.010	ppm	3	PASS	ND						
HEXYTHIAZOX	0.010	ppm	2	PASS	ND						
IMAZALIL	0.010	ppm	0.1	PASS	ND						
IMIDACLOPRID	0.010	ppm	1	PASS	ND						
KRESOXIM-METHYL	0.010	ppm	1	PASS	ND						
MALATHION	0.010	ppm	2	PASS	ND						
METALAXYL	0.010	ppm	3	PASS	ND						
METHIACARB	0.010	ppm	0.1	PASS	ND						
METHOMYL	0.010	ppm	0.1	PASS	ND						
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	3	PASS	ND						
NALED	0.010	ppm	0.5	PASS	ND						

Analyzed by: 4056, 3379, 585, 4044 Weight: 0.222g Extraction date: 12/10/23 15:20:59 Extracted by: 4056

Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)

Analytical Batch : DA067225PES

Instrument Used : DA-LCMS-003 (PES)

Analyzed Date : 12/10/23 14:58:17

Dilution : 250

Reagent : 120123.R06; 040423.08; 120623.R34; 120623.R25; 120723.R11; 112123.R13; 120623.R01

Consumables : 326250IW

Pipette : DA-093; DA-094; DA-219

Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

Analyzed by: 450, 1665, 585, 4044 Weight: 0.222g Extraction date: 12/10/23 15:20:59 Extracted by: 4056

Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL

Analytical Batch : DA067226VOL

Instrument Used : DA-GCMS-001

Analyzed Date : 12/11/23 15:23:00

Dilution : 250

Reagent : 120123.R06; 040423.08; 112723.R14; 112723.R15

Consumables : 326250IW; 14725401

Pipette : DA-080; DA-146; DA-218

Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Type: Products for oral administration (pills, capsules, tinctures, and similar

Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA31210002-001

Harvest/Lot ID: 2978 5537 4495 8511

 Batch# : 2978 5537 4495
 8511

Sampled : 12/10/23

Ordered : 12/10/23

Sample Size Received : 78.75 gram

Total Amount : 1468 units

Completed : 12/13/23 Expires: 12/13/24

Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
ETHANOL	500.000	ppm		TESTED	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

Analyzed by: 850, 585, 4044	Weight: 0.0251g	Extraction date: 12/12/23 11:41:59	Extracted by: 850
--------------------------------	--------------------	---------------------------------------	----------------------

 Analysis Method : SOP.T.40.041.FL
 Analytical Batch : DA06724650L
 Instrument Used : DA-GCMS-002
 Analysis Date : 12/12/23 11:47:25

 Reviewed On : 12/12/23 16:41:06
 Batch Date : 12/11/23 16:02:33

 Dilution : 1
 Reagent : N/A
 Consumables : R2017.167; G201.167
 Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.



Type: Products for oral administration (pills, capsules, tinctures, and similar

Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

 Sample : DA31210002-001
 Harvest/Lot ID: 2978 5537 4495 8511
 Batch# : 2978 5537 4495 8511
 Sample Size Received : 78.75 gram
 Total Amount : 1468 units
 Completed : 12/13/23 Expires: 12/13/24
 Sampled : 12/10/23
 Ordered : 12/10/23
 Sample Method : SOP.T.20.010

Page 5 of 6

	Microbial	PASSED		Mycotoxins	PASSED
---	------------------	---------------	---	-------------------	---------------

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ECOLI SHIGELLA			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000
Analyzed by: 3390, 3621, 585, 4044 Weight: 0.9368g Extraction date: 12/10/23 13:30:47 Extracted by: 4351 Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA067228MIC Reviewed On : 12/12/23 16:10:54 Instrument Used : PathogenDx Scanner DA-111.fisherbrand Isotemp Heat Block DA-020.fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021 Batch Date : 12/10/23 10:36:57 Analyzed Date : 12/11/23 10:17:28 Dilution : N/A Reagent : 110723.11; 110723.24; 112423.R01; 081023.07; 100223.10 Consumables : 7568502054 Pipette : N/A					

Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
Analyzed by: 4056, 3379, 585, 4044 Weight: 0.222g Extraction date: 12/10/23 15:20:59 Extracted by: 4056 Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA067227MYC Reviewed On : 12/13/23 09:03:30 Instrument Used : N/A Batch Date : 12/10/23 10:24:22 Analyzed Date : 12/10/23 14:58:34 Dilution : 250 Reagent : 120123.R06; 040423.08; 120623.R34; 120623.R25; 120723.R11; 112123.R13; 120623.R01 Consumables : 326250IW Pipette : DA-093; DA-094; DA-219 Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

Analyte	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	5
ARSENIC	0.020	ppm	ND	PASS	1.5
CADMIUM	0.020	ppm	ND	PASS	0.5
MERCURY	0.020	ppm	ND	PASS	3
LEAD	0.020	ppm	ND	PASS	0.5
Analyzed by: 4351, 3336, 585, 4044 Weight: 0.9368g Extraction date: 12/10/23 13:30:47 Extracted by: 4351 Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL Analytical Batch : DA067229TYM Reviewed On : 12/12/23 16:46:01 Instrument Used : Incubator (25-27C) DA-096 Batch Date : 12/10/23 10:42:55 Analyzed Date : 12/10/23 18:47:07 Dilution : N/A Reagent : 110723.11; 110723.24; 112423.R02 Consumables : N/A Pipette : N/A Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.					

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	5
ARSENIC	0.020	ppm	ND	PASS	1.5
CADMIUM	0.020	ppm	ND	PASS	0.5
MERCURY	0.020	ppm	ND	PASS	3
LEAD	0.020	ppm	ND	PASS	0.5
Analyzed by: 1022, 585, 4044 Weight: 0.2768g Extraction date: 12/10/23 11:21:52 Extracted by: 4306,1022 Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA067230HEA Reviewed On : 12/12/23 16:34:54 Instrument Used : DA-ICPMS-004 Batch Date : 12/10/23 10:44:53 Analyzed Date : 12/11/23 15:14:04 Dilution : 50 Reagent : 120123.R17; 121123.R03; 120123.R16; 121123.R01; 121123.R02; 112023.R22; 120623.R45 Consumables : 179436; 210508058; 12594-247CD-247C Pipette : DA-061; DA-191; DA-216 Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
 Lab Director

 State License # CMTL-0002
 ISO 17025 Accreditation # ISO/IEC
 17025:2017 Accreditation P/LA-
 Testing 97164



 Signature
 12/13/23



Type: Products for oral administration (pills, capsules, tinctures, and similar

Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA31210002-001
Harvest/Lot ID: 2978 5537 4495 8511
Batch# : 2978 5537 4495 8511
Sample Size Received : 78.75 gram
Total Amount : 1468 units
Sampled : 12/10/23
Completed : 12/13/23 Expires: 12/13/24
Ordered : 12/10/23
Sample Method : SOP.T.20.010

Page 6 of 6

	Filth/Foreign Material	PASSED
---	-------------------------------	---------------

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 4044	Weight: NA	Extraction date: N/A	Extracted by: N/A
----------------------------	---------------	-------------------------	----------------------

Analysis Method : SOP.T.40.090
Analytical Batch : DA067232FIL
Instrument Used : Filth/Foreign Material Microscope
Analyzed Date : 12/10/23 21:11:59
Reviewed On : 12/10/23 21:16:06
Batch Date : 12/10/23 20:43:39

Dilution : N/A
Reagent : N/A
Consumables : N/A
Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

	Water Activity	PASSED
---	-----------------------	---------------

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.426	TESTED	

Analyzed by: 4371, 585, 4044	Weight: 0.95g	Extraction date: 12/10/23 12:45:08	Extracted by: 4371
---------------------------------	------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.019
Analytical Batch : DA067221WAT
Instrument Used : DA-028 Rotronic HygroPalm
Analyzed Date : N/A
Reviewed On : 12/12/23 16:46:04
Batch Date : 12/10/23 09:43:10

Dilution : N/A
Reagent : 113021.09
Consumables : PS-14
Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164



Signature
12/13/23