



Certificate of Analysis

COMPLIANCE FOR RETAIL











Sample: DA40131003-005
 Harvest/Lot ID: 9353 4339 1410 5735
 Batch#: 9353 4339 1410 5735
 Cultivation Facility: Tampa Cultivation
 Processing Facility : Tampa Processing
 Source Facility : Tampa Cultivation
 Seed to Sale# 4930 5514 7259 2625
 Batch Date: 11/30/23
 Sample Size Received: 16 gram
 Total Amount: 920 units
 Retail Product Size: 1 gram
 Ordered: 01/30/24
 Sampled: 01/31/24
 Completed: 02/02/24
 Sampling Method: SOP.T.20.010

Feb 02, 2024 | FLUENT
 5540 W. Executive Drive
 Tampa, FL, 33609, US




PASSED

Pages 1 of 6

PRODUCT IMAGE	SAFETY RESULTS								MISC.
	 Pesticides PASSED	 Heavy Metals PASSED	 Microbials PASSED	 Mycotoxins PASSED	 Residuals Solvents PASSED	 Filtth PASSED	 Water Activity PASSED	 Moisture NOT TESTED	 Terpenes TESTED

Cannabinoid **PASSED**



	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	87.269	0.066	0.274	ND	0.385	1.343	0.139	0.735	0.263	ND	0.764
mg/unit	872.69	0.66	2.74	ND	3.85	13.43	1.39	7.35	2.63	ND	7.64
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
	%	%	%	%	%	%	%	%	%	%	%

Analyzed by: 3335, 1665, 585, 1440 Weight: 0.1058g Extraction date: 01/31/24 11:10:33 Extracted by: 3335

Analysis Method : SOP.T.40.031, SOP.T.30.031 Reviewed On : 02/01/24 08:29:05
 Analytical Batch : DA068849POT Batch Date : 01/31/24 08:20:08
 Instrument Used : DA-LC-007
 Analyzed Date : 01/31/24 11:19:31

Dilution : 400
 Reagent : 013024.R02; 060723.24; 010224.R04
 Consumables : 947.109; CE0123; 12594-247CD-247C; R1KB14270
 Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
 Lab Director
 State License # CMTL-0002
 ISO 17025 Accreditation # ISO/IEC
 17025:2017 Accreditation PJLA-
 Testing 97164


 Signature
 02/02/24



4131 SW 47th AVENUE SUITE 1408
 DAVIE, FL, 33314, US
 (954) 368-7664

Kaycha Labs

.....
 Communion RSO Syringes 1 g
 Communion
 Matrix : Derivative
 Type: Full Extract Cannabis Oil



Certificate of Analysis

PASSED

FLUENT

5540 W. Executive Drive
 Tampa, FL, 33609, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA40131003-005
 Harvest/Lot ID: 9353 4339 1410 5735

Batch# : 9353 4339 1410 5735
 Sample Size Received : 16 gram
 Total Amount : 920 units
 Completed : 02/02/24 Expires: 02/02/25
 Ordered : 01/31/24
 Sample Method : SOP.T.20.010

Page 2 of 6

Terpenes				TESTED			
Terpenes	LOD (%)	mg/unit %	Result (%)	Terpenes	LOD (%)	mg/unit %	Result (%)
TOTAL TERPENES	0.007	15.95	1.595	SABINENE HYDRATE	0.007	ND	ND
ALPHA-TERPINOLENE	0.007	4.50	0.450	VALENCENE	0.007	ND	ND
BETA-CARYOPHYLLENE	0.007	4.02	0.402	ALPHA-CEDRENE	0.007	ND	ND
BETA-MYRCENE	0.007	1.91	0.191	ALPHA-PINENE	0.007	ND	ND
ALPHA-HUMULENE	0.007	1.57	0.157	ALPHA-TERPINENE	0.007	ND	ND
ALPHA-BISABOLOL	0.007	1.08	0.108	CIS-NEROLIDOL	0.007	ND	ND
TOTAL TERPINEOL	0.007	0.56	0.056	GAMMA-TERPINENE	0.007	ND	ND
LIMONENE	0.007	0.55	0.055	TRANS-NEROLIDOL	0.007	ND	ND
FARNESENE	0.001	0.50	0.050				
LINALOOL	0.007	0.48	0.048	Analyzed by:	Weight:	Extraction date:	Extracted by:
GERANIOL	0.007	0.47	0.047	1665, 585, 1440	0.902g	01/31/24 11:32:20	1879.795
FENCHYL ALCOHOL	0.007	0.31	0.031				
HEXAHYDROTHYMOL	0.007	<0.20	<0.020	Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL			Reviewed On : 02/01/24 09:30:25
ALPHA-PHELLANDRENE	0.007	<0.20	<0.020	Analytical Batch : DA068860TER			Batch Date : 01/31/24 08:59:51
BETA-PINENE	0.007	<0.20	<0.020	Instrument Used : DA-GCMS-004			
3-CARENE	0.007	ND	ND	Analyzed Date : 02/01/24 08:33:32			
BORNEOL	0.013	ND	ND	Dilution : 10			
CAMPHENE	0.007	ND	ND	Reagent : 110123.08			
CAMPHOR	0.007	ND	ND	Consumables : 210414634; MKCN9995; CE0123; R1KB14270			
CARYOPHYLLENE OXIDE	0.007	ND	ND	Pipette : N/A			
CEDROL	0.007	ND	ND				
EUCALYPTOL	0.007	ND	ND				
FENCHONE	0.007	ND	ND				
GERANYL ACETATE	0.007	ND	ND				
GUAIOL	0.007	ND	ND				
ISOBORNEOL	0.007	ND	ND				
ISOPULEGOL	0.007	ND	ND				
NEROL	0.007	ND	ND				
OCIMENE	0.007	ND	ND				
PULEGONE	0.007	ND	ND				
SABINENE	0.007	ND	ND				
Total (%)			1.595				

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
 ISO 17025 Accreditation # ISO/IEC
 17025:2017 Accreditation PJA-
 Testing 97164

Signature
 02/02/24



Certificate of Analysis

PASSED

FLUENT

5540 W. Executive Drive
Tampa, FL, 33609, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA40131003-005

Harvest/Lot ID: 9353 4339 1410 5735

Batch# : 9353 4339 1410

5735

Sampled : 01/31/24

Ordered : 01/31/24


Sample Size Received : 16 gram

Total Amount : 920 units

Completed : 02/02/24 Expires: 02/02/25

Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	30	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	3	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	1	PASS	ND	PHOSMET	0.010	ppm	0.2	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	1	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	3	PASS	ND	PRALLETHRIN	0.010	ppm	0.4	PASS	ND
TOTAL SPINOSAD	0.010	ppm	3	PASS	ND	PROPICONAZOLE	0.010	ppm	1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.3	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	3	PASS	ND	PYRIDABEN	0.010	ppm	3	PASS	ND
ACEQUINOCYL	0.010	ppm	2	PASS	ND	SPIROMESIFEN	0.010	ppm	3	PASS	ND
ACETAMIPRID	0.010	ppm	3	PASS	ND	SPIROTETRAMAT	0.010	ppm	3	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	3	PASS	ND	TEBUCONAZOLE	0.010	ppm	1	PASS	ND
BIFENAZATE	0.010	ppm	3	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.5	PASS	ND	THIAMETHOXAM	0.010	ppm	1	PASS	ND
BOSCALID	0.010	ppm	3	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	3	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.2	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	3	PASS	ND	CAPTAN *	0.070	PPM	3	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	3	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.5	PASS	ND	CYFLUTHRIN *	0.050	PPM	1	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	1	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	3	PASS	ND	Analyzed by: 3379, 585, 1440	Weight: 0.2032g	Extraction date: 01/31/24 13:45:52	Extracted by: 3379		
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)	Analytical Batch : DA068865PES	Reviewed On : 02/01/24 11:28:53			
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)	Analyzed Date : 01/31/24 13:48:24	Batch Date : 01/31/24 10:18:46			
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Dilution : 250	Reagent : 013124.R26; 013124.R03; 013024.R05; 013124.R27; 011024.R01; 013124.R01; 040423.08				
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW	Pipette : DA-093; DA-094; DA-219				
ETOXAZOLE	0.010	ppm	1.5	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.	Analyzed by: 450, 1665, 585, 1440	Weight: 0.2032g	Extraction date: 01/31/24 13:45:52	Extracted by: 3379	
FENHEXAMID	0.010	ppm	3	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL	Analytical Batch : DA068867VOL	Reviewed On : 02/01/24 10:04:35			
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-010	Analyzed Date : 01/31/24 15:25:44	Batch Date : 01/31/24 10:20:50			
FENPYROXIMATE	0.010	ppm	2	PASS	ND	Dilution : 250	Reagent : 013024.R05; 040423.08; 012324.R12; 012324.R13				
FIPRONIL	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW; 14725401	Pipette : DA-080; DA-146; DA-218				
FLONICAMID	0.010	ppm	2	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FLUDIOXONIL	0.010	ppm	3	PASS	ND						
HEXYTHIAZOX	0.010	ppm	2	PASS	ND						
IMAZALIL	0.010	ppm	0.1	PASS	ND						
IMIDACLOPRID	0.010	ppm	1	PASS	ND						
KRESOXIM-METHYL	0.010	ppm	1	PASS	ND						
MALATHION	0.010	ppm	2	PASS	ND						
METALAXYL	0.010	ppm	3	PASS	ND						
METHIACARB	0.010	ppm	0.1	PASS	ND						
METHOMYL	0.010	ppm	0.1	PASS	ND						
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	3	PASS	ND						
NALED	0.010	ppm	0.5	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
02/02/24



Certificate of Analysis

PASSED
FLUENT

 5540 W. Executive Drive
 Tampa, FL, 33609, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

 Sample : DA40131003-005
 Harvest/Lot ID: 9353 4339 1410 5735

 Batch# : 9353 4339 1410 5735
 Sample Size Received : 16 gram
 Total Amount : 920 units
 Completed : 02/02/24 Expires: 02/02/25
 Ordered : 01/31/24
 Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
ETHANOL	500.000	ppm		TESTED	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

Analyzed by: 850, 585, 1440	Weight: 0.0251g	Extraction date: 01/31/24 14:57:57	Extracted by: 850
--------------------------------	--------------------	---------------------------------------	----------------------

Analysis Method : SOP.T.40.041.FL Analytical Batch : DA068881SOL Instrument Used : DA-GCMS-003 Analyzed Date : 02/01/24 14:26:25	Reviewed On : 02/02/24 09:10:48 Batch Date : 01/31/24 13:46:04
---	---

 Dilution : 1
 Reagent : N/A
 Consumables : N/A
 Pipette : N/A

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED

FLUENT

5540 W. Executive Drive
Tampa, FL, 33609, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA40131003-005
Harvest/Lot ID: 9353 4339 1410 5735
Batch# : 9353 4339 1410
Sample Size Received : 16 gram
Total Amount : 920 units
Completed : 02/02/24 Expires: 02/02/25
Sample Method : SOP.T.20.010
S735
Sampled : 01/31/24
Ordered : 01/31/24

Page 5 of 6

	Microbial	PASSED		Mycotoxins	PASSED
---	------------------	---------------	---	-------------------	---------------

Analyte	LOD	Units	Result	Pass / Fail	Action Level
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ECOLI SHIGELLA			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000

Analyzed by: 3336, 3621, 585, 1440
Weight: 1.0004g
Extraction date: 01/31/24 12:07:04
Extracted by: 3336
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL
Analytical Batch : DA068858MIC
Instrument Used : Incubator (37°C) DA- 188,DA-265 Gene-UP RTPCR,DA-351 GENE-UP RTPCR,Incubator (42°C) DA- 328
Reviewed On : 02/02/24 09:21:40
Batch Date : 01/31/24 08:42:22
Analyzed Date : 01/31/24 12:10:39
Dilution : N/A
Reagent : 010524.R11; 012524.R12
Consumables : 2256280
Pipette : N/A

Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02

Analyzed by: 3379, 585, 1440
Weight: 0.2032g
Extraction date: 01/31/24 13:45:52
Extracted by: 3379
Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)
Analytical Batch : DA068866MYC
Instrument Used : N/A
Analyzed Date : 01/31/24 13:48:36
Reviewed On : 02/01/24 11:29:52
Batch Date : 01/31/24 10:20:47
Dilution : 250
Reagent : 013124.R26; 013124.R03; 013024.R05; 013124.R27; 011024.R01; 013124.R01; 040423.08
Consumables : 326250IW
Pipette : DA-093; DA-094; DA-219

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Result	Pass / Fail	Action Level
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000

Analyzed by: 3390, 585, 1440
Weight: 1.0004g
Extraction date: 01/31/24 11:59:47
Extracted by: 3390,3336
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL
Analytical Batch : DA068879TYM
Instrument Used : Incubator (25-27°C) DA-096
Reviewed On : 02/02/24 15:39:27
Batch Date : 01/31/24 11:56:12
Analyzed Date : 01/31/24 12:53:29
Dilution : 10
Reagent : 010924.57; 010924.58; 012524.R09
Consumables : N/A
Pipette : N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

	Heavy Metals	PASSED
---	---------------------	---------------

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	5
ARSENIC	0.020	ppm	ND	PASS	1.5
CADMIUM	0.020	ppm	ND	PASS	0.5
MERCURY	0.020	ppm	ND	PASS	3
LEAD	0.020	ppm	ND	PASS	0.5

Analyzed by: 1022, 1665, 585, 1440
Weight: 0.2095g
Extraction date: 01/31/24 12:59:50
Extracted by: 3702,4056,1022
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL
Analytical Batch : DA068875HEA
Instrument Used : DA-ICPMS-004
Analyzed Date : 01/31/24 16:53:53
Reviewed On : 02/01/24 10:32:53
Batch Date : 01/31/24 10:52:15
Dilution : 50
Reagent : 010824.R08; 012924.R04; 012924.R01; 012924.R02; 012924.R03; 012424.01; 012924.R05
Consumables : 179436; 12532-225CD-225C; 210508058
Pipette : DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164



Signature
02/02/24



4131 SW 47th AVENUE SUITE 1408
 DAVIE, FL, 33314, US
 (954) 368-7664

Kaycha Labs

.....
 Communion RSO Syringes 1 g
 Communion
 Matrix : Derivative
 Type: Full Extract Cannabis Oil



Certificate of Analysis

PASSED

FLUENT

5540 W. Executive Drive
 Tampa, FL, 33609, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA40131003-005
 Harvest/Lot ID: 9353 4339 1410 5735
 Batch# : 9353 4339 1410 5735
 Sample Size Received : 16 gram
 Total Amount : 920 units
 Sampled : 01/31/24
 Completed : 02/02/24 Expires: 02/02/25
 Ordered : 01/31/24
 Sample Method : SOP.T.20.010

Page 6 of 6

	Filth/Foreign Material	PASSED
--	-------------------------------	---------------

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 585, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A
---------------------------------	---------------	-------------------------	----------------------

Analysis Method : SOP.T.40.090
 Analytical Batch : DA068885FIL
 Instrument Used : Filth/Foreign Material Microscope
 Analyzed Date : 01/31/24 20:26:11
 Reviewed On : 01/31/24 20:42:31
 Batch Date : 01/31/24 20:22:20

Dilution : N/A
 Reagent : N/A
 Consumables : N/A
 Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

	Water Activity	PASSED
--	-----------------------	---------------

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.448	PASS	0.85

Analyzed by: 4371, 1665, 585, 1440	Weight: 0.364g	Extraction date: 01/31/24 12:38:15	Extracted by: 4371
---------------------------------------	-------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.019
 Analytical Batch : DA068873WAT
 Instrument Used : DA-028 Rotronic HygroPalm
 Analyzed Date : N/A
 Reviewed On : 01/31/24 13:24:19
 Batch Date : 01/31/24 10:34:34

Dilution : N/A
 Reagent : 111423.05
 Consumables : PS-14
 Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
 Lab Director

State License # CMTL-0002
 ISO 17025 Accreditation # ISO/IEC
 17025:2017 Accreditation PJLA-
 Testing 97164



Signature
 02/02/24