



# Certificate of Analysis

## COMPLIANCE FOR RETAIL

Sample: DA40208004-005  
 Harvest/Lot ID: 2733 9419 4930 2531  
 Batch#: 2733 9419 4930 2531  
 Cultivation Facility: Tampa Cultivation  
 Processing Facility: Tampa Processing  
 Source Facility: Tampa Cultivation  
 Seed to Sale#: 9189 9610 8675 8992  
 Batch Date: 11/06/23  
 Sample Size Received: 15.5 gram  
 Total Amount: 1969 units  
 Retail Product Size: 0.5 gram  
 Ordered: 02/07/24  
 Sampled: 02/08/24  
 Completed: 02/10/24  
 Sampling Method: SOP.T.20.010

Feb 10, 2024 | FLUENT

5540 W. Executive Drive  
 Tampa, FL, 33609, US



**PASSED**

Pages 1 of 6


PRODUCT IMAGE



SAFETY RESULTS



Pesticides  
**PASSED**



Heavy Metals  
**PASSED**



Microbials  
**PASSED**



Mycotoxins  
**PASSED**



Residuals Solvents  
**PASSED**



Filtration  
**PASSED**



Water Activity  
**PASSED**



Moisture  
 NOT TESTED



Terpenes  
**TESTED**

MISC.



Cannabinoid

**PASSED**



Total THC  
**86.424%**  
 Total THC/Container : 432.12 mg



Total CBD  
**0.283%**  
 Total CBD/Container : 1.42 mg



Total Cannabinoids  
**91.709%**  
 Total Cannabinoids/Container : 458.55 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	86.331	0.107	0.283	ND	0.253	1.744	ND	1.437	0.439	ND	1.115
mg/unit	431.66	0.54	1.42	ND	1.27	8.72	ND	7.19	2.20	ND	5.58
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
	%	%	%	%	%	%	%	%	%	%	%

Analyzed by:  
 3335, 1665, 585, 4044

Weight:  
 0.1133g

Extraction date:  
 02/08/24 15:10:19

Extracted by:  
 3335

Analysis Method : SOP.T.40.031, SOP.T.30.031  
 Analytical Batch : DA069176POT  
 Instrument Used : DA-LC-007  
 Analyzed Date : 02/08/24 15:11:22

Reviewed On : 02/09/24 09:08:06  
 Batch Date : 02/08/24 12:56:18

Dilution : 400  
 Reagent : 013024.R02; 060723.24; 020724.R04  
 Consumables : 947.109; CE0123; 12594-247CD-247C; R1KB14270  
 Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
 Lab Director

State License # CMTL-0002  
 ISO 17025 Accreditation # ISO/IEC  
 17025:2017 Accreditation PJLA-  
 Testing 97164



Signature  
 02/10/24



# Certificate of Analysis

**PASSED**

FLUENT

5540 W. Executive Drive  
Tampa, FL, 33609, US  
Telephone: (305) 900-6266  
Email: Taylor.Jones@getfluent.com

Sample : DA40208004-005  
Harvest/Lot ID: 2733 9419 4930 2531

Batch# : 2733 9419 4930 2531  
Sample Size Received : 15.5 gram  
Total Amount : 1969 units  
Completed : 02/10/24 Expires: 02/10/25  
Ordered : 02/08/24  
Sample Method : SOP.T.20.010

Page 2 of 6

Terpenes				TESTED			
Terpenes	LOD (%)	mg/unit %	Result (%)	Terpenes	LOD (%)	mg/unit %	Result (%)
TOTAL TERPENES	0.007	14.70	2.940	NEROL	0.007	ND	ND
LIMONENE	0.007	5.25	1.050	PULEGONE	0.007	ND	ND
BETA-MYRCENE	0.007	2.44	0.488	SABINENE HYDRATE	0.007	ND	ND
BETA-CARYOPHYLLENE	0.007	1.26	0.251	ALPHA-CEDRENE	0.007	ND	ND
ALPHA-PINENE	0.007	1.18	0.235	ALPHA-PHELLANDRENE	0.007	ND	ND
VALENCENE	0.007	0.65	0.130	CIS-NEROLIDOL	0.007	ND	ND
LINALOOL	0.007	0.56	0.112	GAMMA-TERPINENE	0.007	ND	ND
BORNEOL	0.013	0.53	0.106	TRANS-NEROLIDOL	0.007	ND	ND
ALPHA-HUMULENE	0.007	0.47	0.093	Analyzed by: 795, 585, 4044      Weight: 0.2026g      Extraction date: 02/08/24 18:52:03      Extracted by: 1879,795 Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL Analytical Batch : DA069197TER      Reviewed On : 02/09/24 17:56:18 Instrument Used : DA-GCMS-009      Batch Date : 02/08/24 15:27:27 Analyzed Date : N/A Dilution : 10 Reagent : 062922.47 Consumables : LLS-00-0005; 210414634; MKCN9995; CE0123 Pipette : N/A Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.			
OCIMENE	0.007	0.40	0.079				
ALPHA-BISABOLOL	0.007	0.39	0.077				
BETA-PINENE	0.007	0.37	0.074				
CARYOPHYLLENE OXIDE	0.007	0.31	0.061				
FENCHYL ALCOHOL	0.007	0.25	0.050				
ALPHA-TERPINOLENE	0.007	0.22	0.043				
SABINENE	0.007	0.18	0.035				
TOTAL TERPINEOL	0.007	0.18	0.035				
ALPHA-TERPINENE	0.007	0.16	0.032				
3-CARENE	0.007	0.12	0.024				
CAMPHENE	0.007	<0.10	<0.020				
CAMPHOR	0.007	ND	ND				
CEDROL	0.007	ND	ND				
EUCALYPTOL	0.007	ND	ND				
FARNESENE	0.001	ND	ND				
FENCHONE	0.007	ND	ND				
GERANIOL	0.007	ND	ND				
GERANYL ACETATE	0.007	ND	ND				
GUAIOL	0.007	ND	ND				
HEXAHYDROTHYMOL	0.007	ND	ND				
ISOBORNEOL	0.007	ND	ND				
ISOPULEGOL	0.007	ND	ND				
<b>Total (%)</b>			<b>2.940</b>				

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
02/10/24



# Certificate of Analysis

**PASSED**

FLUENT

5540 W. Executive Drive  
Tampa, FL, 33609, US  
Telephone: (305) 900-6266  
Email: Taylor.Jones@getfluent.com

Sample : DA40208004-005

Harvest/Lot ID: 2733 9419 4930 2531

Batch# : 2733 9419 4930  
2531

Sampled : 02/08/24  
Ordered : 02/08/24


Sample Size Received : 15.5 gram

Total Amount : 1969 units

Completed : 02/10/24 Expires: 02/10/25

Sample Method : SOP.T.20.010

Page 3 of 6



## Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	<b>Analyzed by:</b> 3379, 585, 4044	<b>Weight:</b> 0.2958g	<b>Extraction date:</b> 02/08/24 17:19:29	<b>Extracted by:</b> 3379		
DICHLORVOS	0.010	ppm	0.1	PASS	ND	<b>Analysis Method :</b> SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)					
DIMETHOATE	0.010	ppm	0.1	PASS	ND	<b>Analysis Method :</b> DA069169PES					
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	<b>Instrument Used :</b> DA-LCMS-003 (PES)					
ETOFENPROX	0.010	ppm	0.1	PASS	ND	<b>Analyzed Date :</b> 02/08/24 17:24:11					
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	<b>Dilution :</b> 250					
FENHEXAMID	0.010	ppm	0.1	PASS	ND	<b>Reagent :</b> 020724.R17; 013024.R05; 020724.R18; 011024.R01; 013124.R01; 040423.08					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	<b>Consumables :</b> 326250IW					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	<b>Pipette :</b> DA-093; DA-094; DA-219					
FIPRONIL	0.010	ppm	0.1	PASS	ND	<b>Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.</b>					
FLONICAMID	0.010	ppm	0.1	PASS	ND	<b>Analyzed by:</b> 450, 1665, 585, 4044	<b>Weight:</b> 0.2958g	<b>Extraction date:</b> 02/08/24 17:19:29	<b>Extracted by:</b> 3379		
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	<b>Analysis Method :</b> SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	<b>Analysis Method :</b> DA069171VOL					
IMAZALIL	0.010	ppm	0.1	PASS	ND	<b>Instrument Used :</b> DA-GCMS-010					
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	<b>Analyzed Date :</b> 02/08/24 18:27:34					
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	<b>Dilution :</b> 250					
MALATHION	0.010	ppm	0.2	PASS	ND	<b>Reagent :</b> 013024.R05; 040423.08; 012324.R12; 012324.R13					
METALAXYL	0.010	ppm	0.1	PASS	ND	<b>Consumables :</b> 326250IW; 14725401					
METHIACARB	0.010	ppm	0.1	PASS	ND	<b>Pipette :</b> DA-080; DA-146; DA-218					
METHOMYL	0.010	ppm	0.1	PASS	ND	<b>Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.</b>					
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJA-  
Testing 97164

Signature  
02/10/24



# Certificate of Analysis

**PASSED**
**FLUENT**

 5540 W. Executive Drive  
 Tampa, FL, 33609, US  
 Telephone: (305) 900-6266  
 Email: Taylor.Jones@getfluent.com

Sample : DA40208004-005

Harvest/Lot ID: 2733 9419 4930 2531

 Batch# : 2733 9419 4930  
 2531

 Sampled : 02/08/24  
 Ordered : 02/08/24

Sample Size Received : 15.5 gram

Total Amount : 1969 units

Completed : 02/10/24 Expires: 02/10/25

Sample Method : SOP.T.20.010

Page 4 of 6



## Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

Analyzed by: <b>850, 1665, 585, 4044</b>	Weight: 0.028g	Extraction date: 02/09/24 21:40:16	Extracted by: 850
---	-------------------	---------------------------------------	----------------------

Analysis Method : SOP.T.40.041.FL Analytical Batch : DA06918950L Instrument Used : DA-GCMS-002 Analyzed Date : 02/08/24 16:08:22	Reviewed On : 02/10/24 08:02:54 Batch Date : 02/08/24 14:06:11
---	---

 Dilution : 1  
 Reagent : N/A  
 Consumables : R2017.167; G201.167  
 Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.



# Certificate of Analysis

**PASSED**

**FLUENT**

5540 W. Executive Drive  
Tampa, FL, 33609, US  
Telephone: (305) 900-6266  
Email: Taylor.Jones@getfluent.com

Sample : DA40208004-005  
Harvest/Lot ID: 2733 9419 4930 2531  
Batch# : 2733 9419 4930 2531  
Sample Size Received : 15.5 gram  
Total Amount : 1969 units  
Completed : 02/10/24 Expires: 02/10/25  
Ordered : 02/08/24  
Sample Method : SOP.T.20.010

Page 5 of 6

	<b>Microbial</b>	<b>PASSED</b>		<b>Mycotoxins</b>	<b>PASSED</b>
---	------------------	---------------	---	-------------------	---------------

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ECOLI SHIGELLA			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000

Analyzed by: 3621, 3336, 585, 1665, 4044  
Weight: 0.905g  
Extraction date: 02/08/24 14:03:24  
Extracted by: 3621

Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL  
Analytical Batch : DA069165MIC  
Reviewed On : 02/10/24 16:30:22  
Batch Date : 02/08/24 12:14:40

Instrument Used : PathogenDx Scanner DA-111, fisherbrand Isotemp Heat Block DA-020, fisherbrand Isotemp Heat Block DA-049, Fisher Scientific Isotemp Heat Block DA-021, APPLIED BIOSYSTEMS THERMOCYCLER DA-254  
Analyzed Date : 02/08/24 15:04:19

Dilution : N/A  
Reagent : 010924.45; 010924.48; 011624.R29; 100223.11  
Consumables : 7568004036  
Pipette : N/A

Analyzed by: 3621, 3336, 585, 4044  
Weight: 0.905g  
Extraction date: 02/08/24 14:03:24  
Extracted by: 3621

Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL  
Analytical Batch : DA069188TYM  
Instrument Used : Incubator (25-27°C) DA-097  
Analyzed Date : 02/08/24 15:03:59  
Reviewed On : 02/10/24 16:31:10  
Batch Date : 02/08/24 14:05:59

Dilution : N/A  
Reagent : 010924.45; 010924.48; 012524.R09  
Consumables : N/A  
Pipette : N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02

Analyzed by: 3379, 585, 4044  
Weight: 0.2958g  
Extraction date: 02/08/24 17:19:29  
Extracted by: 3379

Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)

Analytical Batch : DA069170MYC  
Instrument Used : N/A  
Analyzed Date : 02/08/24 17:25:00  
Reviewed On : 02/09/24 13:35:36  
Batch Date : 02/08/24 12:34:54

Dilution : 250  
Reagent : 020724.R17; 013024.R05; 020724.R18; 011024.R01; 013124.R01; 040423.O8  
Consumables : 326250IW  
Pipette : DA-093; DA-094; DA-219

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

	<b>Heavy Metals</b>	<b>PASSED</b>
---	---------------------	---------------

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1
ARSENIC	0.020	ppm	ND	PASS	0.2
CADMIUM	0.020	ppm	ND	PASS	0.2
MERCURY	0.020	ppm	ND	PASS	0.2
LEAD	0.020	ppm	ND	PASS	0.5

Analyzed by: 1022, 585, 4044  
Weight: 0.2443g  
Extraction date: 02/08/24 13:37:25  
Extracted by: 1022

Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL  
Analytical Batch : DA069166HEA  
Instrument Used : DA-ICPMS-004  
Analyzed Date : 02/08/24 18:18:08  
Reviewed On : 02/09/24 15:35:37  
Batch Date : 02/08/24 12:15:41

Dilution : 50  
Reagent : 020724.R07; 020524.R23; 012924.R01; 020524.R14; 020524.R15; 020524.01; 012924.R05  
Consumables : 179436; 12532-225CD-225C; 210508058  
Pipette : DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



# Certificate of Analysis

**PASSED**

**FLUENT**

5540 W. Executive Drive  
Tampa, FL, 33609, US  
Telephone: (305) 900-6266  
Email: Taylor.Jones@getfluent.com

Sample : DA40208004-005  
Harvest/Lot ID: 2733 9419 4930 2531  
Batch# : 2733 9419 4930 2531  
Sample Size Received : 15.5 gram  
Total Amount : 1969 units  
Sampled : 02/08/24  
Completed : 02/10/24 Expires: 02/10/25  
Ordered : 02/08/24  
Sample Method : SOP.T.20.010

Page 6 of 6



**Filth/Foreign Material** PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by:	Weight:	Extraction date:	Extracted by:
1879, 585, 4044	NA	N/A	N/A

Analysis Method : SOP.T.40.090  
Analytical Batch : DA069195FIL  
Instrument Used : Filth/Foreign Material Microscope  
Analyzed Date : 02/08/24 20:42:24  
Reviewed On : 02/08/24 20:48:03  
Batch Date : 02/08/24 15:26:00

Dilution : N/A  
Reagent : N/A  
Consumables : N/A  
Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



**Water Activity** PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.411	PASS	0.85

Analyzed by:	Weight:	Extraction date:	Extracted by:
4056, 585, 4044	0.234g	02/08/24 17:58:16	4056

Analysis Method : SOP.T.40.019  
Analytical Batch : DA069194WAT  
Instrument Used : DA-028 Rotronic HygroPalm  
Analyzed Date : 02/08/24 14:48:30  
Reviewed On : 02/08/24 21:08:30  
Batch Date : 02/08/24 14:43:34

Dilution : N/A  
Reagent : 111423.05  
Consumables : PS-14  
Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

