

Kaycha Labs

Space Coast Lander Cartridge Concentrate 1g (90%)

Space Coast Lander



Matrix: Derivative Type: Distillate

Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA40210005-007

Harvest/Lot ID: 5376 1725 0305 9682

Batch#: 5376 1725 0305 9682

Cultivation Facility: Tampa Cultivation Processing Facility: Tampa Processing Source Facility: Tampa Processing

Seed to Sale# 2305 5349 2907 4730

Batch Date: 10/16/23

Sample Size Received: 16 gram Total Amount: 1955 units

> Retail Product Size: 1 gram Ordered: 02/09/24 Sampled: 02/10/24

> > Completed: 02/13/24

Sampling Method: SOP.T.20.010

PASSED

Feb 13, 2024 | FLUENT

5540 W. Executive Drive Tampa, FL, 33609, US



Pages 1 of 6

MISC.



PRODUCT IMAGE



SAFETY RESULTS

















Pesticides

Heavy Metals

Microbials

Mycotoxins PASSED

Residuals Solvents PASSED

Filth

Water Activity

Moisture

Terpenes TESTED

PASSED



Cannabinoid

Total THC

84.604% Total THC/Container: 846.04 mg



Total CBD 0.210% Total CBD/Container: 2.10 mg



Total Cannabinoids

Total Cannabinoids/Container: 901.37 mg



Analyzed by: 3335, 1665, 53, 4395, 1440 Weight: 0.1021g Extraction date: 02/12/24 11:43:20 Extracted by: 1665,3335

Analysis Method : SOP.T.40.031, SOP.T.30.031 Analytical Batch : DA069311POT Instrument Used : DA-LC-007

Analyzed Date: 02/12/24 12:07:40

Reagent: 012324.R04; 020724.R05; 060723.24 Consumables: 947.109; 280670723; CE0123; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

Reviewed On: 02/13/24 15:05:44 Batch Date: 02/12/24 07:49:11

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164



Kaycha Labs

Space Coast Lander Cartridge Concentrate 1g (90%)

Space Coast Lander Matrix : Derivative Type: Distillate



Certificate of Analysis

PASSED

ELLIENT

5540 W. Executive Drive Tampa, FL, 33609, US **Telephone:** (305) 900-6266 **Email:** Taylor.lones@getfluent.com Sample : DA40210005-007 Harvest/Lot ID: 5376 1725 0305 9682

Batch#:5376 1725 0305

9682 Sampled: 02/10/24 Ordered: 02/10/24 Sample Size Received: 16 gram
Total Amount: 1955 units
Completed: 02/13/24 Expires: 02/13/25
Sample Method: SOP.T.20.010

Page 2 of 6



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	: %	Result (%)	Terpenes	LOD (%)	mg/unit	t %	Result (%)	
OTAL TERPENES	0.007	32.24	3.224		ISOPULEGOL	0.007	ND	ND		
IMONENE	0.007	7.22	0.722		NEROL	0.007	ND	ND		
BETA-MYRCENE	0.007	6.12	0.611		PULEGONE	0.007	ND	ND		
BETA-CARYOPHYLLENE	0.007	4.92	0.492		SABINENE HYDRATE	0.007	ND	ND		
ALENCENE	0.007	2.22	0.222		ALPHA-CEDRENE	0.007	ND	ND		
LINALOOL	0.007	1.80	0.180		ALPHA-PHELLANDRENE	0.007	ND	ND		
BETA-PINENE	0.007	1.42	0.141		CIS-NEROLIDOL	0.007	ND	ND		
ALPHA-HUMULENE	0.007	1.31	0.131		TRANS-NEROLIDOL	0.007	ND	ND		
BORNEOL	0.013	1.21	0.120		Analyzed by:	Weight:	Ext	traction date	e:	Extracted by:
ENCHYL ALCOHOL	0.007	1.05	0.104		1879, 1665, 53, 4395, 1440	0.1974g	02,	/10/24 16:41	1:55	1879,795
ALPHA-PINENE	0.007	0.99	0.098		Analysis Method : SOP.T.30.061A.FL, SOP.T.	40.061A.FL				
ALPHA-BISABOLOL	0.007	0.84	0.083		Analytical Batch : DA069279TER Instrument Used : DA-GCMS-009				2/13/24 14:44:52 10/24 12:38:30	
OTAL TERPINEOL	0.007	0.79	0.079		Analyzed Date: 02/11/24 12:34:36		Batc	n Date : UZ/.	10/24 12.30:30	
LPHA-TERPINOLENE	0.007	0.59	0.059		Dilution: 10					
CIMENE	0.007	0.47	0.047		Reagent: 062922.47					
ARYOPHYLLENE OXIDE	0.007	0.45	0.045		Consumables: LLS-00-0005; 210414634; MR	(CN9995; CE0123				
SAMMA-TERPINENE	0.007	0.40	0.040		Pipette : N/A					
SABINENE	0.007	0.36	0.036		Terpenoid testing is performed utilizing Gas Chron	natograpny Mass Spectro	metry. For all	riower sampi	ies, the Total Terpenes %	is ary-weight corrected.
LPHA-TERPINENE	0.007	0.35	0.035							
CAMPHENE	0.007	0.33	0.033							
-CARENE	0.007	0.26	0.025							
CAMPHOR	0.007	ND	ND							
CEDROL	0.007	ND	ND							
EUCALYPTOL	0.007	ND	ND							
ARNESENE	0.001	ND	ND							
ENCHONE	0.007	ND	ND							
GERANIOL	0.007	ND	ND							
GERANYL ACETATE	0.007	ND	ND							
GUAIOL	0.007	ND	ND							
HEXAHYDROTHYMOL	0.007	ND	ND							
ISOBORNEOL	0.007	ND	ND							
otal (%)			3.224							

Total (%) 3.224

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Kaycha Labs

Space Coast Lander Cartridge Concentrate 1g (90%)

Space Coast Lander Matrix: Derivative

Type: Distillate



Certificate of Analysis

PASSED

5540 W. Executive Drive Tampa, FL, 33609, US Telephone: (305) 900-6266 Email: Taylor.lones@getfluent.com Sample : DA40210005-007 Harvest/Lot ID: 5376 1725 0305 9682

Batch#:5376 1725 0305

Sampled: 02/10/24 Ordered: 02/10/24

Sample Size Received: 16 gram Total Amount: 1955 units Completed: 02/13/24 Expires: 02/13/25

Sample Method: SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

esticide		Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
OTAL CONTAMINANT LOAD (PESTICIDES)	0.010	1.1.	5	PASS	ND	OXAMYL	0.010) ppm	0.5	PASS	ND
OTAL DIMETHOMORPH	0.010		0.2	PASS	ND	PACLOBUTRAZOL	0.010) ppm	0.1	PASS	ND
OTAL PERMETHRIN	0.010	1.1.	0.1	PASS	ND	PHOSMET	0.010) ppm	0.1	PASS	ND
OTAL PYRETHRINS	0.010		0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010) ppm	3	PASS	ND
OTAL SPINETORAM	0.010		0.2	PASS	ND	PRALLETHRIN) ppm	0.1	PASS	ND
OTAL SPINOSAD	0.010	1.1.	0.1	PASS	ND	PROPICONAZOLE) ppm	0.1	PASS	ND
BAMECTIN B1A	0.010		0.1	PASS	ND	PROPOXUR) ppm	0.1	PASS	ND
CEPHATE	0.010		0.1	PASS	ND) ppm	0.2	PASS	ND
CEQUINOCYL	0.010		0.1	PASS	ND	PYRIDABEN				PASS	
CETAMIPRID	0.010		0.1		ND	SPIROMESIFEN) ppm	0.1		ND
LDICARB	0.010		0.1	PASS	ND	SPIROTETRAMAT) ppm	0.1	PASS	ND
ZOXYSTROBIN	0.010		0.1	PASS	ND	SPIROXAMINE	0.010) ppm	0.1	PASS	ND
IFENAZATE	0.010	P. P.	0.1	PASS	ND	TEBUCONAZOLE	0.010) ppm	0.1	PASS	ND
IFENTHRIN	0.010		0.1	PASS PASS	ND	THIACLOPRID	0.010) ppm	0.1	PASS	ND
OSCALID	0.010		0.1		ND	THIAMETHOXAM	0.010) ppm	0.5	PASS	ND
ARBARYL	0.010	P. P.	0.5 0.1	PASS	ND ND	TRIFLOXYSTROBIN	0.010) ppm	0.1	PASS	ND
ARBOFURAN	0.010					PENTACHLORONITROBENZENE (PCNB) *		PPM	0.15	PASS	ND
HLORANTRANILIPROLE	0.010		1	PASS	ND	PARATHION-METHYL *) PPM	0.1	PASS	ND
HLORMEQUAT CHLORIDE	0.010		1	PASS	ND			PPM	0.7	PASS	ND
HLORPYRIFOS	0.010		0.1	PASS PASS	ND	CAPTAN *				PASS	
LOFENTEZINE	0.010		0.2	PASS	ND	CHLORDANE *		PPM	0.1		ND
DUMAPHOS	0.010		0.1		ND	CHLORFENAPYR *) PPM	0.1	PASS	ND
AMINOZIDE	0.010		0.1	PASS	ND	CYFLUTHRIN *	0.050) PPM	0.5	PASS	ND
IAZINON	0.010		0.1	PASS PASS	ND	CYPERMETHRIN *	0.050) PPM	0.5	PASS	ND
ICHLORVOS	0.010		0.1		ND	Analyzed by:	Weight:	Extractio	n date:	Extra	ted by:
IMETHOATE	0.010		0.1	PASS PASS	ND	4056, 3379, 53, 4395, 1440	0.2318g	02/10/24	15:04:28	4056	
THOPROPHOS	0.010		0.1		ND	Analysis Method : SOP.T.30.101.FL (Gainesvi	lle), SOP.T.30.1	02.FL (Davie)	, SOP.T.40.10	L.FL (Gainesville),
TOFENPROX	0.010		0.1	PASS	ND	SOP.T.40.102.FL (Davie)					
TOXAZOLE	0.010		0.1	PASS PASS	ND	Analytical Batch : DA069274PES Instrument Used : DA-LCMS-003 (PES)			On:02/13/24 e:02/10/24 12		
ENHEXAMID	0.010		0.1		ND	Analyzed Date: 02/11/24 17:46:22		Dattii Dati	8: 02/10/24 12	.04.32	
ENOXYCARB	0.010	P. P.	0.1	PASS	ND	Dilution: 250					
ENPYROXIMATE	0.010		0.1	PASS	ND	Reagent: 013024.R05; 040423.08; 020724.F	R17; 021024.R0	3; 020724.R1	8; 011024.R0	L; 013124.R01	
IPRONIL	0.010		0.1	PASS	ND	Consumables: 326250IW					
LONICAMID	0.010	1.1.	0.1	PASS	ND	Pipette: DA-093; DA-094; DA-219					
LUDIOXONIL	0.010		0.1	PASS	ND	Testing for agricultural agents is performed utili	izing Liquid Chro	matography T	riple-Quadrupo	le Mass Spectror	metry in
EXYTHIAZOX	0.010		0.1	PASS PASS	ND	accordance with F.S. Rule 64ER20-39.					
MAZALIL	0.010		0.1		ND	Analyzed by: Weig 450, 53, 4395, 1440 0.231		raction date 10/24 15:04:		Extracte 4056	ea by:
/IDACLOPRID	0.010		0.4	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesvi	- ,				
RESOXIM-METHYL	0.010	1.1.	0.1	PASS PASS	ND	Analytical Batch : DA069294VOL			:02/13/24 10:		
ALATHION	0.010	1.1.	0.2		ND	Instrument Used : DA-GCMS-010			02/11/24 10:55		
ETALAXYL	0.010		0.1	PASS	ND	Analyzed Date: 02/12/24 13:17:34					
ETHIOCARB	0.010	1.1.	0.1	PASS	ND	Dilution: 250					
ETHOMYL	0.010		0.1	PASS	ND	Reagent: 013024.R05; 040423.08; 012324.F	R12; 012324.R1	3			
IEVINPHOS	0.010	P. P.	0.1	PASS	ND	Consumables: 326250IW; 14725401					
IYCLOBUTANIL	0.010		0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
IALED	0.010	ppm	0.25	PASS	ND	Testing for agricultural agents is performed utili accordance with F.S. Rule 64ER20-39.	izing Gas Chroma	atography Trip	oie-Quadrupole	Mass Spectrome	etry in

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Kaycha Labs

Space Coast Lander Cartridge Concentrate 1g (90%)

Space Coast Lander Matrix : Derivative Type: Distillate



Certificate of Analysis

PASSED

FILIENT

5540 W. Executive Drive Tampa, FL, 33609, US **Telephone:** (305) 900-6266 **Email:** Taylor.lones@getfluent.com Sample : DA40210005-007 Harvest/Lot ID: 5376 1725 0305 9682

Batch# : 5376 1725 0305

Sampled: 02/10/24 Ordered: 02/10/24 Sample Size Received: 16 gram
Total Amount: 1955 units

Completed: 02/13/24 Expires: 02/13/25 Sample Method: SOP.T.20.010 Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

Reviewed On: 02/13/24 12:38:00

 Analyzed by:
 Weight:
 Extraction date:
 Extracted by:

 3605, 850, 53, 4395, 1440
 0.023g
 02/10/24 13:46:17
 3605,850

Analysis Method: SOP.T.40.041.FL Analytical Batch: DA069282SOL Instrument Used: DA-GCMS-003 Analyzed Date: 02/10/24 13:38:59

Dilution: 1 Reagent: N/A

Consumables : R2017.167; G201.167 **Pipette :** DA-309 25 uL Syringe 35028

MS-003 **Batch Date :** 02/10/24 13:34:44 13:38:59

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for

pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164 1/2



Kaycha Labs

Space Coast Lander Cartridge Concentrate 1g (90%)

Space Coast Lander Matrix: Derivative Type: Distillate



PASSED

Certificate of Analysis

5540 W. Executive Drive Tampa, FL, 33609, US Telephone: (305) 900-6266 Email: Taylor.lones@getfluent.com Sample : DA40210005-007 Harvest/Lot ID: 5376 1725 0305 9682

Batch#: 5376 1725 0305

Sampled: 02/10/24 **Ordered**: 02/10/24 Sample Size Received: 16 gram Total Amount: 1955 units Completed: 02/13/24 Expires: 02/13/25

Sample Method: SOP.T.20.010

Page 5 of 6



Microbial



Mycotoxins

PASSED

Analyte	LOD	Units	Result	Pass / Fail	Action Level	F
ASPERGILLUS TERREUS			Not Present	PASS		A
ASPERGILLUS NIGER			Not Present	PASS		A
ASPERGILLUS FUMIGATUS			Not Present	PASS		C
ASPERGILLUS FLAVUS			Not Present	PASS		A
SALMONELLA SPECIFIC GENE			Not Present	PASS		ŀ
ECOLI SHIGELLA			Not Present	PASS		Α
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000	4

Analyzed by: Weight: **Extraction date:** Extracted by: 3390, 4395, 1440 1.197g 02/10/24 15:00:35

Analysis Method: SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL

Reviewed On: 02/13/24 Analytical Batch: DA069262MIC

Instrument Used: PathogenDx Scanner DA-111.Applied Batch Date: 02/10/24 Biosystems Thermocycler DA-013, fisherbrand Isotemp Heat Block 10:49:17

DA-020, fisherbrand Isotemp Heat Block DA-049, Fisher Scientific Isotemp Heat Block DA-021

Analyzed Date: 02/13/24 10:12:08

Dilution: N/A

Reagent: 010924.75; 010924.76; 011624.R29; 100223.11

Consumables : 7568003070

Pipette: N/A

200	,					
Analyte		LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B	2	0.002	ppm	ND	PASS	0.02
AFLATOXIN B	L	0.002	ppm	ND	PASS	0.02
OCHRATOXIN	A	0.002	ppm	ND	PASS	0.02

)	Analyzed by: 4056, 3379, 53, 4395, 1440	Weight: 0.2318g	Extraction date: 02/10/24 15:04:28			Extracto 4056	ed by:
	AFLATOXIN G2		0.002	ppm	ND	PASS	0.02
	AFLATOXIN G1		0.002	ppm	ND	PASS	0.02
	OCHRATOXIN A		0.002	ppm	ND	PASS	0.02
	AFLATOXIN B1		0.002	ppm	ND	PASS	0.02
	AFLATONIN DZ		0.002	ppiii	ND	PASS	0.02

Analysis Method: SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)

Analytical Batch : DA069295MYC Reviewed On: 02/13/24 08:50:49 Instrument Used : N/A Batch Date: 02/11/24 10:55:57

Analyzed Date: 02/11/24 17:46:23

Dilution: 250 Reagent: 013024.R05; 040423.08; 020724.R17; 021024.R03; 020724.R18; 011024.R01;

013124.R01 Consumables: 326250IW

Pipette: DA-093; DA-094; DA-219

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

Hg

Heavy Metals

Analyzed by: 3390, 53, 4395, 1440	Weight: 1.197g	Extraction date: 02/10/24 15:00:35	Extracted by: 3336,3621					
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL Analytical Batch : DA069263TYM Reviewed On : 02/13/24 15:02:52 Instrument Used : N/A Batch Date : 02/10/24 10:50:09								
Dilution: N/A Reagent: 010924.75; 0109 Consumables: N/A Pipette: N/A	924.76; 012524	.R09; 011924.R15						
Total yeast and mold testing i accordance with F.S. Rule 64E		ng MPN and traditional culture	based techniques in					

Metal		LOD	Units	Result	Pass / Fail	Action Level	
TOTAL CONTAMINANT L	OAD METALS	0.080	ppm	ND	PASS	1.1	
ARSENIC		0.020	ppm	ND	PASS	0.2	
CADMIUM		0.020	ppm	ND	PASS	0.2	
MERCURY		0.020	ppm	ND	PASS	0.2	
LEAD		0.020	ppm	ND	PASS	0.5	
Analyzed by:	Weight:	Extraction date:			Extracted		
1022, 53, 4395, 1440	0.2616a	02/10/24 1	5.28.22		1022 430	h	

Analysis Method: SOP.T.30.082.FL, SOP.T.40.082.FL

Analytical Batch: DA069270HEA Instrument Used : DA-ICPMS-004

Analyzed Date: 02/12/24 15:23:49

Reviewed On: 02/13/24 10:04:58 Batch Date: 02/10/24 11:58:57

Dilution: 50

Reagent: 020724.R07; 020524.R23; 020824.R15; 020524.R14; 020524.R15; 020524.01;

012924.R05

Consumables: 179436; 12532-225CD-225C; 210508058

Pipette: DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Kaycha Labs

Space Coast Lander Cartridge Concentrate 1g (90%)

Space Coast Lander Matrix: Derivative Type: Distillate



Certificate of Analysis

PASSED

5540 W. Executive Drive Tampa, FL, 33609, US Telephone: (305) 900-6266 Email: Taylor.lones@getfluent.com Sample : DA40210005-007 Harvest/Lot ID: 5376 1725 0305 9682

Batch#: 5376 1725 0305

Sampled: 02/10/24 Ordered: 02/10/24 Sample Size Received: 16 gram Total Amount: 1955 units Completed: 02/13/24 Expires: 02/13/25 Sample Method: SOP.T.20.010

Page 6 of 6



Filth/Foreign **Material**

PASSED

Analyte LOD Units Result P/F **Action Level** Filth and Foreign Material 0.100 % ND PASS 1

Analyzed by: 1879, 4395, 1440 NA N/A N/A

Analysis Method: SOP.T.40.090

Analytical Batch : DA069284FIL
Instrument Used : Filth/Foreign Material Microscope Reviewed On: 02/11/24 13:03:17 Batch Date: 02/10/24 19:33:13

Analyzed Date : 02/11/24 12:57:14

Dilution: N/AReagent: N/A Consumables : N/A Pipette: N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

Analyte Water Activity	LOD 0.010	Units aw	Result 0.441	P/F PASS	Action Level 0.85	
Analyzed by: 4044, 1665, 4395, 1440	Weight:		tion date:		Extracted by:	

Analysis Method: SOP.T.40.019 Analytical Batch: DA069271WAT

Reviewed On: 02/11/24 06:14:56 Instrument Used : DA-324 Rotronic Hygropalm HC2-AW

Analyzed Date : N/A

Dilution: N/A Reagent: 111423.05 Consumables: PS-14 Pipette: N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164