



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA40214003-006
Harvest/Lot ID: 3122 2505 2009 0801
Batch#: 3122 2505 2009 0801
Cultivation Facility: Tampa Cultivation
Processing Facility: Tampa Processing
Source Facility: Tampa Cultivation
Seed to Sale#: 2097 4948 1491 3174
Batch Date: 10/02/23
Sample Size Received: 15.5 gram
Total Amount: 1979 units
Retail Product Size: 0.5 gram
Ordered: 02/13/24
Sampled: 02/14/24
Completed: 02/16/24
Sampling Method: SOP.T.20.010

Feb 16, 2024 | FLUENT

5540 W. Executive Drive
Tampa, FL, 33609, US



PASSED

Pages 1 of 6

PRODUCT IMAGE



SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals Solvents
PASSED



Filth
PASSED



Water Activity
PASSED



Moisture
NOT TESTED



Terpenes
TESTED

MISC.



Cannabinoid

PASSED



Total THC

83.507%

Total THC/Container : 417.54 mg



Total CBD

0.277%

Total CBD/Container : 1.39 mg



Total Cannabinoids

88.030%

Total Cannabinoids/Container : 440.15 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	83.507	ND	0.277	ND	0.365	0.795	ND	1.744	0.549	ND	0.793
mg/unit	417.54	ND	1.39	ND	1.83	3.98	ND	8.72	2.75	ND	3.97
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
	%	%	%	%	%	%	%	%	%	%	%

Analyzed by:
3335, 1665, 4395, 1440

Weight:
0.1047g

Extraction date:
02/14/24 10:51:22

Extracted by:
3335

Analysis Method : SOP.T.40.031, SOP.T.30.031
Analytical Batch : DA069370POT
Instrument Used : DA-LC-007
Analyzed Date : 02/14/24 10:54:22

Reviewed On : 02/15/24 15:34:07
Batch Date : 02/14/24 08:59:00

Dilution : 400
Reagent : 011824.R02; 060723.24; 020724.R04
Consumables : 947.109; CE0123; 12594-247CD-247C; R1KB14270
Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
02/16/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Everglade Haze Cartridge Concentrate 0.5g

Everglade Haze

Matrix : Derivative

Type: Distillate



Certificate of Analysis

PASSED

FLUENT

5540 W. Executive Drive
Tampa, FL, 33609, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA40214003-006

Harvest/Lot ID: 3122 2505 2009 0801

Batch# : 3122 2505 2009
0801

Sampled : 02/14/24

Ordered : 02/14/24

Sample Size Received : 15.5 gram

Total Amount : 1979 units

Completed : 02/16/24 Expires: 02/16/25

Sample Method : SOP.T.20.010

Page 2 of 6



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	6.54	1.307		SABINENE HYDRATE	0.007	ND	ND	
ALPHA-TERPINOLENE	0.007	1.98	0.395		ALPHA-CEDRENE	0.007	ND	ND	
BETA-CARYOPHYLLENE	0.007	0.95	0.190		ALPHA-HUMULENE	0.007	<0.10	<0.020	
FARNESENE	0.001	0.83	0.165		ALPHA-PHELLANDRENE	0.007	<0.10	<0.020	
LIMONENE	0.007	0.58	0.115		ALPHA-TERPINENE	0.007	<0.10	<0.020	
BETA-MYRCENE	0.007	0.50	0.099		CIS-NEROLIDOL	0.007	ND	ND	
OCIMENE	0.007	0.36	0.071		GAMMA-TERPINENE	0.007	<0.10	<0.020	
BETA-PINENE	0.007	0.30	0.060		TRANS-NEROLIDOL	0.007	ND	ND	
VALENCENE	0.007	0.25	0.050		Analyzed by:	Weight:	Extraction date:	Extracted by:	
ALPHA-PINENE	0.007	0.20	0.040		795, 4395, 1665, 1440	0.1914g	02/14/24 12:10:40	1879,795	
FENCHYL ALCOHOL	0.007	0.19	0.037		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
CARYOPHYLLENE OXIDE	0.007	0.16	0.032		Analytical Batch : DA060395TER			Reviewed On : 02/16/24 08:19:25	
ALPHA-BISABOLOL	0.007	0.14	0.027		Instrument Used : DA-GCMS-008			Batch Date : 02/14/24 11:07:04	
TOTAL TERPINEOL	0.007	0.14	0.027		Analyzed Date : N/A				
LINALOOL	0.007	0.13	0.026		Dilution : 10				
3-CARENE	0.007	<0.10	<0.020		Reagent : N/A				
BORNEOL	0.013	<0.20	<0.040		Consumables : N/A				
CAMPHENE	0.007	ND	ND		Pipette : N/A				
CAMPHOR	0.007	ND	ND		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
CEDROL	0.007	ND	ND						
EUCALYPTOL	0.007	ND	ND						
FENCHONE	0.007	ND	ND						
GERANIOL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
GUAIOL	0.007	ND	ND						
HEXAHYDROTHYMOL	0.007	<0.10	<0.020						
ISOBORNEOL	0.007	ND	ND						
ISOPULEGOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
SABINENE	0.007	ND	ND						
Total (%)			1.307						

Total (%) 1.307

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
02/16/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Everglade Haze Cartridge Concentrate 0.5g
Everglade Haze
Matrix : Derivative
Type: Distillate



Certificate of Analysis

PASSED

FLUENT

5540 W. Executive Drive
Tampa, FL, 33609, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA40214003-006

Harvest/Lot ID: 3122 2505 2009 0801

Batch# : 3122 2505 2009
0801

Sampled : 02/14/24
Ordered : 02/14/24

Sample Size Received : 15.5 gram

Total Amount : 1979 units

Completed : 02/16/24 Expires: 02/16/25

Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND	Analyzed by: 3379, 4395, 1665, 1440 Weight: 0.2677g Extraction date: 02/14/24 15:31:21 Extracted by: 450,3379 Analysis Method :SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie) Analytical Batch :DA069379PES Instrument Used :DA-LCMS-003 (PES) Reviewed On : 02/15/24 11:32:38 Batch Date :02/14/24 10:13:19 Analysis Date :02/14/24 16:16:30 Dilution : 250 Reagent : 013024.R05; 040423.08 Consumables : 326250IW Pipette : N/A Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
DIAZINON	0.010	ppm	0.1	PASS	ND						
DICHLORVOS	0.010	ppm	0.1	PASS	ND						
DIMETHOATE	0.010	ppm	0.1	PASS	ND						
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND						
ETOFENPROX	0.010	ppm	0.1	PASS	ND						
ETOXAZOLE	0.010	ppm	0.1	PASS	ND						
FENHEXAMID	0.010	ppm	0.1	PASS	ND						
FENOXYCARB	0.010	ppm	0.1	PASS	ND						
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND						
FIPRONIL	0.010	ppm	0.1	PASS	ND						
FLONICAMID	0.010	ppm	0.1	PASS	ND						
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND						
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND						
IMAZALIL	0.010	ppm	0.1	PASS	ND						
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND						
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND						
MALATHION	0.010	ppm	0.2	PASS	ND						
METALAXYL	0.010	ppm	0.1	PASS	ND						
METHIOCARB	0.010	ppm	0.1	PASS	ND						
METHOMYL	0.010	ppm	0.1	PASS	ND						
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
02/16/24



Certificate of Analysis

PASSED
FLUENT

 5540 W. Executive Drive
 Tampa, FL, 33609, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA40214003-006

Harvest/Lot ID: 3122 2505 2009 0801

 Batch# : 3122 2505 2009
 0801

Sampled : 02/14/24

Ordered : 02/14/24

Sample Size Received : 15.5 gram

Total Amount : 1979 units

Completed : 02/16/24 Expires: 02/16/25

Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

 Analyzed by:
 850, 1665, 1440

 Weight:
 0.0231g

 Extraction date:
 02/15/24 12:53:56

 Extracted by:
 850

 Analysis Method : SOP.T.40.041.FL
 Analytical Batch : DA069403SOL
 Instrument Used : DA-GCMS-002
 Analyzed Date : 02/14/24 15:31:13

 Reviewed On : 02/15/24 13:32:03
 Batch Date : 02/14/24 15:15:42

 Dilution : 1
 Reagent : N/A
 Consumables : R2017.167; G201.167
 Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED
FLUENT

 5540 W. Executive Drive
 Tampa, FL, 33609, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA40214003-006

Harvest/Lot ID: 3122 2505 2009 0801

Batch# : 3122 2505 2009 0801

 Sampled : 02/14/24
 Ordered : 02/14/24



Sample Size Received : 15.5 gram

Total Amount : 1979 units

Completed : 02/16/24 Expires: 02/16/25

Sample Method : SOP.T.20.010

Page 5 of 6

	Microbial	PASSED		Mycotoxins	PASSED
Analyte			Analyte		
LOD			LOD		
Units			Units		
Result			Result		
Pass / Fail			Pass / Fail		
Action Level			Action Level		
ASPERGILLUS TERREUS			AFLATOXIN B2		
ASPERGILLUS NIGER			AFLATOXIN B1		
ASPERGILLUS FUMIGATUS			OCHRATOXIN A		
ASPERGILLUS FLAVUS			AFLATOXIN G1		
SALMONELLA SPECIFIC GENE			AFLATOXIN G2		
ECOLI SHIGELLA					
TOTAL YEAST AND MOLD					
10			0.002		
CFU/g			ppm		
<10			ND		
PASS			PASS		
100000			0.02		
Analyzed by: 3336, 3621, 1665, 1440			Analyzed by: 3379, 4395, 1665, 1440		
Weight: 0.8091g			Weight: 0.2677g		
Extraction date: 02/14/24 11:07:55			Extraction date: 02/14/24 15:31:21		
Extracted by: 3621			Extracted by: 450,3379		
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL			Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)		
Analytical Batch : DA069377MIC			Analytical Batch : DA069399MYC		
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems MiniAmp Thermocycler DA-190,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021			Instrument Used : N/A		
Analyzed Date : 02/14/24 12:11:06			Analyzed Date : 02/14/24 16:16:47		
Dilution : N/A			Dilution : 250		
Reagent : 010924.54; 010924.79; 011624.R29; 083123.109			Reagent : 013024.R05; 040423.08		
Consumables : 7568004003			Consumables : 326250IW		
Pipette : N/A			Pipette : N/A		
Analyzed by: 3390, 3621, 1665, 1440			Analyzed by: 1022, 4395, 1665, 1440		
Weight: 0.8091g			Weight: 0.2834g		
Extraction date: 02/14/24 11:07:55			Extraction date: 02/14/24 12:09:23		
Extracted by: 3621			Extracted by: 4306,1022		
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL			Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL		
Analytical Batch : DA069397TYM			Analytical Batch : DA069374HEA		
Instrument Used : Incubator (25-27°C) DA-097			Instrument Used : DA-ICPMS-004		
Analyzed Date : 02/14/24 18:00:00			Analyzed Date : 02/14/24 14:30:17		
Dilution : N/A			Dilution : 50		
Reagent : 010924.54; 010924.79; 012524.R09			Reagent : 020724.R07; 020824.R15; 021224.R01; 021224.R02; 020524.01; 021324.R02		
Consumables : N/A			Consumables : 179436; 12532-225CD-225C; 210508058		
Pipette : N/A			Pipette : DA-061; DA-191; DA-216		
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.					
Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Everglade Haze Cartridge Concentrate 0.5g
Everglade Haze
Matrix : Derivative
Type: Distillate



Certificate of Analysis

PASSED

FLUENT

5540 W. Executive Drive
Tampa, FL, 33609, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA40214003-006

Harvest/Lot ID: 3122 2505 2009 0801

Batch# : 3122 2505 2009
0801

Sampled : 02/14/24

Ordered : 02/14/24

Sample Size Received : 15.5 gram

Total Amount : 1979 units

Completed : 02/16/24 Expires: 02/16/25

Sample Method : SOP.T.20.010

Page 6 of 6



Filth/Foreign
Material

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 1665, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A
----------------------------------	---------------	-------------------------	----------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA069388FIL

Instrument Used : Filth/Foreign Material Microscope

Analyzed Date : 02/14/24 10:50:20

Reviewed On : 02/14/24 14:39:52

Batch Date : 02/14/24 10:30:52

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.464	PASS	0.85

Analyzed by: 4044, 4395, 1665, 1440	Weight: 0.223g	Extraction date: 02/14/24 14:49:12	Extracted by: 4044
--	-------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA069386WAT

Instrument Used : DA-324 Rotronic HygroPalm HC2-AW
(Probe)

Analyzed Date : 02/14/24 11:03:01

Reviewed On : 02/15/24 11:48:33

Batch Date : 02/14/24 10:21:06

Dilution : N/A

Reagent : 111423.05

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
02/16/24