



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA40215002-004
Harvest/Lot ID: 2845 6645 4675 7750
Batch#: 2845 6645 4675 7750
Cultivation Facility: Tampa Cultivation
Processing Facility : Tampa Processing
Source Facility : Tampa Cultivation
Seed to Sale# 5625 0953 1294 6271
Batch Date: 10/02/23
Sample Size Received: 17.05 gram
Total Amount: 1016 units
Retail Product Size: 0.55 gram
Ordered: 02/14/24
Sampled: 02/15/24
Completed: 02/17/24
Sampling Method: SOP.T.20.010

Feb 17, 2024 | FLUENT

5540 W. Executive Drive
Tampa, FL, 33609, US



PASSED

Pages 1 of 6


PRODUCT IMAGE



SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals Solvents
PASSED



Filtration
PASSED



Water Activity
PASSED



Moisture
NOT TESTED



Terpenes
TESTED

MISC.



Cannabinoid

PASSED



Total THC
85.593%
Total THC/Container : 470.76 mg



Total CBD
0.265%
Total CBD/Container : 1.46 mg



Total Cannabinoids
90.680%
Total Cannabinoids/Container : 498.74 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	85.593	ND	0.265	ND	0.338	1.945	ND	1.047	0.643	ND	0.849
mg/unit	470.76	ND	1.46	ND	1.86	10.70	ND	5.76	3.54	ND	4.67
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
	%	%	%	%	%	%	%	%	%	%	%

Analyzed by:
3335, 1665, 4395, 1440

Weight:
0.101g

Extraction date:
02/15/24 13:03:40

Extracted by:
3335

Analysis Method : SOP.T.40.031, SOP.T.30.031
 Analytical Batch : DA069413POT
 Instrument Used : DA-LC-007
 Analyzed Date : 02/15/24 13:44:51

Reviewed On : 02/16/24 13:57:45
 Batch Date : 02/15/24 09:34:35

Dilution : 400
 Reagent : 013024.R02; 060723.24; 020724.R04
 Consumables : 947.109; 34623011; CE0123; R1KB14270
 Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
 ISO 17025 Accreditation # ISO/IEC
 17025:2017 Accreditation PJLA-
 Testing 97164

Signature
02/17/24



Certificate of Analysis

PASSED

FLUENT

5540 W. Executive Drive
Tampa, FL, 33609, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA40215002-004
Harvest/Lot ID: 2845 6645 4675 7750

Batch# : 2845 6645 4675 7750 Sample Size Received : 17.05 gram
Total Amount : 1016 units
Sampled : 02/15/24 Completed : 02/17/24 Expires: 02/17/25
Ordered : 02/15/24 Sample Method : SOP.T.20.010

Page 2 of 6

Terpenes				TESTED			
Terpenes	LOD (%)	mg/unit %	Result (%)	Terpenes	LOD (%)	mg/unit %	Result (%)
TOTAL TERPENES	0.007	25.78	4.688	PULEGONE	0.007	ND	ND
LIMONENE	0.007	7.38	1.341	SABINENE	0.007	ND	ND
BETA-MYRCENE	0.007	7.33	1.333	VALENCENE	0.007	ND	ND
BETA-CARYOPHYLLENE	0.007	3.05	0.555	ALPHA-CEDRENE	0.007	ND	ND
LINALOOL	0.007	1.61	0.292	ALPHA-PHELLANDRENE	0.007	ND	ND
BETA-PINENE	0.007	1.13	0.206	CIS-NEROLIDOL	0.007	ND	ND
ALPHA-HUMULENE	0.007	0.91	0.166	GAMMA-TERPINENE	0.007	ND	ND
FENCHYL ALCOHOL	0.007	0.86	0.156	TRANS-NEROLIDOL	0.007	ND	ND
ALPHA-PINENE	0.007	0.73	0.132				
FARNESENE	0.001	0.61	0.110	Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL	Weight: 0.1973g	Extraction date: 02/15/24 14:09:49	Extracted by: 1879,795
BORNEOL	0.013	0.53	0.096	Analytical Batch : DA069441TER			Reviewed On : 02/17/24 07:52:12
TOTAL TERPINEOL	0.007	0.29	0.053	Instrument Used : DA-GCMS-004			Batch Date : 02/15/24 11:44:35
ALPHA-TERPINOLENE	0.007	0.28	0.051	Analyzed Date : N/A			
FENCHONE	0.007	0.25	0.045	Dilution : 10			
SABINENE HYDRATE	0.007	0.24	0.044	Reagent : N/A			
GUAJOL	0.007	0.23	0.041	Consumables : N/A			
CARYOPHYLLENE OXIDE	0.007	0.14	0.025	Pipette : N/A			
ALPHA-TERPINENE	0.007	0.13	0.022	Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.			
ALPHA-BISABOLOL	0.007	0.11	0.020				
3-CARENE	0.007	ND	ND				
CAMPHENE	0.007	ND	ND				
CAMPHOR	0.007	ND	ND				
CEDROL	0.007	ND	ND				
EUCALYPTOL	0.007	ND	ND				
GERANIOL	0.007	ND	ND				
GERANYL ACETATE	0.007	ND	ND				
HEXAHYDROTHYMOL	0.007	ND	ND				
ISOBORNEOL	0.007	ND	ND				
ISOPULEGOL	0.007	ND	ND				
NEROL	0.007	ND	ND				
OCIMENE	0.007	ND	ND				
Total (%)			4.688				



Certificate of Analysis

PASSED

FLUENT

5540 W. Executive Drive
Tampa, FL, 33609, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA40215002-004

Harvest/Lot ID: 2845 6645 4675 7750

Batch# : 2845 6645 4675
7750

Sampled : 02/15/24
Ordered : 02/15/24

Sample Size Received : 17.05 gram

Total Amount : 1016 units

Completed : 02/17/24 Expires: 02/17/25

Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOXYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analyzed by: 3379, 4395, 1665, 1440	Weight: 0.2149g	Extraction date: 02/15/24 16:41:27	Extracted by: 3379		
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)					
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA069428PES			Reviewed On : 02/16/24 11:57:54		
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)			Batch Date : 02/15/24 11:17:02		
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Analyzed Date : 02/15/24 16:43:11					
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Dilution : 250					
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Reagent : 020724.R17; 021024.R03; 021324.R16; 020724.R18; 021324.R05; 021424.R15; 040423.08					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FLONICAMID	0.010	ppm	0.1	PASS	ND	Analyzed by: 450, 4395, 1665, 1440	Weight: 0.2149g	Extraction date: 02/15/24 16:41:27	Extracted by: 3379		
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA069429VOL			Reviewed On : 02/16/24 12:07:28		
IMAZALIL	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-010			Batch Date : 02/15/24 11:20:42		
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	Analyzed Date : 02/15/24 17:44:56					
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Dilution : 250					
MALATHION	0.010	ppm	0.2	PASS	ND	Reagent : 021324.R16; 040423.08; 021424.R18; 021424.R19					
METALAXYL	0.010	ppm	0.1	PASS	ND	Consumables : 14725401; 326250IW					
METHIACARB	0.010	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
METHOMYL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
02/17/24



Certificate of Analysis

PASSED
FLUENT

 5540 W. Executive Drive
 Tampa, FL, 33609, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA40215002-004

Harvest/Lot ID: 2845 6645 4675 7750

 Batch# : 2845 6645 4675
 7750

Sampled : 02/15/24

Ordered : 02/15/24

Sample Size Received : 17.05 gram

Total Amount : 1016 units

Completed : 02/17/24 Expires: 02/17/25

Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

 Analyzed by:
 850, 4395, 1665, 1440

 Weight:
 0.0251g

 Extraction date:
 02/16/24 12:53:03

 Extracted by:
 850

 Analysis Method : SOP.T.40.041.FL
 Analytical Batch : DA06945350L
 Instrument Used : DA-GCMS-003
 Analysis Date : 02/16/24 13:06:25

 Reviewed On : 02/16/24 13:34:41
 Batch Date : 02/15/24 14:42:04

 Dilution : 1
 Reagent : N/A
 Consumables : R2017.167; G201.167
 Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED
FLUENT

 5540 W. Executive Drive
 Tampa, FL, 33609, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA40215002-004

Harvest/Lot ID: 2845 6645 4675 7750

Batch# : 2845 6645 4675 7750

 Sampled : 02/15/24
 Ordered : 02/15/24

Sample Size Received : 17.05 gram

Total Amount : 1016 units

Completed : 02/17/24 Expires: 02/17/25

Sample Method : SOP.T.20.010

Page 5 of 6

	Microbial	PASSED		Mycotoxins	PASSED
---	------------------	---------------	---	-------------------	---------------

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ECOLI SHIGELLA			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000
Analyzed by: 3390, 3621, 1665, 1440 Weight: 0.8033g Extraction date: 02/15/24 11:34:41 Extracted by: 3390 Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA069416MIC Reviewed On : 02/16/24 13:06:28 Batch Date : 02/15/24 09:37:12 Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-010,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021 Analyzed Date : 02/15/24 13:30:04					
Dilution : 10 Reagent : 010924.51; 020724.R22; 083123.109 Consumables : 7568004001 Pipette : N/A					

Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
Analyzed by: 3379, 4395, 1665, 1440 Weight: 0.2149g Extraction date: 02/15/24 16:41:27 Extracted by: 3379 Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA069448MYC Reviewed On : 02/16/24 12:01:05 Instrument Used : N/A Batch Date : 02/15/24 12:06:02 Analyzed Date : 02/15/24 16:43:15 Dilution : 250 Reagent : 020724.R17; 021024.R03; 021324.R16; 020724.R18; 021324.R05; 021424.R15; 040423.08 Consumables : 326250IW Pipette : DA-093; DA-094; DA-219					
Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

	Heavy Metals	PASSED
---	---------------------	---------------

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1
ARSENIC	0.020	ppm	ND	PASS	0.2
CADMIUM	0.020	ppm	ND	PASS	0.2
MERCURY	0.020	ppm	ND	PASS	0.2
LEAD	0.020	ppm	ND	PASS	0.5
Analyzed by: 1022, 4395, 1665, 1440 Weight: 0.2827g Extraction date: 02/15/24 12:46:26 Extracted by: 1022,4306 Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA069424HEA Reviewed On : 02/16/24 11:19:34 Instrument Used : DA-ICPMS-004 Batch Date : 02/15/24 10:40:11 Analyzed Date : 02/15/24 16:27:13 Dilution : 50 Reagent : 020724.R07; 021224.R03; 020824.R15; 021224.R01; 021224.R02; 020524.01; 021324.R02 Consumables : 179436; 34623011; 210508058 Pipette : DA-061; DA-191; DA-216					
Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1
ARSENIC	0.020	ppm	ND	PASS	0.2
CADMIUM	0.020	ppm	ND	PASS	0.2
MERCURY	0.020	ppm	ND	PASS	0.2
LEAD	0.020	ppm	ND	PASS	0.5
Analyzed by: 1022, 4395, 1665, 1440 Weight: 0.2827g Extraction date: 02/15/24 12:46:26 Extracted by: 1022,4306 Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA069424HEA Reviewed On : 02/16/24 11:19:34 Instrument Used : DA-ICPMS-004 Batch Date : 02/15/24 10:40:11 Analyzed Date : 02/15/24 16:27:13 Dilution : 50 Reagent : 020724.R07; 021224.R03; 020824.R15; 021224.R01; 021224.R02; 020524.01; 021324.R02 Consumables : 179436; 34623011; 210508058 Pipette : DA-061; DA-191; DA-216					
Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



4131 SW 47th AVENUE SUITE 1408
 DAVIE, FL, 33314, US
 (954) 368-7664

Kaycha Labs

Emerald Fire OG Syringe Distillate 0.55 g
 Emerald Fire OG
 Matrix : Derivative
 Type: Distillate



Certificate of Analysis

PASSED

Page 6 of 6

FLUENT

5540 W. Executive Drive
 Tampa, FL, 33609, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA40215002-004
 Harvest/Lot ID: 2845 6645 4675 7750
 Batch# : 2845 6645 4675 7750
 Sample Size Received : 17.05 gram
 Total Amount : 1016 units
 Sampled : 02/15/24
 Completed : 02/17/24 Expires: 02/17/25
 Ordered : 02/15/24
 Sample Method : SOP.T.20.010

	Filth/Foreign Material	PASSED
--	-------------------------------	---------------

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 4395, 1665, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A
--	---------------	-------------------------	----------------------

Analysis Method : SOP.T.40.090
 Analytical Batch : DA069439FIL
 Instrument Used : Filth/Foreign Material Microscope
 Analyzed Date : 02/16/24 04:56:27
 Reviewed On : 02/16/24 08:40:31
 Batch Date : 02/15/24 11:41:12

Dilution : N/A
 Reagent : N/A
 Consumables : N/A
 Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

	Water Activity	PASSED
--	-----------------------	---------------

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.534	PASS	0.85

Analyzed by: 1879, 4444, 4395, 1665, 1440	Weight: 0.409g	Extraction date: 02/15/24 16:37:13	Extracted by: 4444
--	-------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.019
 Analytical Batch : DA069443WAT
 Instrument Used : DA-028 Rotronic HygroPalm
 Analyzed Date : 02/15/24 15:42:33
 Reviewed On : 02/16/24 09:33:41
 Batch Date : 02/15/24 11:54:14

Dilution : N/A
 Reagent : 111423.05
 Consumables : PS-14
 Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
 Lab Director

State License # CMTL-0002
 ISO 17025 Accreditation # ISO/IEC
 17025:2017 Accreditation PJLA-
 Testing 97164



Signature
 02/17/24