

..... Natural Agave Tincture (2oz) Natural Agave Matrix: Derivative



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

COMPLIANCE FOR RETAIL

Certificate of Analysis

Type: Products for oral administration (pills, capsules, tinctures, and similar usable products)

Sample:DA40217003-004 Harvest/Lot ID: 8353 0474 7077 1414 Batch#: 8353 0474 7077 1414 **Cultivation Facility: Tampa Cultivation Processing Facility : Tampa Processing Source Facility : Tampa Cultivation** Seed to Sale# 2561 3349 5165 4189 Batch Date: 09/29/23 Sample Size Received: 150 gram Total Amount: 996 units Retail Product Size: 60 ml Sample Density: 1.49 g/mL Ordered: 02/16/24 Sampled: 02/17/24 Completed: 02/20/24 Sampling Method: SOP.T.20.010

PASSED

Feb 20, 2024 | FLUENT 5540 W. Executive Drive

Pesticides

PASSED

Total THC

Tampa, FL, 33609, US

PRODUCT IMAGE



Pages 1 of 6



E	-	THC/Container	-	E		CBD/Containe	-	E		nnabinoids/Co	ntainer : 419.2
	D9-тнс 0.435	THCA ND	CBD 0.002	CBDA	D8-THC 0.004	свд 0.012	CBGA	CBN 0.008	тнсv 0.004	CBDV	свс 0.004
% mg/unit	261.00	ND	1.20	ND	2.40	7.20	ND	4.80	2.40	ND	2.40
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
	%	%	%	%	%	%	%	%	%	%	%
nalyzed by: 335, 1665, 439	5, 53, 1440			Weight: 3.0548		Extraction date 02/19/24 10:2				tracted by: 65,3335	
nalytical Batch strument Used	I: SOP.T.40.031, SOP.T.40.031, SOP.T.40.031, SOP.T.40.0553POT I: DA-LC-007 02/19/24 10:43:06					Reviewed On : 0 Batch Date : 02/	2/20/24 13:59:28 18/24 17:48:55				
ilution:400 eagent:01232	24.R04; 070121.27;	; 020724.R04									

Consumables : 947.109; 280670723; CE0123; R1KB14270 Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 54-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino Lab Director

Signature 02/20/24



..... Natural Agave Tincture (2oz) Natural Agave Matrix : Derivative



4131 SW 47th AVENUE SUITE 1408 Type: Products for oral administration (pills, capsules, tinctures, and similar usable products)

Certificate of Analysis

PASSED

TESTED

FLUENT

5540 W. Executive Drive Tampa, FL, 33609, US Telephone: (305) 900-6266 Email: Taylor.lones@getfluent.com

DAVIE, FL, 33314, US

(954) 368-7664

Sample : DA40217003-004 Harvest/Lot ID: 8353 0474 7077 1414 Batch#: 8353 0474 7077 1414 Sampled : 02/17/24 Ordered : 02/17/24

Sample Size Received : 150 gram Total Amount : 996 units Completed : 02/20/24 Expires: 02/20/25 Sample Method : SOP.T.20.010

Page 2 of 6

Terpenes

rpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	% Result (%)	
PHA-BISABOLOL	0.007	<12.00	<0.020		ALPHA-PINENE	0.007	ND	ND	
PHA-TERPINENE	0.007	<12.00	< 0.020		ALPHA-TERPINOLENE	0.007	ND	ND	
ARENE	0.007	ND	ND		BETA-CARYOPHYLLENE	0.007	ND	ND	
RNEOL	0.013	ND	ND		BETA-MYRCENE	0.007	ND	ND	
MPHENE	0.007	ND	ND		BETA-PINENE	0.007	ND	ND	
MPHOR	0.007	ND	ND		CIS-NEROLIDOL	0.007	ND	ND	
RYOPHYLLENE OXIDE	0.007	ND	ND		GAMMA-TERPINENE	0.007	ND	ND	
DROL	0.007	ND	ND		TRANS-NEROLIDOL	0.007	ND	ND	
CALYPTOL	0.007	ND	ND		Analyzed by:	Weight:	Ex	traction date:	Extracted by:
RNESENE	0.001	ND	ND		795, 1665, 4395, 53, 1440	0.3142g	02	/18/24 10:58:23	795
ICHONE	0.007	ND	ND		Analysis Method : SOP.T.30.061A.FL, SOP.T.4	0.061A.FL			
CHYL ALCOHOL	0.007	ND	ND		Analytical Batch : DA069536TER			wed On: 02/20/24 09:29:51	
RANIOL	0.007	ND	ND		Instrument Used : DA-GCMS-004 Analyzed Date : 02/18/24 11:05:18		Batch	Date: 02/18/24 07:13:03	
RANYL ACETATE	0.007	ND	ND		Dilution : 10				
AIOL	0.007	ND	ND		Reagent : N/A				
AHYDROTHYMOL	0.007	ND	ND		Consumables : N/A				
BORNEOL	0.007	ND	ND		Pipette : N/A				
PULEGOL	0.007	ND	ND		Terpenoid testing is performed utilizing Gas Chrom	atography Mass Spectro	ometry. For all I	Flower samples, the Total Terpenes	% is dry-weight corrected.
ONENE	0.007	ND	ND						
ALOOL	0.007		ND						
ROL	0.007	ND	ND						
IMENE	0.007		ND						
EGONE	0.007		ND						
BINENE	0.007		ND						
BINENE HYDRATE	0.007		ND						
TAL TERPENES	0.007		ND						
AL TERPINEOL	0.007		ND						
LENCENE	0.007		ND						
	0.007		ND						
PHA-CEDRENE PHA-HUMULENE	0.007	ND	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino Lab Director

Signature 02/20/24



4131 SW 47th AVENUE SUITE 1408

Kaycha Labs

..... Natural Agave Tincture (2oz) Natural Agave Matrix : Derivative



Type: Products for oral administration (pills, capsules, tinctures, and similar usable products)

Certificate of Analysis

FLUENT

5540 W. Executive Drive Tampa, FL, 33609, US Telephone: (305) 900-6266 Email: Taylor.lones@getfluent.com

DAVIE, FL, 33314, US

(954) 368-7664

Sample : DA40217003-004 Harvest/Lot ID: 8353 0474 7077 1414

Batch#: 8353 0474 7077 1414 Sampled : 02/17/24 Ordered : 02/17/24

Sample Size Received : 150 gram Total Amount : 996 units Completed : 02/20/24 Expires: 02/20/25 Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	30	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	3	PASS	ND	PACLOBUTRAZOL	0.010	maa	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	1	PASS	ND	PHOSMET	0.010	ppm	0.2	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	1	PASS	ND	PIPERONYL BUTOXIDE		ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	3	PASS	ND			ppm	0.4	PASS	ND
TOTAL SPINOSAD	0.010	ppm	3	PASS	ND	PRALLETHRIN				PASS	
ABAMECTIN B1A	0.010	ppm	0.3	PASS	ND	PROPICONAZOLE		ppm	1		ND
ACEPHATE	0.010	ppm	3	PASS	ND	PROPOXUR		ppm	0.1	PASS	ND
ACEQUINOCYL	0.010	ppm	2	PASS	ND	PYRIDABEN	0.010	ppm	3	PASS	ND
ACETAMIPRID	0.010	ppm	3	PASS	ND	SPIROMESIFEN	0.010	ppm	3	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	3	PASS	ND
AZOXYSTROBIN	0.010	ppm	3	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	3	PASS	ND	TEBUCONAZOLE	0.010	ppm	1	PASS	ND
BIFENTHRIN	0.010	ppm	0.5	PASS	ND	THIACLOPRID		ppm	0.1	PASS	ND
BOSCALID	0.010	ppm	3	PASS	ND	THIACLOFKID		ppm	1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND				3	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN		ppm			
CHLORANTRANILIPROLE	0.010	ppm	3	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010		0.2	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	3	PASS	ND	PARATHION-METHYL *	0.010		0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CAPTAN *	0.070	PPM	3	PASS	ND
CLOFENTEZINE	0.010	ppm	0.5	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND	CYFLUTHRIN *	0.050	PPM	1	PASS	ND
DIAZINON	0.010	ppm	3	PASS	ND	CYPERMETHRIN *	0.050	PPM	1	PASS	ND
DICHLORVOS	0.010		0.1	PASS	ND	Analyzed by: Weight:	Ev	traction date:		Extracte	ad bur
DIMETHOATE	0.010	ppm	0.1	PASS	ND	4056, 3379, 53, 1440 0.2144g		/17/24 15:57:2		4056	su by.
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), S).
ETOFENPROX	0.010		0.1	PASS	ND	SOP.T.40.102.FL (Davie)					
ETOXAZOLE	0.010	ppm	1.5	PASS	ND	Analytical Batch : DA069523PES		Reviewed Or			
FENHEXAMID	0.010	ppm	3	PASS	ND	Instrument Used :DA-LCMS-003 (PES)		Batch Date :	02/17/24 11:	09:48	
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Analyzed Date :02/17/24 15:06:57					
FENPYROXIMATE	0.010	ppm	2	PASS	ND	Dilution : 250 Reagent : 021324.R16; 040423.08; 021524.R14; 0	121024 003	021524 P13-	021324 P05	021/2/ 015	
FIPRONIL	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW	/21024.1105	, 021324.1(13,	021524.1(05)	, 021424.1115	
FLONICAMID	0.010	ppm	2	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FLUDIOXONIL	0.010	ppm	3	PASS	ND	Testing for agricultural agents is performed utilizing I	iquid Chron	natography Trip	le-Quadrupol	e Mass Spectron	netry in
HEXYTHIAZOX	0.010	ppm	2	PASS	ND	accordance with F.S. Rule 64ER20-39.					
IMAZALIL	0.010	ppm	0.1	PASS	ND	Analyzed by: Weight:		raction date:		Extracte	d by:
IMIDACLOPRID	0.010	ppm	1	PASS	ND	450, 4395, 53, 1440 0.2144g		17/24 15:57:24		4056	
KRESOXIM-METHYL	0.010	ppm	1	PASS	ND	Analysis Method :SOP.T.30.151.FL (Gainesville), S					
MALATHION	0.010	ppm	2	PASS	ND	Analytical Batch : DA069524VOL Instrument Used : DA-GCMS-001		eviewed On : 0 atch Date : 02/			
METALAXYL	0.010		3	PASS	ND	Analyzed Date :02/19/24 15:17:42	Do	atti pate 102/	1/24 11.11.	20	
METHIOCARB	0.010	ppm	0.1	PASS	ND	Dilution : 250					
METHOMYL	0.010	ppm	0.1	PASS	ND	Reagent : 021324.R16; 040423.08; 021424.R18; 0)21424.R19				
MEVINPHOS	0.010	T. D.	0.1	PASS	ND	Consumables : 326250IW; 14725401					
MYCLOBUTANIL	0.010	ppm	3	PASS	ND	Pipette : DA-080; DA-146; DA-218					
NALED	0.010	ppm	0.5	PASS	ND	Testing for agricultural agents is performed utilizing (Gas Chroma	tography Triple	-Quadrupole I	Mass Spectrome	try in
						accordance with F.S. Rule 64ER20-39.					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 02/20/24

PASSED

PASSED



usable products)

Natural Agave Tincture (2oz) Natural Agave Matrix : Derivative



4131 SW 47th AVENUE SUITE 1408 Type: Products for oral administration (pills, capsules, tinctures, and similar **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

1414

Sample : DA40217003-004 Harvest/Lot ID: 8353 0474 7077 1414

Batch#: 8353 0474 7077

Sampled : 02/17/24

Ordered : 02/17/24

PASSED

PASSED

Page 4 of 6

Л

5540 W. Executive Drive Tampa, FL, 33609, US

Telephone: (305) 900-6266

Email: Taylor.Jones@getfluent.com

FLUENT

Residual Solvents

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
THANOL	500.000	ppm		TESTED	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
THYL ETHER	50.000	ppm	500	PASS	ND
THYLENE OXIDE	0.500	ppm	5	PASS	ND
IEPTANE	500.000	ppm	5000	PASS	ND
IETHANOL	25.000	ppm	250	PASS	ND
I-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
OLUENE	15.000	ppm	150	PASS	ND
FOTAL XYLENES	15.000	ppm	150	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND
Analyzed by: 350, 4395, 53, 1440	Weight: 0.0286g	Extraction d 02/20/24 14			Extracted by: 850
Analysis Method : SOP.T.40.041.FL Analytical Batch : DA069568SOL Instrument Used : DA-GCMS-003 Analyzed Date : 02/20/24 14:22:58			l On : 02/20/24 14:40:15 te : 02/19/24 11:12:40		
Dilution : 1					

Sample Size Received : 150 gram

Sample Method : SOP.T.20.010

Completed : 02/20/24 Expires: 02/20/25

Total Amount : 996 units

Dilution: 1

Reagent : N/A Consumables : R2017.167; G201.062 Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino Lab Director

Signature 02/20/24



usable products)

Natural Agave Tincture (2oz) Natural Agave Matrix : Derivative



4131 SW 47th AVENUE SUITE 1408 Type: Products for oral administration (pills, capsules, tinctures, and similar

Certificate of Analysis

PASSED

FLUENT

5540 W. Executive Drive Tampa, FL, 33609, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com

DAVIE, FL, 33314, US

(954) 368-7664

Sample : DA40217003-004 Harvest/Lot ID: 8353 0474 7077 1414 Batch#: 8353 0474 7077

1414 Sampled : 02/17/24 Ordered : 02/17/24 Sample Size Received : 150 gram Total Amount : 996 units Completed : 02/20/24 Expires: 02/20/25 Sample Method : SOP.T.20.010

Page 5 of 6

Ċ,	Microb	oial			PAS	SED	သို့	Мусо	otoxin	S			PAS	SED
Analyte		LOD	Units	Result	Pass / Fail	Action Level	Analyte			LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLU	S TERREUS			Not Present	PASS		AFLATOXIN	32		0.002	ppm	ND	PASS	0.02
ASPERGILLU	S NIGER			Not Present	PASS		AFLATOXIN	31		0.002	ppm	ND	PASS	0.02
ASPERGILLU	S FUMIGATUS			Not Present	PASS		OCHRATOXII	A		0.002	ppm	ND	PASS	0.02
ASPERGILLU	S FLAVUS			Not Present	PASS		AFLATOXIN	G1		0.002	ppm	ND	PASS	0.02
SALMONELL	A SPECIFIC GENE			Not Present	PASS		AFLATOXIN	52		0.002	ppm	ND	PASS	0.02
ECOLI SHIGE	LLA			Not Present	PASS		Analyzed by:		Weigh	t: Extra	ction date		Extract	ed by:
TOTAL YEAS	T AND MOLD	10	CFU/g	<10	PASS	100000	4056, 3379, 43	95, 53, 1440	0.2144		/24 15:57		4056	
Analyzed by: 3390, 4395, 53			Extraction da 02/17/24 10:		Extracte 3621	d by:		d:SOP.T.30.10 L (Davie), SOP			40.101.FL	(Gainesvi	ille),	
	d:SOP.T.40.056C h:DA069513MIC	, SOP.T.40.05	8.FL, SOP.T.4		ed On : 02	/20/24	Instrument Us	h:DA069525№ ed:N/A :02/17/24 15:0			ved On : 0 Date : 02/			
Biosystems The DA-020,fisherb Isotemp Heat E	ed : PathogenDx Sc ermocycler DA-010 orand Isotemp Heat Block DA-021 : 02/19/24 13:19:5),fisherbrand t Block DA-04	Isotemp Hea	t Block 09:18:5	ate : 02/1	//24	021424.R15 Consumables :	324.R16; 04042 326250IW 93; DA-094; DA		.R14; 02102	4.R03; 02	1524.R13	; 021324.	R05;
Dilution : N/A Reagent : 0109 Consumables : Pipette : N/A	924.52; 010924.56; 7568004002	; 020724.R22	; 083123.10	9				ing utilizing Liqui n F.S. Rule 64ER2		hy with Triple	-Quadrupol	e Mass Spe	ectrometry	in
Analyzed by: 3336, 3390, 43	95, 53, 1440	Weight: 1.1794g	Extractio 02/17/24	n date: 10:54:58	Extract 3621	ed by:	Hg	Heav	y Met	als			PAS	SED
Analytical Batc	d:SOP.T.40.208 (h:DA069522TYM d:Incubator (25-2		Revi	ewed On : 02/20			Metal			LOD	Units	Result	Pass / Fail	Action Level
	: 02/17/24 15:28:0		вато	:h Date : 02/17/2	.4 IU.33:3	1	TOTAL CONT	AMINANT LOA	D METALS	0.080	ppm	ND	PASS	5
Dilution : N/A							ARSENIC			0.020	ppm	ND	PASS	1.5
	24.52; 010924.56;	; 012524.R09					CADMIUM			0.020	ppm	ND	PASS	0.5
Consumables :							MERCURY			0.020	ppm	ND	PASS	3
Pipette : N/A							LEAD			0.020	ppm	ND	PASS	0.5
	mold testing is perfor F.S. Rule 64ER20-39		PN and traditi	onal culture based	techniques	in	Analyzed by: 1022, 4395, 53	, 1440	Weight: 0.2615g	Extraction 02/17/24			Extracted 1022,430	
							Analytical Bate	od:SOP.T.30.08 h:DA069515H ed:DA-ICPMS-0 :02/19/24 12:1	EA 04	Reviewe	ed On : 02/ ate : 02/17			
							Dilution : 50							

Reagent: 020724.R07; 021924.R03; 020824.R15; 021924.R01; 021924.R02; 020524.01; 021324.R02

Consumables : 179436; 34623011; 210508058 Pipette : DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino Lab Director

Signature 02/20/24



4131 SW 47th AVENUE SUITE 1408

Filth/Foreign Material

Kaycha Labs

Page 6 of 6

..... Natural Agave Tincture (2oz) Natural Agave Matrix : Derivative



Type: Products for oral administration (pills, capsules, tinctures, and similar usable products)

Certificate of Analysis

PASSED

FLUENT

5540 W. Executive Drive Tampa, FL, 33609, US Telephone: (305) 900-6266 Email: Taylor.lones@getfluent.com

DAVIE, FL, 33314, US

(954) 368-7664

Sample : DA40217003-004 Harvest/Lot ID: 8353 0474 7077 1414 Batch#: 8353 0474 7077 1414 Sampled : 02/17/24

Batch Date : 02/17/24 10:50:33

Analyte Filth and Foreign Materia	LOD 0.100	Units %	Result ND	P/F PASS	Action Level
Analyzed by: 1665, 53, 1440	Weight: NA	Extraction N/A	n date:	Extra N/A	cted by:
Analysis Method : SOP.T.40.0 Analytical Batch : DA069555 Instrument Used : N/A Analyzed Date : N/A			d On : 02/19/2 te : 02/19/24		5
Dilution : N/A Reagent : N/A Consumables : N/A					
Filth and foreign material inspect technologies in accordance with			spection utilizir	ng naked eye	e and microscope
Pipette : N/A Filth and foreign material inspect technologies in accordance with Wate	F.S. Rùle 64ER20- er Activ	vity Units	Result	PA:	SSED
Pipette : N/A Filth and foreign material inspect technologies in accordance with	F.S. Rule 64ER20-	vity Units	Result 0.616	P/F TESTED	

Analytical Batch : DA069520WAT Instrument Used : DA-028 Rotronic Hygropalm Analyzed Date : 02/17/24 16:46:24 Dilution : N/A Reagent : 111423.05 Consumables : PS-14 Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 02/20/24

Ordered : 02/17/24

PASSED

Sample Size Received : 150 gram Total Amount : 996 units Completed : 02/20/24 Expires: 02/20/25 Sample Method : SOP.T.20.010