

## **Kaycha Labs**

Miami Vibes Cartridge Concentrate 1g (90%)

Miami Vibes



# **Certificate of Analysis**

COMPLIANCE FOR RETAIL

Sample: DA40222003-003 Harvest/Lot ID: 4709 3385 2540 6645

Batch#: 4709 3385 2540 6645

**Cultivation Facility: Tampa Cultivation Processing Facility: Tampa Processing** 

**Source Facility: Tampa Cultivation** Seed to Sale# 7947 0651 6772 7803

Batch Date: 09/29/23

Sample Size Received: 16 gram Total Amount: 1983 units

> Retail Product Size: 1 gram **Ordered:** 02/21/24 Sampled: 02/22/24

> > **Completed:** 02/24/24

Sampling Method: SOP.T.20.010

**PASSED** 

Feb 24, 2024 | FLUENT

5540 W. Executive Drive Tampa, FL, 33609, US



Pages 1 of 6

PRODUCT IMAGE

SAFETY RESULTS





Heavy Metals



Microbials Mycotoxins PASSED



Residuals Solvents PASSED



Filth



Water Activity



Moisture



MISC.

Terpenes TESTED

**PASSED** 



### Cannabinoid

**Total THC** 

90.367% Total THC/Container: 903.67 mg



**Total CBD** 0.250%

Total CBD/Container: 2.50 mg



**Total Cannabinoids** 

Total Cannabinoids/Container: 935.25

mg THCA THCV CBD CBDA D8-THC CRG CRGA CRN CRDV CRC 0.684 90.260 0.123 0.250 ND 0.363 ND 0.155 0.623 ND 1.067 902.60 ND ND 6.84 6.23 ND 1.23 2.50 3.63 1.55 10.67 ma/unit 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 LOD % % % % % % % % % % %

Extracted by: Analyzed by: 3335, 1665, 53, 1440 Weight: Extraction date: 02/22/24 14:01:11

Analysis Method: SOP.T.40.031, SOP.T.30.031
Analytical Batch: DA069671POT Instrument Used: DA-LC-007 Analyzed Date: 02/22/24 14:11:49

Reagent: 013024.R02; 060723.24; 020724.R04 Consumables: 947.109; 34623011; CE0123; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

Reviewed On: 02/24/24 09:34:09 Batch Date: 02/22/24 10:35:31

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

#### **Vivian Celestino**

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164



### **Kaycha Labs**

Miami Vibes Cartridge Concentrate 1g (90%)

Miami Vibes

Matrix : Derivative Type: Distillate



# **Certificate of Analysis**

**PASSED** 

ELLIENT

5540 W. Executive Drive Tampa, FL, 33609, US **Telephone:** (305) 900-6266 **Email:** Taylor.lones@getfluent.com Sample : DA40222003-003 Harvest/Lot ID: 4709 3385 2540 6645

Batch#: 4709 3385 2540

Sampled: 02/22/24 Ordered: 02/22/24 Sample Size Received: 16 gram
Total Amount: 1983 units

Completed: 02/24/24 Expires: 02/24/25 Sample Method: SOP.T.20.010

Page 2 of 6



## **Terpenes**

**TESTED** 

Terpenes	LOD (%)	mg/uni	t %	Result (%)	Terpenes		LC (%		mg/unit	%	Result (%)
TOTAL TERPENES	0.007	40.25	4.025		ALPHA-CEDRE	IE	0.0	07	ND	ND	
LIMONENE	0.007	20.41	2.041		ALPHA-HUMUL	ENE	0.0	07	ND	ND	
LINALOOL	0.007	7.90	0.790		ALPHA-PHELLA	NDRENE	0.0	07	ND	ND	
ALPHA-PINENE	0.007	3.15	0.315		ALPHA-TERPIN	ENE	0.0	07	ND	ND	
ALPHA-BISABOLOL	0.007	3.11	0.311		BETA-CARYOP	IYLLENE	0.0	07	ND	ND	
BETA-PINENE	0.007	1.76	0.176		BETA-MYRCEN		0.0	07	ND	ND	
FARNESENE	0.001	1.23	0.123		CIS-NEROLIDO		0.0	07	ND	ND	
GERANIOL	0.007	1.12	0.112		TRANS-NEROL	DOL	0.0	07	ND	ND	
ALPHA-TERPINOLENE	0.007	0.57	0.057		Analyzed by:	V	Veight:		Extraction d	ate:	Extracted by:
CAMPHENE	0.007	0.28	0.028		795, 1665, 1440	0	1.229g		02/24/24 01		795
GAMMA-TERPINENE	0.007	0.28	0.028			SOP.T.30.061A.FL, SOP.T.4	10.061A.FL				
CARYOPHYLLENE OXIDE	0.007	0.22	0.022		Analytical Batch Instrument Used						)2/24/24 09:33:56 /22/24 13:52:37
GERANYL ACETATE	0.007	0.22	0.022		Analyzed Date :				Battr	Date: UZ	/22/24 13:52:37
TOTAL TERPINEOL	0.007	< 0.20	< 0.020		Dilution: 10						
3-CARENE	0.007	ND	ND		Reagent : N/A						
BORNEOL	0.013	ND	ND		Consumables : N	A					
CAMPHOR	0.007	ND	ND		Pipette : N/A						
CEDROL	0.007	ND	ND		Terpenoid testing i	performed utilizing Gas Chrom	natograpny mass	Spectron	netry. For all	riower sam	ples, the Total Terpenes % is dry-weight corrected.
EUCALYPTOL	0.007	ND	ND								
FENCHONE	0.007	ND	ND								
FENCHYL ALCOHOL	0.007	ND	ND								
GUAIOL	0.007	ND	ND								
HEXAHYDROTHYMOL	0.007	ND	ND								
ISOBORNEOL	0.007	ND	ND								
ISOPULEGOL	0.007	ND	ND								
NEROL	0.007	ND	ND								
OCIMENE	0.007	ND	ND								
PULEGONE	0.007	ND	ND								
SABINENE	0.007	ND	ND								
SABINENE HYDRATE	0.007	ND	ND								
VALENCENE	0.007	ND	ND								
T . I . I (0/)			4 005								

Total (%) 4.025

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

### **Vivian Celestino**

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



### **Kaycha Labs**

Miami Vibes Cartridge Concentrate 1g (90%)

Miami Vibes Matrix: Derivative

Type: Distillate



# **Certificate of Analysis**

**PASSED** 

5540 W. Executive Drive Tampa, FL, 33609, US Telephone: (305) 900-6266 Email: Taylor.lones@getfluent.com Sample : DA40222003-003 Harvest/Lot ID: 4709 3385 2540 6645

Batch#: 4709 3385 2540

Sampled: 02/22/24 Ordered: 02/22/24

Sample Size Received: 16 gram Total Amount: 1983 units Completed: 02/24/24 Expires: 02/24/25

Sample Method: SOP.T.20.010

Page 3 of 6



### **Pesticides**

### **PASSED**

esticide		Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Resul
OTAL CONTAMINANT LOAD (PESTICIDES)	0.010		5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
OTAL DIMETHOMORPH	0.010		0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
OTAL PERMETHRIN	0.010	1.1.	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
OTAL PYRETHRINS	0.010		0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
OTAL SPINETORAM	0.010		0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
OTAL SPINOSAD	0.010		0.1	PASS	ND	PROPICONAZOLE	0.010		0.1	PASS	ND
BAMECTIN B1A	0.010		0.1	PASS	ND		0.010		0.1	PASS	ND
CEPHATE	0.010		0.1	PASS	ND	PROPOXUR					
EQUINOCYL	0.010		0.1	PASS	ND	PYRIDABEN	0.010		0.2	PASS	ND
ETAMIPRID	0.010		0.1	PASS	ND	SPIROMESIFEN	0.010		0.1	PASS	ND
DICARB	0.010		0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
OXYSTROBIN	0.010		0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
ENAZATE	0.010	P. P.	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
ENTHRIN	0.010		0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
SCALID	0.010		0.1	PASS	ND	THIAMETHOXAM	0.010		0.5	PASS	ND
RBARYL	0.010	P. P.	0.5	PASS	ND	TRIFLOXYSTROBIN	0.010		0.1	PASS	ND
RBOFURAN	0.010	1.1.	0.1	PASS	ND		0.010		0.15	PASS	ND
LORANTRANILIPROLE	0.010		1	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *				PASS	
LORMEQUAT CHLORIDE	0.010		1	PASS	ND	PARATHION-METHYL *	0.010		0.1		ND
LORPYRIFOS	0.010		0.1	PASS	ND	CAPTAN *	0.070		0.7	PASS	ND
DFENTEZINE	0.010		0.2	PASS	ND	CHLORDANE *	0.010		0.1	PASS	ND
UMAPHOS	0.010		0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
MINOZIDE	0.010		0.1	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
AZINON	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
CHLORVOS	0.010		0.1	PASS	ND	Analyzed by: Weight:	Ev	traction date		Extract	ad hv
METHOATE	0.010		0.1	PASS	ND	<b>3379, 53, 1665, 1440</b> 0.2964a		/22/24 14:35:		3379	cu by.
HOPROPHOS	0.010	1.1.	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SO					).
DFENPROX	0.010		0.1	PASS	ND	SOP.T.40.102.FL (Davie)				,	
OXAZOLE	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA069679PES			n:02/23/24 1		
NHEXAMID	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)		Batch Date	:02/22/24 10	53:15	
NOXYCARB	0.010		0.1	PASS	ND	Analyzed Date : 02/22/24 14:43:22					
NPYROXIMATE	0.010	ppm	0.1	PASS	ND	Dilution: 250 Reagent: 022024.R04; 040423.08; 022124.R12; 02	22124 000	· 021524 D13	- 021324 PAE	. 022124 007	
PRONIL	0.010	ppm	0.1	PASS	ND	Consumables: 326250IW	.z.z4.nU9	, UZIDZ4.KI	, 021324.RU3	, UZZIZ4.NU/	
ONICAMID	0.010		0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
UDIOXONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Li	quid Chron	natography Tr	iple-Quadrupo	e Mass Spectror	netry in
XYTHIAZOX	0.010	ppm	0.1	PASS	ND	accordance with F.S. Rule 64ER20-39.		,			-
AZALIL	0.010	P. P.	0.1	PASS	ND	Analyzed by: Weight:		raction date		Extracte	ed by:
IDACLOPRID	0.010	ppm	0.4	PASS	ND	<b>450, 53, 1665, 1440</b> 0.2964g		22/24 14:35:0		3379	
ESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SO					
LATHION	0.010	ppm	0.2	PASS	ND	Analytical Batch : DA069680VOL			02/23/24 11:0		
TALAXYL	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-010 Analyzed Date : 02/22/24 16:01:27	Ва	ate:0.	2/22/24 10:54	.40	
THIOCARB	0.010	ppm	0.1	PASS	ND	Dilution: 250					
THOMYL	0.010	ppm	0.1	PASS	ND	Reagent: 022024.R04; 040423.08; 021424.R18; 02	1424.R19				
VINPHOS	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW; 14725401					
YCLOBUTANIL	0.010	ppm	0.1	PASS	ND	Pipette: DA-080; DA-146; DA-218					
LED	0.010	ppm	0.25	PASS	ND	Testing for agricultural agents is performed utilizing G accordance with F.S. Rule 64ER20-39.	as Chroma	tography Trip	e-Quadrupole	Mass Spectrome	try in

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

### **Vivian Celestino**

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



### **Kaycha Labs**

Miami Vibes Cartridge Concentrate 1g (90%)

Miami Vibes Matrix: Derivative Type: Distillate



# **Certificate of Analysis**

**PASSED** 

5540 W. Executive Drive Tampa, FL, 33609, US Telephone: (305) 900-6266 Email: Taylor.lones@getfluent.com Sample : DA40222003-003 Harvest/Lot ID: 4709 3385 2540 6645

Batch#: 4709 3385 2540

6645 Sampled: 02/22/24 Ordered: 02/22/24 Sample Size Received: 16 gram Total Amount: 1983 units

Completed: 02/24/24 Expires: 02/24/25 Sample Method: SOP.T.20.010

Page 4 of 6



### **Residual Solvents**

**PASSED** 

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND
Analyzed by: 850, 53, 1665, 1440	<b>Weight:</b> 0.0287g	<b>Extraction da</b> 02/23/24 13:			Extracted by: 850

Analysis Method : SOP.T.40.041.FL Analytical Batch : DA069696SOL Instrument Used: DA-GCMS-002 **Analyzed Date :**  $02/22/24\ 16:12:40$ 

Dilution: 1

 $\textbf{Reagent:} \ \, \textbf{N/A}$ Consumables: G201.062; G201.062 **Pipette :** DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

Reviewed On: 02/23/24 14:13:17 Batch Date: 02/22/24 15:43:24

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

### **Vivian Celestino**

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



### **Kaycha Labs**

Miami Vibes Cartridge Concentrate 1g (90%)

Miami Vibes

Matrix: Derivative Type: Distillate



# **Certificate of Analysis**

PASSED

5540 W. Executive Drive Tampa, FL, 33609, US Telephone: (305) 900-6266 Email: Taylor.lones@getfluent.com Sample : DA40222003-003 Harvest/Lot ID: 4709 3385 2540 6645

Batch#: 4709 3385 2540

6645 Sampled: 02/22/24 Ordered: 02/22/24 Sample Size Received: 16 gram Total Amount: 1983 units Completed: 02/24/24 Expires: 02/24/25

Sample Method: SOP.T.20.010

Page 5 of 6



### **Microbial**



### **PASSED**

Analyte	LOD	Units	Result	Pass / Fail	Action Level	1
ASPERGILLUS TERREUS			Not Present	PASS		1
ASPERGILLUS NIGER			Not Present	PASS		I
ASPERGILLUS FUMIGATUS			Not Present	PASS		(
ASPERGILLUS FLAVUS			Not Present	PASS		1
SALMONELLA SPECIFIC GENE			Not Present	PASS		I
ECOLI SHIGELLA			Not Present	PASS		Δ
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000	3

Analyzed by: Weight: Extraction date: Extracted by: 3336, 3621, 53, 1665, 1440 02/22/24 10:47:32 1.2g

Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL

Analytical Batch: DA069659MIC

Reviewed On: 02/23/24

Batch Date: 02/22/24

Instrument Used: PathogenDx Scanner DA-111.Applied Biosystems Thermocycler DA-010, fisherbrand Isotemp Heat Block 09:09:06

DA-020, fisherbrand Isotemp Heat Block DA-049, Fisher Scientific Isotemp Heat Block DA-021

Analyzed Date: 02/22/24 13:12:58

Dilution: N/A

**Reagent :** 010924.52; 010924.64; 010924.74; 020724.R22; 100223.12

Consumables: 7569001023

Pipett

Pipette : N/A				_ 1
Analyzed by: 3336, 3621, 1665, 1440	Weight: 1.2g	Extraction date: 02/22/24 10:47:32	Extracted by: 3621	_ Ц
Analysis Method : SOP.T.40.2	208 (Gainesville)	), SOP.T.40.209.FL		Met

Analytical Batch : DA069670TYM Instrument Used : Incubator (25-27\*C) DA-096

Dilution: N/A **Reagent :** 010924.52; 010924.64; 010924.74; 012524.R09

Consumables : N/A Pipette : N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

**Analyzed Date :** 02/22/24 11:46:38

Reviewed On: 02/24/24 12:08:15 Batch Date: 02/22/24 10:21:41

# **Mycotoxins**

		LOD	Units	Result	Pass / Fail	Action Level
2		0.002	ppm	ND	PASS	0.02
1		0.002	ppm	ND	PASS	0.02
Α		0.002	ppm	ND	PASS	0.02
1		0.002	ppm	ND	PASS	0.02
i2		0.002	ppm	ND	PASS	0.02
1440	<b>Weight:</b> 0.2964g				Extracte 3379	d by:
	1 A 31 32	11 A 31 32 Weight:	22 0.002 21 0.002 21 0.002 21 0.002 22 0.002 Weight: Extraction	22 0.002 ppm 11 0.002 ppm 1A 0.002 ppm 11 0.002 ppm 12 0.002 ppm 12 0.002 ppm	12	Fail

Analysis Method: SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville),

SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)

Analytical Batch : DA069689MYC Reviewed On: 02/23/24 11:06:56 Instrument Used: N/A Batch Date: 02/22/24 12:05:27

**Analyzed Date:** 02/22/24 14:43:30 Dilution: 250

Reagent: 022024.R04; 040423.08; 022124.R12; 022124.R09; 021524.R13; 021324.R05;

022124.R07 Consumables: 326250IW

Pipette: DA-093; DA-094; DA-219

 $My cotoxins\ testing\ utilizing\ Liquid\ Chromatography\ with\ Triple-Quadrupole\ Mass\ Spectrometry\ in\ accordance\ with\ F.S.\ Rule\ 64ER20-39.$ 



# **Heavy Metals**

Metal		LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOA	D METALS	0.080	ppm	ND	PASS	1.1
ARSENIC		0.020	ppm	ND	PASS	0.2
CADMIUM		0.020	ppm	ND	PASS	0.2
MERCURY		0.020	ppm	ND	PASS	0.2
LEAD		0.020	ppm	ND	PASS	0.5
Analyzed by: 1022, 53, 1665, 1440	Weight: 0.2555g	Extraction date: 02/22/24 12:12:04		Extracted by: 1022		

Analysis Method: SOP.T.30.082.FL, SOP.T.40.082.FL

Reviewed On: 02/23/24 10:29:00 Analytical Batch : DA069665HEA Instrument Used : DA-ICPMS-004 Batch Date: 02/22/24 10:00:37 Analyzed Date: 02/23/24 10:10:52

Dilution: 50

Reagent: 020724.R07; 021924.R03; 022124.R13; 021924.R01; 021924.R02; 020524.01;

021324.R02

Consumables: 179436; 34623011; 210508058

Pipette: DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

#### **Vivian Celestino**

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



### **Kaycha Labs**

Miami Vibes Cartridge Concentrate 1g (90%)

Miami Vibes

Matrix: Derivative Type: Distillate



# **Certificate of Analysis**

PASSED

5540 W. Executive Drive Tampa, FL, 33609, US Telephone: (305) 900-6266 Email: Taylor.lones@getfluent.com Sample : DA40222003-003 Harvest/Lot ID: 4709 3385 2540 6645

Batch#: 4709 3385 2540

6645 Sampled: 02/22/24 Ordered: 02/22/24 Sample Size Received: 16 gram Total Amount: 1983 units Completed: 02/24/24 Expires: 02/24/25 Sample Method: SOP.T.20.010

Page 6 of 6



### Filth/Foreign **Material**

# **PASSED**

N/A

Analyte LOD Units Result P/F **Action Level** Filth and Foreign Material 0.100 % ND PASS Extraction date: Analyzed by: Weight:

N/A

Analysis Method: SOP.T.40.090

Analytical Batch : N/A Instrument Used: N/A Analyzed Date : N/A

N/A

Reviewed On: 02/23/24 15:28:34

Batch Date: N/A

Dilution: N/AReagent: N/A Consumables : N/A Pipette: N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



## **Water Activity**

Reviewed On: 02/23/24 08:36:21

Analyte	LOD	<b>Units</b>	Result	P/F	Action Level
Water Activity	0.010	aw	0.429	PASS	0.85
Analyzed by: 4444, 53, 1665, 1440	Weight: 0.949q		on date: 4 16:14:11		xtracted by:

Analysis Method: SOP.T.40.019

Analytical Batch: DA069663WAT Instrument Used : DA-324 Rotronic Hygropalm HC2-AW

Analyzed Date : 02/22/24 15:53:45

Dilution: N/A Reagent: 111423.05 Consumables: PS-14 Pipette: N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

**Vivian Celestino** 

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164