



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA40223006-001
Harvest/Lot ID: 0582 5920 0233 8695
Batch#: 0582 5920 0233 8695
Cultivation Facility: Tampa Cultivation
Processing Facility: Tampa Processing
Source Facility: Tampa Cultivation
Seed to Sale#: 8880 6579 2688 5942
Batch Date: 11/30/23
Sample Size Received: 780 gram
Total Amount: 2538 units
Retail Product Size: 61.0777 gram
Ordered: 02/22/24
Sampled: 02/23/24
Completed: 02/26/24
Sampling Method: SOP.T.20.010

Feb 26, 2024 | FLUENT

5540 W. Executive Drive
Tampa, FL, 33609, US



PASSED

Pages 1 of 5

PRODUCT IMAGE



SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals Solvents
PASSED



Filtration
PASSED



Water Activity
PASSED



Moisture
NOT TESTED



Terpenes
NOT TESTED

MISC.



Cannabinoid

PASSED



Total THC

0.170%

Total THC/Container : 103.83 mg



Total CBD

ND

Total CBD/Container : 0.00 mg



Total Cannabinoids

0.182%

Total Cannabinoids/Container : 111.16 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.170	ND	ND	ND	ND	0.006	ND	0.003	ND	ND	0.003
mg/unit	103.83	ND	ND	ND	ND	3.66	ND	1.83	ND	ND	1.83
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%	%	%	%	%	%	%	%	%	%	%	%

Analyzed by:
1665, 53, 1440

Weight:
2.8473g

Extraction date:
02/23/24 14:04:44

Extracted by:
450,1665

Analysis Method : SOP.T.40.031, SOP.T.30.031
Analytical Batch : DA069714POT
Instrument Used : DA-LC-007
Analyzed Date : 02/23/24 14:05:09

Reviewed On : 02/26/24 15:26:14
Batch Date : 02/23/24 10:44:45

Dilution : 40
Reagent : 022124.R04; 060723.24; 020724.R04
Consumables : 947.109; 280670723; CE0123; R1KB14270
Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
02/26/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Sour Green Apple Gels 10 Count
Sour Green Apple
Matrix : Edible
Type: Soft Chew



Certificate of Analysis

PASSED

FLUENT

5540 W. Executive Drive
Tampa, FL, 33609, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA40223006-001

Harvest/Lot ID: 0582 5920 0233 8695

Batch# : 0582 5920 0233
8695

Sampled : 02/23/24
Ordered : 02/23/24

Sample Size Received : 780 gram

Total Amount : 2538 units

Completed : 02/26/24 Expires: 02/26/25

Sample Method : SOP.T.20.010

Page 2 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	30	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	3	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	1	PASS	ND	PHOSMET	0.010	ppm	0.2	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	1	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	3	PASS	ND	PRALLETHRIN	0.010	ppm	0.4	PASS	ND
TOTAL SPINOSAD	0.010	ppm	3	PASS	ND	PROPICONAZOLE	0.010	ppm	1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.3	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	3	PASS	ND	PYRIDABEN	0.010	ppm	3	PASS	ND
ACEQUINOCYL	0.010	ppm	2	PASS	ND	SPIROMESIFEN	0.010	ppm	3	PASS	ND
ACETAMIPRID	0.010	ppm	3	PASS	ND	SPIROTETRAMAT	0.010	ppm	3	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	3	PASS	ND	TEBUCONAZOLE	0.010	ppm	1	PASS	ND
BIFENAZATE	0.010	ppm	3	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.5	PASS	ND	THIAMETHOXAM	0.010	ppm	1	PASS	ND
BOSCALID	0.010	ppm	3	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	3	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.2	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	3	PASS	ND	CAPTAN *	0.070	PPM	3	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	3	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.5	PASS	ND	CYFLUTHRIN *	0.050	PPM	1	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	1	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	3	PASS	ND	Analized by:	Weight:	Extraction date:	Extracted by:		
DICHLORVOS	0.010	ppm	0.1	PASS	ND	3379, 1665, 53, 1440	1.0252g	02/23/24 16:32:57	3379		
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville),					
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)					
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA069725PES		Reviewed On : 02/26/24 12:39:48			
ETOXAZOLE	0.010	ppm	1.5	PASS	ND	Instrument Used : DA-LCMS-003 (PES)		Batch Date : 02/23/24 11:25:04			
FENHEXAMID	0.010	ppm	3	PASS	ND	Analyzed Date : 02/23/24 16:40:46					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Dilution : 250					
FENPYROXIMATE	0.010	ppm	2	PASS	ND	Reagent : 022024.R04; 040423.08					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW					
FLONICAMID	0.010	ppm	2	PASS	ND	Pipette : N/A					
FLUDIOXONIL	0.010	ppm	3	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
HEXYTHIAZOX	0.010	ppm	2	PASS	ND						
IMAZALIL	0.010	ppm	0.1	PASS	ND	Analized by:	Weight:	Extraction date:	Extracted by:		
IMIDACLOPRID	0.010	ppm	1	PASS	ND	450, 1665, 53, 1440	1.0252g	02/23/24 16:32:57	3379		
KRESOXIM-METHYL	0.010	ppm	1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
MALATHION	0.010	ppm	2	PASS	ND	Analytical Batch : DA069726VOL		Reviewed On : 02/26/24 12:37:27			
METALAXYL	0.010	ppm	3	PASS	ND	Instrument Used : DA-GCMS-001		Batch Date : 02/23/24 11:26:26			
METHIOCARB	0.010	ppm	0.1	PASS	ND	Analyzed Date : 02/23/24 17:33:58					
METHOMYL	0.010	ppm	0.1	PASS	ND	Dilution : 250					
MEVINPHOS	0.010	ppm	0.1	PASS	ND	Reagent : 022024.R04; 040423.08; 021424.R18; 021424.R19					
MYCLOBUTANIL	0.010	ppm	3	PASS	ND	Consumables : 326250IW; 14725401					
NALED	0.010	ppm	0.5	PASS	ND	Pipette : DA-080; DA-146; DA-218					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
02/26/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Sour Green Apple Gels 10 Count
Sour Green Apple
Matrix : Edible
Type: Soft Chew



Certificate of Analysis

PASSED

FLUENT

5540 W. Executive Drive
Tampa, FL, 33609, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA40223006-001

Harvest/Lot ID: 0582 5920 0233 8695

Batch# : 0582 5920 0233
8695

Sampled : 02/23/24
Ordered : 02/23/24

Sample Size Received : 780 gram

Total Amount : 2538 units

Completed : 02/26/24 Expires: 02/26/25

Sample Method : SOP.T.20.010

Page 3 of 5



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

Analyzed by:
850, 1665, 53, 1440

Weight:
0.0206g

Extraction date:
02/24/24 15:45:59

Extracted by:
3605,850

Analysis Method : SOP.T.40.041.FL
Analytical Batch : DA069738SOL
Instrument Used : DA-GCMS-003
Analyzed Date : 02/23/24 14:42:39

Reviewed On : 02/26/24 14:40:55
Batch Date : 02/23/24 14:30:25

Dilution : 1
Reagent : N/A
Consumables : G201.062; G201.062
Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
02/26/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Sour Green Apple Gels 10 Count
Sour Green Apple
Matrix : Edible
Type: Soft Chew



Certificate of Analysis

PASSED

FLUENT

5540 W. Executive Drive
Tampa, FL, 33609, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA40223006-001

Harvest/Lot ID: 0582 5920 0233 8695

Batch# : 0582 5920 0233
8695

Sampled : 02/23/24
Ordered : 02/23/24



Sample Size Received : 780 gram

Total Amount : 2538 units

Completed : 02/26/24 Expires: 02/26/25

Sample Method : SOP.T.20.010

Page 4 of 5

	Microbial					PASSED						Mycotoxins					PASSED									
Analyte						LOD	Units	Result	Pass / Fail	Action Level	Analyte						LOD	Units	Result	Pass / Fail	Action Level					
ASPERGILLUS TERREUS								Not Present	PASS		AFLATOXIN B2						0.002	ppm	ND	PASS	0.02					
ASPERGILLUS NIGER								Not Present	PASS		AFLATOXIN B1						0.002	ppm	ND	PASS	0.02					
ASPERGILLUS FUMIGATUS								Not Present	PASS		OCHRATOXIN A						0.002	ppm	ND	PASS	0.02					
ASPERGILLUS FLAVUS								Not Present	PASS		AFLATOXIN G1						0.002	ppm	ND	PASS	0.02					
SALMONELLA SPECIFIC GENE								Not Present	PASS		AFLATOXIN G2						0.002	ppm	ND	PASS	0.02					
ECOLI SHIGELLA								Not Present	PASS																	
TOTAL YEAST AND MOLD						10	CFU/g	<10	PASS	100000	Analyzed by: 3379, 1665, 53, 1440						Weight: 1.0252g	Extraction date: 02/23/24 16:32:57		Extracted by: 3379						
Analyzed by: 3336, 1665, 53, 1440						Weight: 0.891g	Extraction date: 02/23/24 11:48:23		Extracted by: 3621,3390		Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)						Reviewed On : 02/26/24 12:40:44 Batch Date : 02/26/24 10:31:00									
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL											Analytical Batch : DA069805MYC															
Analytical Batch : DA069715MIC						Reviewed On : 02/26/24 14:05:24					Instrument Used : N/A						Batch Date : 02/26/24 10:31:00									
Instrument Used : PathogenDx Scanner DA-111, fisherbrand Isotemp Heat Block DA-020, fisherbrand Isotemp Heat Block DA-049, Fisher Scientific Isotemp Heat Block DA-021						Batch Date : 02/23/24 10:46:17					Dilution : 250															
Analyzed Date : 02/23/24 13:20:12											Reagent : 022024.R04; 040423.08															
Dilution : 10											Consumables : 326250IW															
Reagent : 010924.52; 010924.64; 010924.67; 022224.R10; 100223.12											Pipette : N/A															
Consumables : 7569001032											Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.															
Pipette : N/A																										
Analyzed by: 3621, 4351, 1665, 53, 1440						Weight: 0.891g	Extraction date: 02/23/24 11:48:23		Extracted by: 3621,3390		<div><div></div><div>Hg</div></div>						Heavy Metals					PASSED				
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL											Metal						LOD	Units	Result	Pass / Fail	Action Level					
Analytical Batch : DA069718TYM						Reviewed On : 02/26/24 14:03:22					TOTAL CONTAMINANT LOAD METALS						0.080	ppm	ND	PASS	5					
Instrument Used : Incubator (25-27°C) DA-097						Batch Date : 02/23/24 11:02:44					ARSENIC						0.020	ppm	ND	PASS	1.5					
Analyzed Date : 02/23/24 14:24:31											CADMIUM						0.020	ppm	ND	PASS	0.5					
Dilution : 10											MERCURY						0.020	ppm	ND	PASS	3					
Reagent : 010924.52; 010924.64; 010924.67; 012524.R09; 011924.R15											LEAD						0.020	ppm	ND	PASS	0.5					
Consumables : N/A											Analyzed by: 1022, 1665, 53, 1440						Weight: 0.2635g	Extraction date: 02/23/24 13:11:44		Extracted by: 1022						
Pipette : N/A											Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL						Reviewed On : 02/25/24 15:20:18 Batch Date : 02/23/24 10:25:40									
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.											Analytical Batch : DA069708HEA															
											Instrument Used : DA-ICPMS-004															
											Analyzed Date : 02/24/24 09:34:03															
											Dilution : 50															
											Reagent : 020724.R07; 021924.R03; 022124.R13; 021924.R01; 021924.R02; 020524.01; 021324.R02															
											Consumables : 179436; 35123025; 210508058															
											Pipette : DA-061; DA-191; DA-216															
											Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.															



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Sour Green Apple Gels 10 Count
Sour Green Apple
Matrix : Edible
Type: Soft Chew



Certificate of Analysis

PASSED

FLUENT

5540 W. Executive Drive
Tampa, FL, 33609, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA40223006-001
Harvest/Lot ID: 0582 5920 0233 8695

Batch# : 0582 5920 0233
Sample Size Received : 780 gram
8695
Total Amount : 2538 units
Sampled : 02/23/24
Completed : 02/26/24 Expires: 02/26/25
Ordered : 02/23/24
Sample Method : SOP.T.20.010

Page 5 of 5



Filth/Foreign
Material

PASSED

Homogeneity

PASSED

Amount of tests conducted : 24

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1665, 53, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A
Analysis Method : SOP.T.40.090		Reviewed On : 02/25/24 10:20:55	
Analytical Batch : DA069784FIL		Batch Date : 02/25/24 10:12:45	
Instrument Used : N/A			
Analyzed Date : N/A			

Dilution : N/A
Reagent : N/A
Consumables : N/A
Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.506	PASS	0.85

Analyzed by: 4351, 1665, 53, 1440	Weight: 7.559g	Extraction date: 02/24/24 11:22:25	Extracted by: 4351
Analysis Method : SOP.T.40.019		Reviewed On : 02/25/24 15:53:50	
Analytical Batch : DA069737WAT		Batch Date : 02/23/24 14:26:06	

Instrument Used : DA-324 Rotronic Hygropalm HC2-AW (Probe), DA-325 Rotronic Hygropalm HC2-AW (Probe), DA-326 Rotronic Hygropalm HC2-AW (Probe), DA-327 Rotronic Hygropalm HC2-AW (Probe)

Analyzed Date : N/A

Dilution : N/A
Reagent : 022024.28
Consumables : PS-14
Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Pass/Fail	Result	Action Level
TOTAL THC - HOMOGENEITY (RSD)	0.001	%	PASS	6.571	25

Analyzed by 3605, 1665, 53, 1440	Average Weight 6.317g	Extraction date : 02/23/24 14:18:52	Extracted By : 3605
-------------------------------------	--------------------------	--	------------------------

Analysis Method : SOP.T.30.111.FL, SOP.T.40.111.FL
Analytical Batch : DA069723HOM
Instrument Used : DA-LC-001 (Homo)
Reviewed On : 02/26/24 15:26:53
Batch Date : 02/23/24 11:22:48
Analyzed Date : 02/23/24 14:20:17

Dilution : 40
Reagent : 011224.01; 020724.R06; 060723.50; 020724.R02
Consumables : 947.109; 34623011; 250346; 1008741093; CE123; R1KB45277
Pipette : DA-055; DA-063; DA-067

Homogeneity testing is performed utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
02/26/24