



# Certificate of Analysis

## COMPLIANCE FOR RETAIL

Sample: DA40223006-003  
Harvest/Lot ID: 2339 9911 3391 5377  
Batch#: 2339 9911 3391 5377  
Cultivation Facility: Tampa Cultivation  
Processing Facility: Tampa Processing  
Source Facility: Tampa Cultivation  
Seed to Sale#: 4236 6450 1388 5273  
Batch Date: 11/22/23  
Sample Size Received: 16 gram  
Total Amount: 2998 units  
Retail Product Size: 1 gram  
Ordered: 02/22/24  
Sampled: 02/23/24  
Completed: 02/26/24  
Sampling Method: SOP.T.20.010

Feb 26, 2024 | FLUENT

5540 W. Executive Drive  
Tampa, FL, 33609, US



**PASSED**

Pages 1 of 6


PRODUCT IMAGE



SAFETY RESULTS



Pesticides  
**PASSED**



Heavy Metals  
**PASSED**



Microbials  
**PASSED**



Mycotoxins  
**PASSED**



Residuals Solvents  
**PASSED**



Filtration  
**PASSED**



Water Activity  
**PASSED**



Moisture  
**NOT TESTED**



Terpenes  
**TESTED**

MISC.



**Cannabinoid**

**PASSED**



Total THC  
**81.931%**  
Total THC/Container : 819.31 mg



Total CBD  
**2.636%**  
Total CBD/Container : 26.36 mg



Total Cannabinoids  
**89.111%**  
Total Cannabinoids/Container : 891.11 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	81.825	0.122	2.636	ND	0.300	1.811	ND	0.772	0.590	ND	1.055
mg/unit	818.25	1.22	26.36	ND	3.00	18.11	ND	7.72	5.90	ND	10.55
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
	%	%	%	%	%	%	%	%	%	%	%

Analyzed by:  
3335, 1665, 53, 1440

Weight:  
0.1023g

Extraction date:  
02/23/24 14:05:14

Extracted by:  
3335

Analysis Method : SOP.T.40.031, SOP.T.30.031  
Analytical Batch : DA069719POT  
Instrument Used : DA-LC-007  
Analyzed Date : 02/23/24 14:20:16

Reviewed On : 02/26/24 15:29:19  
Batch Date : 02/23/24 11:03:56

Dilution : 400  
Reagent : 022124.R04; 060723.24; 020724.R04  
Consumables : 947.109; 280670723; CE0123; R1KB14270  
Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164



Signature  
02/26/24



# Certificate of Analysis

**PASSED**

FLUENT

5540 W. Executive Drive  
Tampa, FL, 33609, US  
Telephone: (305) 900-6266  
Email: Taylor.Jones@getfluent.com

Sample : DA40223006-003

Harvest/Lot ID: 2339 9911 3391 5377

Batch# : 2339 9911 3391 5377

Sampled : 02/23/24

Ordered : 02/23/24

Sample Size Received : 16 gram

Total Amount : 2998 units

Completed : 02/26/24 Expires: 02/26/25

Sample Method : SOP.T.20.010

Page 2 of 6

Terpenes				TESTED			
Terpenes	LOD (%)	mg/unit %	Result (%)	Terpenes	LOD (%)	mg/unit %	Result (%)
TOTAL TERPENES	0.007	41.76	4.176	PULEGONE	0.007	ND	ND
BETA-CARYOPHYLLENE	0.007	13.62	1.362	SABINENE HYDRATE	0.007	ND	ND
LIMONENE	0.007	8.12	0.812	VALENCENE	0.007	ND	ND
ALPHA-BISABOLOL	0.007	3.93	0.393	ALPHA-CEDRENE	0.007	ND	ND
LINALOOL	0.007	2.96	0.296	ALPHA-PHELLANDRENE	0.007	ND	ND
BETA-PINENE	0.007	1.91	0.191	CIS-NEROLIDOL	0.007	ND	ND
BETA-MYRCENE	0.007	1.66	0.166	GAMMA-TERPINENE	0.007	ND	ND
FENCHYL ALCOHOL	0.007	1.58	0.158	TRANS-NEROLIDOL	0.007	ND	ND
ALPHA-PINENE	0.007	1.41	0.141				
CAMPHOR	0.007	1.21	0.121	Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL	Weight:	Extraction date:	Extracted by:
TOTAL TERPINEOL	0.007	1.09	0.109	795, 1665, 53, 1440	0.2077g	02/25/24 19:20:29	795
BORNEOL	0.013	0.93	0.093	Analysis Method : DA069740TER			Reviewed On : 02/25/24 19:30:00
CARYOPHYLLENE OXIDE	0.007	0.64	0.064	Instrument Used : DA-GCMS-009			Batch Date : 02/23/24 16:40:57
ALPHA-TERPINOLENE	0.007	0.53	0.053	Analysis Date : N/A			
ALPHA-HUMULENE	0.007	0.45	0.045	Dilution : 10			
CAMPHENE	0.007	0.43	0.043	Reagent : N/A			
OCIMENE	0.007	0.35	0.035	Consumables : N/A			
ISOBORNEOL	0.007	0.34	0.034	Pipette : N/A			
SABINENE	0.007	0.30	0.030	Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.			
ALPHA-TERPINENE	0.007	0.30	0.030				
3-CARENE	0.007	ND	ND				
CEDROL	0.007	ND	ND				
EUCALYPTOL	0.007	ND	ND				
FARNESENE	0.001	ND	ND				
FENCHONE	0.007	ND	ND				
GERANIOL	0.007	ND	ND				
GERANYL ACETATE	0.007	ND	ND				
GUAIOL	0.007	ND	ND				
HEXAHYDROTHYMOL	0.007	ND	ND				
ISOPULEGOL	0.007	ND	ND				
NEROL	0.007	ND	ND				
<b>Total (%)</b>			<b>4.176</b>				

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJA-  
Testing 97164

Signature  
02/26/24



# Certificate of Analysis

**PASSED**

FLUENT

5540 W. Executive Drive  
Tampa, FL, 33609, US  
Telephone: (305) 900-6266  
Email: Taylor.Jones@getfluent.com

Sample : DA40223006-003

Harvest/Lot ID: 2339 9911 3391 5377

Batch# : 2339 9911 3391  
5377

Sampled : 02/23/24

Ordered : 02/23/24

Sample Size Received : 16 gram

Total Amount : 2998 units

Completed : 02/26/24 Expires: 02/26/25

Sample Method : SOP.T.20.010

Page 3 of 6



## Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	<b>Analyzed by:</b> 3379, 1665, 53, 1440 <b>Weight:</b> 0.271g <b>Extraction date:</b> 02/23/24 16:34:50 <b>Extracted by:</b> 3379 <b>Analysis Method :</b> SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie) <b>Analytical Batch :</b> DA069722PES <b>Reviewed On :</b> 02/26/24 13:58:53 <b>Instrument Used :</b> DA-LCMS-003 (PES) <b>Batch Date :</b> 02/23/24 11:20:56 <b>Analyzed Date :</b> 02/23/24 16:40:45 <b>Dilution :</b> 250 <b>Reagent :</b> 022024.R04; 040423.08 <b>Consumables :</b> 326250IW <b>Pipette :</b> N/A Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
DICHLORVOS	0.010	ppm	0.1	PASS	ND						
DIMETHOATE	0.010	ppm	0.1	PASS	ND						
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND						
ETOFENPROX	0.010	ppm	0.1	PASS	ND						
ETOXAZOLE	0.010	ppm	0.1	PASS	ND						
FENHEXAMID	0.010	ppm	0.1	PASS	ND						
FENOXYCARB	0.010	ppm	0.1	PASS	ND						
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND						
FIPRONIL	0.010	ppm	0.1	PASS	ND						
FLONICAMID	0.010	ppm	0.1	PASS	ND						
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND						
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND						
IMAZALIL	0.010	ppm	0.1	PASS	ND						
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND						
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND						
MALATHION	0.010	ppm	0.2	PASS	ND						
METALAXYL	0.010	ppm	0.1	PASS	ND						
METHIACARB	0.010	ppm	0.1	PASS	ND						
METHOMYL	0.010	ppm	0.1	PASS	ND						
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
02/26/24



# Certificate of Analysis

**PASSED**
**FLUENT**

 5540 W. Executive Drive  
 Tampa, FL, 33609, US  
 Telephone: (305) 900-6266  
 Email: Taylor.Jones@getfluent.com

Sample : DA40223006-003

Harvest/Lot ID: 2339 9911 3391 5377

 Batch# : 2339 9911 3391  
 5377

 Sampled : 02/23/24  
 Ordered : 02/23/24

Sample Size Received : 16 gram

Total Amount : 2998 units

Completed : 02/26/24 Expires: 02/26/25

Sample Method : SOP.T.20.010

Page 4 of 6



## Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

Analyzed by: 850, 1665, 53, 1440	Weight: 0.0213g	Extraction date: 02/24/24 15:45:59	Extracted by: 3605,850
-------------------------------------	--------------------	---------------------------------------	---------------------------

Analysis Method : SOP.T.40.041.FL Analytical Batch : DA06973850L Instrument Used : DA-GCMS-003 Analyzed Date : 02/23/24 14:42:39	Reviewed On : 02/26/24 14:40:58 Batch Date : 02/23/24 14:30:25
---	---

 Dilution : 1  
 Reagent : N/A  
 Consumables : G201.062; G201.062  
 Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.



# Certificate of Analysis

**PASSED**

**FLUENT**

5540 W. Executive Drive  
Tampa, FL, 33609, US  
Telephone: (305) 900-6266  
Email: Taylor.Jones@getfluent.com

Sample : DA40223006-003  
Harvest/Lot ID: 2339 9911 3391 5377  
Batch# : 2339 9911 3391    Sample Size Received : 16 gram  
5377    Total Amount : 2998 units  
Sampled : 02/23/24    Completed : 02/26/24 Expires: 02/26/25  
Ordered : 02/23/24    Sample Method : SOP.T.20.010

Page 5 of 6

	<b>Microbial</b>	<b>PASSED</b>		<b>Mycotoxins</b>	<b>PASSED</b>
---	------------------	---------------	---	-------------------	---------------


Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ECOLI SHIGELLA			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000
<b>Analyzed by:</b> 3336, 1665, 53, 1440 <b>Weight:</b> 0.828g <b>Extraction date:</b> 02/23/24 13:19:44 <b>Extracted by:</b> 3390,3336 <b>Analysis Method :</b> SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL <b>Analytical Batch :</b> DA069717MIC <b>Reviewed On :</b> 02/26/24 15:18:57 <b>Instrument Used :</b> PathogenDx Scanner DA-111, fisherbrand Isotemp Heat Block DA-020, fisherbrand Isotemp Heat Block DA-049, Fisher Scientific Isotemp Heat Block DA-021 <b>Analyzed Date :</b> 02/23/24 13:20:11 <b>Batch Date :</b> 02/23/24 10:58:37 <b>Dilution :</b> 10 <b>Reagent :</b> 010924.52; 010924.64; 010924.67; 022224.R10; 100223.12 <b>Consumables :</b> 7569001023 <b>Pipette :</b> N/A					

Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
<b>Analyzed by:</b> 3379, 1665, 53, 1440 <b>Weight:</b> 0.271g <b>Extraction date:</b> 02/23/24 16:34:50 <b>Extracted by:</b> 3379 <b>Analysis Method :</b> SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) <b>Analytical Batch :</b> DA069815MYC <b>Reviewed On :</b> 02/26/24 13:46:34 <b>Instrument Used :</b> N/A <b>Batch Date :</b> 02/26/24 11:04:13 <b>Analyzed Date :</b> N/A <b>Dilution :</b> 250 <b>Reagent :</b> 022024.R04; 040423.08 <b>Consumables :</b> 326250IW <b>Pipette :</b> N/A					

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1
ARSENIC	0.020	ppm	ND	PASS	0.2
CADMIUM	0.020	ppm	ND	PASS	0.2
MERCURY	0.020	ppm	ND	PASS	0.2
LEAD	0.020	ppm	ND	PASS	0.5
<b>Analyzed by:</b> 3621, 4351, 1665, 53, 1440 <b>Weight:</b> 0.828g <b>Extraction date:</b> 02/23/24 13:19:44 <b>Extracted by:</b> 3390,3336 <b>Analysis Method :</b> SOP.T.40.208 (Gainesville), SOP.T.40.209.FL <b>Analytical Batch :</b> DA069730TYM <b>Reviewed On :</b> 02/26/24 14:34:42 <b>Instrument Used :</b> Incubator (25-27°C) DA-097 <b>Batch Date :</b> 02/23/24 12:36:50 <b>Analyzed Date :</b> 02/23/24 14:24:32 <b>Dilution :</b> 10 <b>Reagent :</b> 010924.52; 010924.64; 010924.67; 012524.R09; 011924.R15 <b>Consumables :</b> N/A <b>Pipette :</b> N/A					

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

	<b>Heavy Metals</b>	<b>PASSED</b>
---	---------------------	---------------

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1
ARSENIC	0.020	ppm	ND	PASS	0.2
CADMIUM	0.020	ppm	ND	PASS	0.2
MERCURY	0.020	ppm	ND	PASS	0.2
LEAD	0.020	ppm	ND	PASS	0.5
<b>Analyzed by:</b> 1022, 1665, 53, 1440 <b>Weight:</b> 0.2317g <b>Extraction date:</b> 02/23/24 13:45:57 <b>Extracted by:</b> 1022 <b>Analysis Method :</b> SOP.T.30.082.FL, SOP.T.40.082.FL <b>Analytical Batch :</b> DA069708HEA <b>Reviewed On :</b> 02/25/24 15:20:29 <b>Instrument Used :</b> DA-ICPMS-004 <b>Batch Date :</b> 02/23/24 10:25:40 <b>Analyzed Date :</b> 02/24/24 09:34:03 <b>Dilution :</b> 50 <b>Reagent :</b> 020724.R07; 021924.R03; 022124.R13; 021924.R01; 021924.R02; 020524.01; 021324.R02 <b>Consumables :</b> 179436; 35123025; 210508058 <b>Pipette :</b> DA-061; DA-191; DA-216					

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.





4131 SW 47th AVENUE SUITE 1408  
 DAVIE, FL, 33314, US  
 (954) 368-7664

Kaycha Labs

Kingdom Dreams Disposable Pen 1g  
 Kingdom Dreams  
 Matrix : Derivative  
 Type: Distillate



# Certificate of Analysis

**PASSED**

FLUENT

Sample : DA40223006-003

Harvest/Lot ID: 2339 9911 3391 5377

5540 W. Executive Drive  
 Tampa, FL, 33609, US  
 Telephone: (305) 900-6266  
 Email: Taylor.Jones@getfluent.com

Batch# : 2339 9911 3391    Sample Size Received : 16 gram  
 5377    Total Amount : 2998 units  
 Sampled : 02/23/24    Completed : 02/26/24 Expires: 02/26/25  
 Ordered : 02/23/24    Sample Method : SOP.T.20.010

Page 6 of 6

	<b>Filth/Foreign Material</b>	<b>PASSED</b>
--	-------------------------------	---------------

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1665, 53, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A
--------------------------------	---------------	-------------------------	----------------------

Analysis Method : SOP.T.40.090  
 Analytical Batch : DA069784FIL    Reviewed On : 02/25/24 10:22:56  
 Instrument Used : N/A    Batch Date : 02/25/24 10:12:45  
 Analyzed Date : N/A

Dilution : N/A  
 Reagent : N/A  
 Consumables : N/A  
 Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

	<b>Water Activity</b>	<b>PASSED</b>
--	-----------------------	---------------

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.456	PASS	0.85

Analyzed by: 4351, 1665, 53, 1440	Weight: 0.293g	Extraction date: 02/24/24 11:22:25	Extracted by: 4351
--------------------------------------	-------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.019  
 Analytical Batch : DA069737WAT    Reviewed On : 02/25/24 15:53:53  
 Batch Date : 02/23/24 14:26:06

Instrument Used : DA-324 Rotronic Hygropalm HC2-AW (Probe), DA-325 Rotronic Hygropalm HC2-AW (Probe), DA-326 Rotronic Hygropalm HC2-AW (Probe), DA-327 Rotronic Hygropalm HC2-AW (Probe)  
 Analyzed Date : N/A

Dilution : N/A  
 Reagent : 022024.28  
 Consumables : PS-14  
 Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
 Lab Director

State License # CMTL-0002  
 ISO 17025 Accreditation # ISO/IEC  
 17025:2017 Accreditation PJA-  
 Testing 97164



Signature  
 02/26/24