



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA40224004-001
Harvest/Lot ID: 5938 7512 0707 3349
Batch#: 4600 6467 9117 9341
Cultivation Facility: Tampa Cultivation
Processing Facility : Tampa Processing
Source Facility : Tampa Cultivation
Seed to Sale# 0315 7365 2774 1618
Batch Date: 11/30/23
Sample Size Received: 780 gram
Total Amount: 2536 units
Retail Product Size: 63.6933 gram
Ordered: 02/23/24
Sampled: 02/24/24
Completed: 02/27/24
Sampling Method: SOP.T.20.010

Feb 27, 2024 | FLUENT

5540 W. Executive Drive
Tampa, FL, 33609, US



PASSED

Pages 1 of 5

PRODUCT IMAGE



SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals Solvents
PASSED



Filth
PASSED



Water Activity
PASSED



Moisture
NOT TESTED



Terpenes
NOT TESTED

MISC.



Cannabinoid

PASSED



Total THC

0.157%

Total THC/Container : 100.00 mg



Total CBD

ND

Total CBD/Container : 0.00 mg



Total Cannabinoids

0.164%

Total Cannabinoids/Container : 104.46 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.157	ND	ND	ND	ND	0.005	ND	0.002	ND	ND	ND
mg/unit	100.00	ND	ND	ND	ND	3.18	ND	1.27	ND	ND	ND
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%	%	%	%	%	%	%	%	%	%	%	%

Analized by:
3335, 1665, 53, 1440

Weight:
3.0557g

Extraction date:
02/26/24 11:47:13

Extracted by:
1665,3335

Analysis Method : SOP.T.40.031, SOP.T.30.031
Analytical Batch : DA069783POT
Instrument Used : DA-LC-007
Analized Date : 02/26/24 12:15:45

Reviewed On : 02/27/24 11:12:16
Batch Date : 02/25/24 10:09:00

Dilution : 40
Reagent : 022124.R04; 060723.24; 020724.R04
Consumables : 947.100; 280670723; CE0123; R1KB14270
Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
02/27/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Original Peach Gels 10 Count

Original Peach

Matrix : Edible

Type: Soft Chew



Certificate of Analysis

PASSED

FLUENT

5540 W. Executive Drive
Tampa, FL, 33609, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA40224004-001

Harvest/Lot ID: 5938 7512 0707 3349

Batch# : 4600 6467 9117
9341

Sampled : 02/24/24

Ordered : 02/24/24

Sample Size Received : 780 gram

Total Amount : 2536 units

Completed : 02/27/24 Expires: 02/27/25

Sample Method : SOP.T.20.010

Page 2 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result		
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	30	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND		
TOTAL DIMETHOMORPH	0.010	ppm	3	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND		
TOTAL PERMETHRIN	0.010	ppm	1	PASS	ND	PHOSMET	0.010	ppm	0.2	PASS	ND		
TOTAL PYRETHRINS	0.010	ppm	1	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND		
TOTAL SPINETORAM	0.010	ppm	3	PASS	ND	PRALLETHRIN	0.010	ppm	0.4	PASS	ND		
TOTAL SPINOSAD	0.010	ppm	3	PASS	ND	PROPICONAZOLE	0.010	ppm	1	PASS	ND		
ABAMECTIN B1A	0.010	ppm	0.3	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND		
ACEPHATE	0.010	ppm	3	PASS	ND	PYRIDABEN	0.010	ppm	3	PASS	ND		
ACEQUINOCYL	0.010	ppm	2	PASS	ND	SPIROMESIFEN	0.010	ppm	3	PASS	ND		
ACETAMIPRID	0.010	ppm	3	PASS	ND	SPIROTETRAMAT	0.010	ppm	3	PASS	ND		
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND		
AZOXYSTROBIN	0.010	ppm	3	PASS	ND	TEBUCONAZOLE	0.010	ppm	1	PASS	ND		
BIFENAZATE	0.010	ppm	3	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND		
BIFENTHRIN	0.010	ppm	0.5	PASS	ND	THIAMETHOXAM	0.010	ppm	1	PASS	ND		
BOSCALID	0.010	ppm	3	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	3	PASS	ND		
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.2	PASS	ND		
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND		
CHLORANTRANILIPROLE	0.010	ppm	3	PASS	ND	CAPTAN *	0.070	PPM	3	PASS	ND		
CHLORMEQUAT CHLORIDE	0.010	ppm	3	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND		
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND		
CLOFENTEZINE	0.010	ppm	0.5	PASS	ND	CYFLUTHRIN *	0.050	PPM	1	PASS	ND		
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	1	PASS	ND		
DAMINOZIDE	0.010	ppm	0.1	PASS	ND								
DIAZINON	0.010	ppm	3	PASS	ND	Analized by:	3379, 53, 1665, 1440	Weight:	0.942g	Extraction date:	02/26/24 17:36:01	Extracted by:	3379
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analysis Method :	SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)			Reviewed On :	02/27/24 16:13:22		
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analytical Batch :	DA069813PES			Instrument Used :	DA-LCMS-003 (PES)		
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Analyzed Date :	02/26/24 17:45:48			Batch Date :	02/26/24 10:45:05		
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Dilution :	250						
ETOXAZOLE	0.010	ppm	1.5	PASS	ND	Reagent :	022024.R04; 040423.08; 022124.R12; 022124.R09; 021524.R13; 021324.R05; 022124.R07						
FENHEXAMID	0.010	ppm	3	PASS	ND	Consumables :	326250IW						
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Pipette :	DA-093; DA-094; DA-219						
FENPYROXIMATE	0.010	ppm	2	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.							
FIPRONIL	0.010	ppm	0.1	PASS	ND	Analized by:	450, 1665, 1440	Weight:	0.942g	Extraction date:	02/26/24 17:36:01	Extracted by:	3379
FLONICAMID	0.010	ppm	2	PASS	ND	Analysis Method :	SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL			Reviewed On :	02/27/24 21:16:52		
FLUDIOXONIL	0.010	ppm	3	PASS	ND	Analytical Batch :	DA069814VOL			Instrument Used :	DA-GCMS-001		
HEXYTHIAZOX	0.010	ppm	2	PASS	ND	Analyzed Date :	02/26/24 19:17:25			Batch Date :	02/26/24 10:46:55		
IMAZALIL	0.010	ppm	0.1	PASS	ND	Dilution :	250						
IMIDACLOPRID	0.010	ppm	1	PASS	ND	Reagent :	022024.R04; 040423.08; 021424.R18; 021424.R19						
KRESOXIM-METHYL	0.010	ppm	1	PASS	ND	Consumables :	326250IW; 14725401						
MALATHION	0.010	ppm	2	PASS	ND	Pipette :	DA-080; DA-146; DA-218						
METALAXYL	0.010	ppm	3	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.							
METHIOCARB	0.010	ppm	0.1	PASS	ND								
METHOMYL	0.010	ppm	0.1	PASS	ND								
MEVINPHOS	0.010	ppm	0.1	PASS	ND								
MYCLOBUTANIL	0.010	ppm	3	PASS	ND								
NALED	0.010	ppm	0.5	PASS	ND								

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
02/27/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Original Peach Gels 10 Count
Original Peach
Matrix : Edible
Type: Soft Chew



Certificate of Analysis

PASSED

FLUENT

5540 W. Executive Drive
Tampa, FL, 33609, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA40224004-001

Harvest/Lot ID: 5938 7512 0707 3349

Batch# : 4600 6467 9117
9341

Sampled : 02/24/24
Ordered : 02/24/24

Sample Size Received : 780 gram

Total Amount : 2536 units

Completed : 02/27/24 Expires: 02/27/25

Sample Method : SOP.T.20.010

Page 3 of 5



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

Analyzed by:
850, 53, 1665, 1440

Weight:
0.0228g

Extraction date:
02/26/24 12:12:27

Extracted by:
850

Analysis Method : SOP.T.40.041.FL
Analytical Batch : DA069768SOL
Instrument Used : DA-GCMS-003
Analyzed Date : 02/26/24 12:19:01

Reviewed On : 02/26/24 15:59:51
Batch Date : 02/24/24 15:15:53

Dilution : 1
Reagent : N/A
Consumables : N/A
Pipette : N/A

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
02/27/24



Certificate of Analysis

PASSED
FLUENT

 5540 W. Executive Drive
 Tampa, FL, 33609, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA40224004-001

Harvest/Lot ID: 5938 7512 0707 3349

 Batch# : 4600 6467 9117
 9341

 Sampled : 02/24/24
 Ordered : 02/24/24

Sample Size Received : 780 gram

Total Amount : 2536 units

Completed : 02/27/24 Expires: 02/27/25

Sample Method : SOP.T.20.010

Page 4 of 5

	Microbial	PASSED		Mycotoxins	PASSED
---	------------------	---------------	---	-------------------	---------------

Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ECOLI SHIGELLA			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000	Analyzed by:		Weight:		Extraction date:	
						3379, 1665, 1440	0.942g	02/26/24 17:36:01		Extracted by:	
										3379	
Analyzed by:	Weight:	Extraction date:	Extracted by:			Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville),					
4044, 3336, 53, 1665, 1440	0.9969g	02/24/24 17:52:37	3336			SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)					
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL						Analytical Batch : DA069821MYC					
Analytical Batch : DA069748MIC						Instrument Used : N/A					
Instrument Used : PathogenDx Scanner DA-111, fisherbrand						Analyzed Date : 02/26/24 17:46:04					
Isotemp Heat Block DA-020, fisherbrand Isotemp Heat Block						Dilution : 250					
DA-049, Fisher Scientific Isotemp Heat Block DA-021, APPLIED						Reagent : 022024.R04; 040423.08; 022124.R12; 022124.R09; 021524.R13; 021324.R05;					
BIOSYSTEMS THERMOCYCLER DA-254						022124.R07					
Analyzed Date : 02/26/24 09:56:41						Consumables : 326250IW					
						Pipette : DA-093; DA-094; DA-219					

 Dilution : N/A
 Reagent : 010924.52; 010924.65; 010924.66; 022224.R10; 100223.12
 Consumables : 7569001037
 Pipette : N/A

 Analyzed by: 3336, 3390, 1665, 1440
 Weight: 0.9969g
 Extraction date: 02/24/24 17:52:37
 Extracted by: 3336

 Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL
 Analytical Batch : DA069769TYM
 Instrument Used : Incubator (25-27°C) DA-096
 Analyzed Date : 02/24/24 18:31:07

 Dilution : N/A
 Reagent : 010924.52; 010924.65; 010924.66; 012524.R09; 011924.R15
 Consumables : N/A
 Pipette : N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.



Heavy Metals

PASSED

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	5
ARSENIC	0.020	ppm	ND	PASS	1.5
CADMIUM	0.020	ppm	ND	PASS	0.5
MERCURY	0.020	ppm	ND	PASS	3
LEAD	0.020	ppm	ND	PASS	0.5

 Analyzed by: 1022, 1665, 1440
 Weight: 0.25g
 Extraction date: 02/25/24 08:04:25
 Extracted by: 4306, 1022

 Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL
 Analytical Batch : DA069762HEA
 Instrument Used : DA-ICPMS-004
 Analyzed Date : 02/26/24 14:15:34

 Dilution : 50
 Reagent : 020724.R07; 022624.R03; 022124.R13; 022624.R01; 022624.R02; 020524.01; 021324.R02
 Consumables : 179436; 34623011; 210508058
 Pipette : DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Original Peach Gels 10 Count
Original Peach
Matrix : Edible
Type: Soft Chew



Certificate of Analysis

PASSED

FLUENT

5540 W. Executive Drive
Tampa, FL, 33609, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA40224004-001

Harvest/Lot ID: 5938 7512 0707 3349

Batch# : 4600 6467 9117
9341

Sampled : 02/24/24

Ordered : 02/24/24

Sample Size Received : 780 gram

Total Amount : 2536 units

Completed : 02/27/24 Expires: 02/27/25

Sample Method : SOP.T.20.010

Page 5 of 5



Filth/Foreign
Material

PASSED

Homogeneity

PASSED

Amount of tests conducted : 24

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1665, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A
----------------------------	---------------	-------------------------	----------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA069784FIL

Instrument Used : N/A

Analyzed Date : N/A

Reviewed On : 02/25/24 10:25:05

Batch Date : 02/25/24 10:12:45

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.494	PASS	0.85

Analyzed by: 4351, 4044, 53, 1665, 1440	Weight: 11.571g	Extraction date: 02/25/24 16:30:27	Extracted by: 4351,4044
--	--------------------	---------------------------------------	----------------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA069761WAT

Instrument Used : DA-324 Rotronic HygroPalm HC2-AW

(Probe)

Analyzed Date : 02/24/24 15:45:52

Reviewed On : 02/27/24 09:48:12

Batch Date : 02/24/24 13:16:24

Dilution : N/A

Reagent : 111423.05

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Pass/Fail	Result	Action Level
TOTAL THC - HOMOGENEITY (RSD)	0.001	%	PASS	10.426	25

3605, 3335, 53, 1665, 1440	Average Weight 6.448g	Extraction date : 02/24/24 16:42:03	Extracted By : 3605
----------------------------	--------------------------	--	------------------------

Analysis Method : SOP.T.30.111.FL, SOP.T.40.111.FL

Analytical Batch : DA069744HOM

Instrument Used : DA-LC-004

Analyzed Date : 02/24/24 16:43:11

Reviewed On : 02/27/24 11:12:05

Batch Date : 02/24/24 09:19:15

Dilution : 40

Reagent : 011224.01; 013024.R01; 060723.50; 020724.R04

Consumables : 947.109; 34623011; 266969; 1008815409; CE0123; R1KB45277

Pipette : DA-055; DA-063; DA-067

Dilution : 40

Reagent : 011224.01; 013024.R01; 060723.50; 020724.R04

Consumables : 947.109; 34623011; 266969; 1008815409; CE0123; R1KB45277

Pipette : DA-055; DA-063; DA-067

Homogeneity testing is performed utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
02/27/24