

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis COMPLIANCE FOR RETAIL

Kaycha Labs

..... Yuzu Euphoria Cartridges 900 mg Yuzu Euphoria Matrix: Derivative Type: Distillate



Sample:DA40224004-002 Harvest/Lot ID: 5938 7512 0707 3349 Batch#: 5938 7512 0707 3349 **Cultivation Facility: Tampa Cultivation Processing Facility : Tampa Processing Source Facility : Tampa Cultivation** Seed to Sale# 2486 0151 4929 2481 Batch Date: 12/06/23 Sample Size Received: 16 gram Total Amount: 1969 units Retail Product Size: 1 gram Ordered: 02/23/24 Sampled: 02/24/24 Completed: 02/27/24 Sampling Method: SOP.T.20.010


Pages 1 of 6

PASSED

MISC.

Feb 27, 2024 | FLUENT 5540 W. Executive Drive Tampa, FL, 33609, US

PRODUCT IMAGE SAFETY RESULTS



Consumables : 947.100; 280670723; CE0123; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164

Signature 02/27/24



Yuzu Euphoria Cartridges 900 mg Yuzu Euphoria Matrix : Derivative Type: Distillate



PASSED

TESTED

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

FLUENT

5540 W. Executive Drive Tampa, FL, 33609, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA40224004-002 Harvest/Lot ID: 5938 7512 0707 3349 Batch#: 5938 7512 0707

3349 Sampled : 02/24/24 Ordered : 02/24/24

Sample Size Received : 16 gram Total Amount : 1969 units Completed : 02/27/24 Expires: 02/27/25 Sample Method : SOP.T.20.010

Page 2 of 6

Terpenes

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes		LOD (%)	mg/unit	%	Result (%)	
OTAL TERPENES	0.007	34.19	3.419		SABINENE HYDRATE		0.007	ND	ND		
ETA-MYRCENE	0.007	17.83	1.783		VALENCENE		0.007	ND	ND		
CIMENE	0.007	7.02	0.702		ALPHA-BISABOLOL		0.007	ND	ND		
ETA-CARYOPHYLLENE	0.007	1.86	0.186		ALPHA-CEDRENE		0.007	ND	ND		
LPHA-PINENE	0.007	1.54	0.154		ALPHA-PHELLANDR	NE	0.007	ND	ND		
ARNESENE	0.001	1.20	0.120		ALPHA-TERPINENE		0.007	ND	ND		
IMONENE	0.007	0.98	0.098		CIS-NEROLIDOL		0.007	ND	ND		
ETA-PINENE	0.007	0.73	0.073		GAMMA-TERPINENE		0.007	ND	ND		
ALPHA-HUMULENE	0.007	0.68	0.068		Analyzed by:	Weight:		Extraction da	te:	E	xtracted by:
BORNEOL	0.013	0.57	0.057		1665, 53, 1440	0.2833g		02/26/24 18:			95
RANS-NEROLIDOL	0.007	0.36	0.036			T.30.061A.FL, SOP.T.40.061A.F					
INALOOL	0.007	0.35	0.035		Analytical Batch : DA0					2/27/24 13:43:44	
ENCHYL ALCOHOL	0.007	0.34	0.034		Instrument Used : DA- Analyzed Date : N/A	CM5-004		Batch	Date : 02/.	25/24 14:21:31	
UAIOL	0.007	0.28	0.028		Dilution : 10						
LPHA-TERPINOLENE	0.007	0.25	0.025		Reagent : N/A						
OTAL TERPINEOL	0.007	0.20	0.020		Consumables : N/A						
-CARENE	0.007	ND	ND		Pipette : N/A						
AMPHENE	0.007	ND	ND		Terpenoid testing is perfo	med utilizing Gas Chromatography	Mass Spect	rometry. For all I	Flower samp	les, the Total Terpenes % is dry-w	eight corrected.
AMPHOR	0.007	ND	ND								
ARYOPHYLLENE OXIDE	0.007	ND	ND								
EDROL	0.007	ND	ND								
UCALYPTOL	0.007	ND	ND								
ENCHONE	0.007	ND	ND								
ERANIOL	0.007	ND	ND								
ERANYL ACETATE	0.007	ND	ND								
EXAHYDROTHYMOL	0.007	ND	ND								
SOBORNEOL	0.007	ND	ND								
OPULEGOL	0.007	ND	ND								
EROL	0.007	ND	ND								
PULEGONE	0.007	ND	ND								
ABINENE	0.007	ND	ND								

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 02/27/24



Yuzu Euphoria Cartridges 900 mg Yuzu Euphoria Matrix : Derivative Type: Distillate



4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Certificate of Analysis

FLUENT

5540 W. Executive Drive Tampa, FL, 33609, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA40224004-002 Harvest/Lot ID: 5938 7512 0707 3349

Batch#:5938 7512 0707 3349 Sampled:02/24/24 Ordered:02/24/24 Sample Size Received :16 gram Total Amount : 1969 units Completed : 02/27/24 Expires: 02/27/25 Sample Method : SOP.T.20.010

Page 3 of 6

R
0

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET		ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE		ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND			ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PRALLETHRIN					
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE		ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PROPOXUR		ppm	0.1	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010		0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM		ppm	0.5	PASS	ND
CARBARYL	0.010		0.5	PASS	ND	TRIFLOXYSTROBIN		ppm	0.1	PASS	ND
CARBOFURAN	0.010		0.1	PASS	ND		0.010		0.15	PASS	ND
CHLORANTRANILIPROLE	0.010		1	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *					
CHLORMEQUAT CHLORIDE	0.010		1	PASS	ND	PARATHION-METHYL *	0.010		0.1	PASS	ND
CHLORPYRIFOS	0.010		0.1	PASS	ND	CAPTAN *	0.070		0.7	PASS	ND
CLOFENTEZINE	0.010		0.2	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
COUMAPHOS	0.010		0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
DAMINOZIDE	0.010		0.1	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
DIAZINON	0.010		0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DICHLORVOS	0.010		0.1	PASS	ND	Analyzed by: Weight:	Ex	traction date	:	Extracte	d by:
DIMETHOATE	0.010		0.1	PASS	ND	3379, 53, 1665, 1440 0.2504g	02	/26/24 17:44:5	55	3379	
ETHOPROPHOS	0.010		0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SO	P.T.30.10	2.FL (Davie), S	SOP.T.40.101.I	FL (Gainesville)	,
ETOFENPROX	0.010		0.1	PASS	ND	SOP.T.40.102.FL (Davie)					
ETOXAZOLE	0.010		0.1	PASS	ND	Analytical Batch : DA069806PES Instrument Used : DA-LCMS-003 (PES)			n:02/27/2413 02/26/2410:3		
FENHEXAMID	0.010		0.1	PASS	ND	Analyzed Date :02/26/24 17:45:41		Datch Date :	02/20/24 10.3	1.50	
FENOXYCARB	0.010		0.1 0.1	PASS	ND ND	Dilution : 250					
FENPYROXIMATE	0.010		0.1	PASS	ND	Reagent : 022024.R04; 040423.08; 022124.R12; 02	2124.R09	; 021524.R13;	021324.R05;	022124.R07	
FIPRONIL	0.010		0.1	PASS	ND	Consumables : 326250IW					
FLONICAMID	0.010 0.010		0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FLUDIOXONIL HEXYTHIAZOX	0.010		0.1	PASS	ND	Testing for agricultural agents is performed utilizing Lic accordance with F.S. Rule 64ER20-39.	quid Chror	natography Trij	ple-Quadrupole	Mass Spectrom	netry in
	0.010		0.1	PASS	ND	Analyzed by: Weight:	Future	tion date:		Extracted	h
	0.010		0.1	PASS	ND	450, 1665, 1440 0.2504q		24 17:44:55		3379	by:
IMIDACLOPRID KRESOXIM-METHYL	0.010		0.4	PASS	ND	Analysis Method :SOP.T.30.151.FL (Gainesville), SO			SOP T 40 151		
MALATHION	0.010		0.2	PASS	ND	Analytical Batch : DA069807VOL		eviewed On :			
MALATHION	0.010		0.2	PASS	ND	Instrument Used : DA-GCMS-010		atch Date :02			
METHIOCARB	0.010		0.1	PASS	ND	Analyzed Date :02/26/24 19:09:15					
METHOCARD	0.010		0.1	PASS	ND	Dilution : 250					
MEVINPHOS	0.010		0.1	PASS	ND	Reagent : 022024.R04; 040423.08; 021424.R18; 02 Consumables : 326250IW; 14725401	1424.K19				
MYCLOBUTANIL	0.010		0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
NALED	0.010		0.25	PASS	ND	Testing for agricultural agents is performed utilizing Ga	is Chroma	tography Triple	-Ouadrupole M	lass Spectromet	rv in
INTER	0.010	PP111	0.20			accordance with F.S. Rule 64ER20-39.		5. op.17 . inpic	- quanapole P	opeca offici	.,

Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 02/27/24

PASSED

PASSED



Page 4 of 6

Yuzu Euphoria Cartridges 900 mg Yuzu Euphoria Matrix : Derivative Type: Distillate



PASSED

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Certificate of Analysis

FLUENT

5540 W. Executive Drive Tampa, FL, 33609, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com
 Sample : DA40224004-002

 Harvest/Lot ID: 5938 7512 0707 3349

 Batch#: 5938 7512 0707

 3349

Sampled : 02/24/24 Ordered : 02/24/24 Sample Size Received :16 gram Total Amount : 1969 units Completed : 02/27/24 Expires: 02/27/25 Sample Method : SOP.T.20.010



Residual Solvents

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND
Analyzed by: 350, 53, 1665, 1440	Weight: 0.0229g	Extraction date: 02/26/24 13:36:07			Extracted by: 850
Analysis Method : SOP.T.40.041.FL Analytical Batch : DA069795SOL Instrument Used : DA-GCMS-003 Analyzed Date : 02/26/24 13:42:04			On : 02/27/24 09:31:59 te : 02/25/24 17:37:29		

Reagent : N/A Consumables : N/A Pipette : N/A

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 02/27/24

PASSED



Yuzu Euphoria Cartridges 900 mg Yuzu Euphoria Matrix : Derivative Type: Distillate



PASSED

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Certificate of Analysis

FLUENT

5540 W. Executive Drive Tampa, FL, 33609, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA40224004-002 Harvest/Lot ID: 5938 7512 0707 3349 Batch# : 5938 7512 0707 Sample

3349 Sampled : 02/24/24 Ordered : 02/24/24 Sample Size Received :16 gram Total Amount : 1969 units Completed : 02/27/24 Expires: 02/27/25 Sample Method : SOP.T.20.010

Page 5 of 6

Ċ.	Microb	ial			PAS	SED	လို့	Мус	otoxir	IS			PAS	SED
Analyte		LOD	Units	Result	Pass / Fail	Action Level	Analyte			LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLU	S TERREUS			Not Present	PASS	Level	AFLATOXIN	B2		0.002	ppm	ND	PASS	0.02
ASPERGILLU				Not Present	PASS		AFLATOXIN			0.002	ppm	ND	PASS	0.02
	S FUMIGATUS			Not Present	PASS		OCHRATOX			0.002	ppm	ND	PASS	0.02
ASPERGILLU	S FLAVUS			Not Present	PASS		AFLATOXIN	G1		0.002	ppm	ND	PASS	0.02
SALMONELL	A SPECIFIC GENE			Not Present	PASS		AFLATOXIN	G2		0.002	ppm	ND	PASS	0.02
ECOLI SHIGE	LLA			Not Present	PASS		Analyzed by:		Weight:	Extractio	n data		Extracte	d bu
TOTAL YEAS	T AND MOLD	10	CFU/g	<10	PASS	100000	3379, 53, 166	5, 1440	0.2504g		17:44:55		3379	u by.
	, 1665, 1440 od : SOP.T.40.056C, ih : DA069748MIC	Weight: 0.9809g , SOP.T.40.05		4 17:52:37 40.209.FL	Extract 3336	-	SOP.T.30.102 Analytical Bat Instrument U	.FL (Davie), SC ch:DA069818		(Davie) Revie	.40.101.FL wed On : 0 Date : 02/	2/27/24 1	1:47:19	
Isotemp Heat I DA-049,Fisher BIOSYSTEMS T Analyzed Date Dilution : N/A	ad : PathogenDx Sc Block DA-020,fisher Scientific Isotemp HERMOCYCLER DA : 02/26/24 09:56:4 924.52; 010924.65; 7569001037	rbrand Isotem Heat Block DA -254 1	np Heat Bloc A-021,APPLI	:k 09:58: ED	Date : 02/2 07	24/24	022124.R07 Consumables Pipette : DA-0 Mycotoxins tes	2024.R04; 040 : 326250IW 093; DA-094; D	uid Chromatogra					
Pipette : N/A							d h			_				
Analyzed by: 3336, 3390, 16	65, 1440	Weight: 0.9809g	Extraction 02/24/24 1		Extracto 3336	ed by:	Hg	Heav	vy Met	als			PAS	SED
Analytical Bate	od : SOP.T.40.208 (h : DA069769TYM ed : Incubator (25-2		Rev	9.FL iewed On : 02/2 ch Date : 02/24/			Metal			LOD	Units	Result	Pass / Fail	Action Level
	: 02/24/24 18:31:0		Dat		27 17.52.5	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	TOTAL CON	TAMINANT L	DAD METALS	0.080	ppm	ND	PASS	1.1
Dilution : N/A							ARSENIC			0.020	ppm	ND	PASS	0.2
	924.52; 010924.65;	; 010924.66; (012524.R09	; 011924.R15			CADMIUM			0.020	ppm	ND	PASS	0.2
Consumables :	N/A						MERCURY			0.020	ppm	ND	PASS	0.2
Pipette : N/A							LEAD			0.020	ppm	ND	PASS	0.5
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.						s in	Analyzed by: 1022, 53, 166	5, 1440	Weight: 0.291g	Extraction 02/25/24			Extracted 1022,430	
							Analytical Bat Instrument U	od : SOP.T.30. cch : DA069755 sed : DA-ICPMS a : 02/26/24 13	-004	Review	ed On : 02, ate : 02/2;			
							021324.R02		524.R03; 02212 23011; 210508		524.R01;0	22624.R0	2; 02052	4.01;

Consumables : 179436; 34623011; 210508058 Pipette : DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 02/27/24



..... Yuzu Euphoria Cartridges 900 mg Yuzu Euphoria Matrix : Derivative Type: Distillate



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

FLUENT

Dilution : N/A Reagent: 111423.05 Consumables: PS-14 Pipette : N/A

5540 W. Executive Drive Tampa, FL, 33609, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA40224004-002 Harvest/Lot ID: 5938 7512 0707 3349 Batch# : 5938 7512 0707 3349

Sampled : 02/24/24 Ordered : 02/24/24

Sample Size Received : 16 gram Total Amount : 1969 units Completed : 02/27/24 Expires: 02/27/25 Sample Method : SOP.T.20.010

	Filth/Fo Materia		PASSED				
nalyte ilth and Forei	gn Material	LOD 0.100	Units %	Result ND	P/F PASS	Action Level	

Analyzed by: 1665, 1440	Weight: NA	Ext N/A	raction d	ate:	Extr N/A	acted by:			
Analysis Method : Analytical Batch : Instrument Used Analyzed Date : N	DA069784FIL : N/A	Reviewed On : 02/25/24 10:25:07 Batch Date : 02/25/24 10:12:45							
Dilution : N/A Reagent : N/A Consumables : N/ Pipette : N/A	A								
	aterial inspection is p ordance with F.S. Rul			pection utilizin	ig naked e	eye and microscope			
(\bigcirc)	Water A	Activi	ty		PA	SSED			
Analyte Water Activity		LOD (0.010 a	Jnits aw	Result 0.428	P/F PASS	Action Level 0.85			
Analyzed by: 4351, 4044, 53, 1	665, 1440	Weight: 1.4291g		tion date: /24 16:30:27		Extracted by: 4351,4044			
(Probe)		Hygropalm	HC2-AW			: 02/27/24 09:48:19 2/24/24 13:16:24			

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 02/27/24

PASSED

Page 6 of 6