



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA40224004-003
Harvest/Lot ID: 8814 8451 1061 5863
Batch#: 8814 8451 1061 5863
Cultivation Facility: Tampa Cultivation
Processing Facility : Tampa Processing
Source Facility : Tampa Cultivation
Seed to Sale# 3233 8397 4102 8956
Batch Date: 11/30/23
Sample Size Received: 150 gram
Total Amount: 1065 units
Retail Product Size: 60 ml
Sample Density: 1.49 g/mL
Ordered: 02/23/24
Sampled: 02/24/24
Completed: 02/27/24
Sampling Method: SOP.T.20.010

Feb 27, 2024 | FLUENT


 5540 W. Executive Drive
 Tampa, FL, 33609, US

PASSED

Pages 1 of 6

PRODUCT IMAGE

SAFETY RESULTS

 Pesticides
PASSED

 Heavy Metals
PASSED

 Microbials
PASSED

 Mycotoxins
PASSED

 Residuals Solvents
PASSED

 Filtration
PASSED

 Water Activity
PASSED

 Moisture
 NOT TESTED

 Terpenes
TESTED
MISC.

Cannabinoid
PASSED

Total THC
0.414%

Total THC/Container : 370.12 mg


Total CBD
0.003%

Total CBD/Container : 2.68 mg


Total Cannabinoids
0.446%

Total Cannabinoids/Container : 398.72 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.414	ND	0.003	ND	ND	0.014	ND	0.007	0.004	ND	0.004
mg/unit	248.40	ND	1.80	ND	ND	8.40	ND	4.20	2.40	ND	2.40
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%	%	%	%	%	%	%	%	%	%	%	%

 Analyzed by:
 3335, 1665, 53, 1440

 Weight:
 3.0713g

 Extraction date:
 02/26/24 11:48:51

 Extracted by:
 1665,3335

 Analysis Method : SOP.T.40.031, SOP.T.30.031
 Analytical Batch : DA069782POT
 Instrument Used : DA-LC-007
 Analyzed Date : 02/26/24 12:17:32

 Reviewed On : 02/27/24 11:16:31
 Batch Date : 02/25/24 10:06:03

 Dilution : 400
 Reagent : 022124.R04; 060723.24; 020724.R04
 Consumables : 947.100; 280670723; CE0123; R1KB14270
 Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
 Lab Director

 State License # CMTL-0002
 ISO 17025 Accreditation # ISO/IEC
 17025:2017 Accreditation PJLA-
 Testing 97164

 Signature
 02/27/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Vanilla Agave Tincture (2oz)
Vanilla Agave
Matrix : Derivative
Type: Products for oral administration (pills, capsules, tinctures, and similar usable products)



Certificate of Analysis

PASSED

FLUENT

5540 W. Executive Drive
Tampa, FL, 33609, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA40224004-003

Harvest/Lot ID: 8814 8451 1061 5863

Batch# : 8814 8451 1061 5863

Sampled : 02/24/24

Ordered : 02/24/24

Sample Size Received : 150 gram

Total Amount : 1065 units

Completed : 02/27/24 Expires: 02/27/25

Sample Method : SOP.T.20.010

Page 2 of 6



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
3-CARENE	0.007	ND	ND		ALPHA-TERPINENE	0.007	ND	ND	
BORNEOL	0.013	ND	ND		ALPHA-TERPINOLENE	0.007	ND	ND	
CAMPHENE	0.007	ND	ND		BETA-CARYOPHYLLENE	0.007	ND	ND	
CAMPHOR	0.007	ND	ND		BETA-MYRCENE	0.007	ND	ND	
CARYOPHYLLENE OXIDE	0.007	ND	ND		BETA-PINENE	0.007	ND	ND	
CEDROL	0.007	ND	ND		CIS-NEROLIDOL	0.007	ND	ND	
EUCALYPTOL	0.007	ND	ND		GAMMA-TERPINENE	0.007	ND	ND	
FARNESENE	0.001	ND	ND		TRANS-NEROLIDOL	0.007	ND	ND	
FENCHONE	0.007	ND	ND						
FENCHYL ALCOHOL	0.007	ND	ND		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
GERANIOL	0.007	ND	ND		Analytical Batch : DA069790TER				
GERANYL ACETATE	0.007	ND	ND		Instrument Used : DA-GCMS-004				
GUAIOL	0.007	ND	ND		Analyzed Date : N/A				
HEXAHYDROTHYMOL	0.007	ND	ND						
ISOBORNEOL	0.007	ND	ND		Dilution : 10				
ISOPULEGOL	0.007	ND	ND		Reagent : N/A				
LIMONENE	0.007	ND	ND		Consumables : N/A				
LINALOOL	0.007	ND	ND		Pipette : N/A				
NEROL	0.007	ND	ND						
OCIMENE	0.007	ND	ND		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
PULEGONE	0.007	ND	ND						
SABINENE	0.007	ND	ND						
SABINENE HYDRATE	0.007	ND	ND						
TOTAL TERPENES	0.007	ND	ND						
TOTAL TERPINEOL	0.007	ND	ND						
VALENCENE	0.007	ND	ND						
ALPHA-BISABOLOL	0.007	ND	ND						
ALPHA-CEDRENE	0.007	ND	ND						
ALPHA-HUMULENE	0.007	ND	ND						
ALPHA-PHELLANDRENE	0.007	ND	ND						
ALPHA-PINENE	0.007	ND	ND						
Total (%)				ND					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
02/27/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Vanilla Agave Tincture (2oz)

Vanilla Agave

Matrix : Derivative

Type: Products for oral administration (pills, capsules, tinctures, and similar usable products)



Certificate of Analysis

PASSED

FLUENT

5540 W. Executive Drive
Tampa, FL, 33609, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA40224004-003

Harvest/Lot ID: 8814 8451 1061 5863

Batch# : 8814 8451 1061 5863

Sampled : 02/24/24

Ordered : 02/24/24

Sample Size Received : 150 gram

Total Amount : 1065 units

Completed : 02/27/24 Expires: 02/27/25

Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	30	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	3	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	1	PASS	ND	PHOSMET	0.010	ppm	0.2	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	1	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	3	PASS	ND	PRALLETHRIN	0.010	ppm	0.4	PASS	ND
TOTAL SPINOSAD	0.010	ppm	3	PASS	ND	PROPICONAZOLE	0.010	ppm	1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.3	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	3	PASS	ND	PYRIDABEN	0.010	ppm	3	PASS	ND
ACEQUINOCYL	0.010	ppm	2	PASS	ND	SPIROMESIFEN	0.010	ppm	3	PASS	ND
ACETAMIPRID	0.010	ppm	3	PASS	ND	SPIROTETRAMAT	0.010	ppm	3	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	3	PASS	ND	TEBUCONAZOLE	0.010	ppm	1	PASS	ND
BIFENAZATE	0.010	ppm	3	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.5	PASS	ND	THIAMETHOXAM	0.010	ppm	1	PASS	ND
BOSCALID	0.010	ppm	3	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	3	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.2	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	3	PASS	ND	CAPTAN *	0.070	PPM	3	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	3	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.5	PASS	ND	CYFLUTHRIN *	0.050	PPM	1	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	1	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	3	PASS	ND	Analized by: 3379, 53, 1665, 1440	Weight: 0.2466g	Extraction date: 02/26/24 17:44:56	Extracted by: 3379		
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)					
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA069806PES		Reviewed On : 02/27/24 13:53:05			
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)		Batch Date : 02/26/24 10:31:30			
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Analyzed Date : 02/26/24 17:45:41					
ETOXAZOLE	0.010	ppm	1.5	PASS	ND	Dilution : 250					
FENHEXAMID	0.010	ppm	3	PASS	ND	Reagent : 022024.R04; 040423.08; 022124.R12; 022124.R09; 021524.R13; 021324.R05; 022124.R07					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW					
FENPYROXIMATE	0.010	ppm	2	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FLONICAMID	0.010	ppm	2	PASS	ND	Analized by: 450, 1665, 1440	Weight: 0.2466g	Extraction date: 02/26/24 17:44:56	Extracted by: 3379		
FLUDIOXONIL	0.010	ppm	3	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
HEXYTHIAZOX	0.010	ppm	2	PASS	ND	Analytical Batch : DA069807VOL		Reviewed On : 02/27/24 16:12:36			
IMAZALIL	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-010		Batch Date : 02/26/24 10:33:14			
IMIDACLOPRID	0.010	ppm	1	PASS	ND	Analyzed Date : 02/26/24 19:09:15					
KRESOXIM-METHYL	0.010	ppm	1	PASS	ND	Dilution : 250					
MALATHION	0.010	ppm	2	PASS	ND	Reagent : 022024.R04; 040423.08; 021424.R18; 021424.R19					
METALAXYL	0.010	ppm	3	PASS	ND	Consumables : 326250IW; 14725401					
METHIOCARB	0.010	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
METHOMYL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	3	PASS	ND						
NALED	0.010	ppm	0.5	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
02/27/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Vanilla Agave Tincture (2oz)

Vanilla Agave

Matrix : Derivative

Type: Products for oral administration (pills, capsules, tinctures, and similar usable products)



Certificate of Analysis

PASSED

FLUENT

5540 W. Executive Drive
Tampa, FL, 33609, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA40224004-003

Harvest/Lot ID: 8814 8451 1061 5863

Batch# : 8814 8451 1061 5863

Sampled : 02/24/24

Ordered : 02/24/24

Sample Size Received : 150 gram

Total Amount : 1065 units

Completed : 02/27/24 Expires: 02/27/25

Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
ETHANOL	500.000	ppm		TESTED	>9500.000
ETHYL ACETATE	40.000	ppm	400	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

Analyzed by:
850, 53, 1665, 1440

Weight:
0.0248g

Extraction date:
02/26/24 13:36:07

Extracted by:
850

Analysis Method : SOP.T.40.041.FL
Analytical Batch : DA069795SOL
Instrument Used : DA-GCMS-003
Analyzed Date : 02/26/24 13:42:04

Reviewed On : 02/27/24 09:32:22
Batch Date : 02/25/24 17:37:29

Dilution : 1
Reagent : N/A
Consumables : N/A
Pipette : N/A

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
02/27/24



Certificate of Analysis

PASSED

FLUENT

5540 W. Executive Drive
Tampa, FL, 33609, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA40224004-003

Harvest/Lot ID: 8814 8451 1061 5863

Batch# : 8814 8451 1061 5863

Sampled : 02/24/24
Ordered : 02/24/24

Sample Size Received : 150 gram

Total Amount : 1065 units

Completed : 02/27/24 Expires: 02/27/25

Sample Method : SOP.T.20.010

Page 5 of 6

	Microbial	PASSED		Mycotoxins	PASSED
---	------------------	---------------	---	-------------------	---------------

Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ECOLI SHIGELLA			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000	Analized by:	3379, 53, 1665, 1440	Weight:	0.2466g	Extraction date:	02/26/24 17:44:56
Analized by:	4044, 3336, 53, 1665, 1440	Weight:	1.0162g	Extraction date:	02/24/24 17:52:38	Extracted by:	3336	Analysis Method :	SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)	Reviewed On :	02/27/24 11:47:23
Analysis Method :	SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL	Analytical Batch :	DA069748MIC	Reviewed On :	02/27/24 15:53:41	Instrument Used :	N/A	Analized Date :	02/26/24 17:45:56	Batch Date :	02/26/24 11:19:34
Instrument Used :	PathogenDx Scanner DA-111, fisherbrand Isotemp Heat Block DA-020, fisherbrand Isotemp Heat Block DA-049, Fisher Scientific Isotemp Heat Block DA-021, APPLIED BIOSYSTEMS THERMOCYCLER DA-254	Analized Date :	02/26/24 09:56:41	Batch Date :	02/24/24 09:58:07	Dilution :	250	Reagent :	022024.R04; 040423.08; 022124.R12; 022124.R09; 021524.R13; 021324.R05; 022124.R07	Consumables :	326250IW
Dilution :	N/A	Reagent :	010924.52; 010924.65; 010924.66; 022224.R10; 100223.12	Consumables :	7569001037	Pipette :	N/A	Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.			

	Heavy Metals	PASSED
---	---------------------	---------------

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	5
ARSENIC	0.020	ppm	ND	PASS	1.5
CADMIUM	0.020	ppm	ND	PASS	0.5
MERCURY	0.020	ppm	ND	PASS	3
LEAD	0.020	ppm	ND	PASS	0.5
Analized by:	1022, 53, 1665, 1440	Weight:	0.265g	Extraction date:	02/25/24 12:04:42
Extracted by:	1022, 4306	Analysis Method :	SOP.T.30.082.FL, SOP.T.40.082.FL	Reviewed On :	02/27/24 13:56:32
Analytical Batch :	DA069755HEA	Instrument Used :	DA-ICPMS-004	Batch Date :	02/24/24 11:13:17
Analized Date :	02/26/24 13:15:11	Dilution :	50	Reagent :	020724.R07; 022624.R03; 022124.R13; 022624.R01; 022624.R02; 020524.01; 021324.R02
Consumables :	179436; 34623011; 210508058	Pipette :	DA-061; DA-191; DA-216		

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Vanilla Agave Tincture (2oz)

Vanilla Agave

Matrix : Derivative

usable products)



Type: Products for oral administration (pills, capsules, tinctures, and similar

Certificate of Analysis

PASSED

FLUENT

5540 W. Executive Drive
Tampa, FL, 33609, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA40224004-003

Harvest/Lot ID: 8814 8451 1061 5863

Batch# : 8814 8451 1061
5863

Sampled : 02/24/24

Ordered : 02/24/24

Sample Size Received : 150 gram

Total Amount : 1065 units

Completed : 02/27/24 Expires: 02/27/25

Sample Method : SOP.T.20.010

Page 6 of 6



Filth/Foreign
Material

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1665, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A
----------------------------	---------------	-------------------------	----------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA069784FIL

Instrument Used : N/A

Analyzed Date : N/A

Reviewed On : 02/25/24 10:25:08

Batch Date : 02/25/24 10:12:45

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.629	TESTED	

Analyzed by: 4351, 4044, 53, 1665, 1440	Weight: 2.0755g	Extraction date: 02/25/24 16:30:28	Extracted by: 4351,4044
--	--------------------	---------------------------------------	----------------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA069761WAT

Instrument Used : DA-324 Rotronic HygroPalm HC2-AW

(Probe)

Analyzed Date : 02/24/24 15:45:52

Reviewed On : 02/27/24 09:48:23

Batch Date : 02/24/24 13:16:24

Dilution : N/A

Reagent : 111423.05

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
02/27/24