



Certificate of Analysis

COMPLIANCE FOR RETAIL




Sample: DA40225002-005
 Harvest/Lot ID: SA-LEG-021424-A151
 Batch#: 0146 8028 4803 6808
 Cultivation Facility: Tampa Cultivation
 Processing Facility: Tampa Processing
 Source Facility: Tampa Cultivation
 Seed to Sale# SA-LEG-021424-A151
 Batch Date: 02/19/24
 Sample Size Received: 112 gram
 Total Amount: 8795 units
 Retail Product Size: 3.5 gram
 Ordered: 02/24/24
 Sampled: 02/25/24
 Completed: 02/27/24
 Sampling Method: SOP.T.20.010


Feb 27, 2024 | FLUENT
 5540 W. Executive Drive
 Tampa, FL, 33609, US



PASSED

Pages 1 of 5

| PRODUCT IMAGE | SAFETY RESULTS | | | | | | | | MISC. |
|---|--|--|--|--|--|---|--|--|--|
|  |  Pesticides PASSED |  Heavy Metals PASSED |  Microbials PASSED |  Mycotoxins PASSED |  Residuals Solvents NOT TESTED |  Filtth PASSED |  Water Activity PASSED |  Moisture PASSED |  Terpenes TESTED |

| | | |
|--|--------------------|---------------|
|  | Cannabinoid | PASSED |
|--|--------------------|---------------|

| | | | | | |
|--|--|---|---|---|---|
|  | Total THC 23.663% Dry Weight |  | Total CBD 0.054% Dry Weight |  | Total Cannabinoids 28.314% Dry Weight |
|--|--|---|---|---|---|

| | D9-THC | THCA | CBD | CBDA | D8-THC | CBG | CBGA | CBN | THCV | CBDV | CBC | Total THC | Total CBD | Total Cannabinoids |
|---------|--------|--------|-------|-------|--------|-------|--------|-------|-------|-------|-------|-----------------------|---------------------|----------------------|
| % | 0.466 | 22.574 | ND | 0.054 | 0.03 | 0.079 | 0.967 | ND | ND | ND | 0.076 | 20.263% | 0.047% | 24.246% |
| mg/unit | 16.31 | 790.09 | ND | 1.89 | 1.05 | 2.765 | 33.845 | ND | ND | ND | 2.66 | 709.205 mg /Container | 1.645 mg /Container | 848.61 mg /Container |
| LOD | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | | | |
| | % | % | % | % | % | % | % | % | % | % | % | | | As Received |

Analyzed by: 3335, 1665, 53, 4044 Weight: 0.2033g Extraction date: 02/26/24 11:44:15 Extracted by: 1665,3335

Analysis Method : SOP.T.40.031, SOP.T.30.031 Reviewed On : 02/27/24 16:10:52
 Analytical Batch : DA069797POT Batch Date : 02/25/24 19:48:06
 Instrument Used : DA-LC-002
 Analyzed Date : 02/26/24 12:32:32

Dilution : 400
 Reagent : 022124.R04; 070121.27; 020724.R04
 Consumables : 947.109; 280670723; CE0123; R1KB14270
 Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
 Lab Director

State License # CMTL-0002
 ISO 17025 Accreditation # ISO/IEC
 17025:2017 Accreditation PJLA-
 Testing 97164



Signature
 02/27/24



Certificate of Analysis

PASSED

FLUENT

5540 W. Executive Drive
Tampa, FL, 33609, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA40225002-005

Harvest/Lot ID: SA-LEG-021424-A151

Batch# : 0146 8028 4803
6808

Sampled : 02/25/24
Ordered : 02/25/24

Sample Size Received : 112 gram

Total Amount : 8795 units

Completed : 02/27/24 Expires: 02/27/25

Sample Method : SOP.T.20.010

Page 2 of 5

| Terpenes | | | | TESTED | | | |
|---------------------|---------|--------------|------------|--|----------------|------------------------------------|---------------------------------|
| Terpenes | LOD (%) | mg/unit % | Result (%) | Terpenes | LOD (%) | mg/unit % | Result (%) |
| TOTAL TERPENES | 0.007 | 78.58 2.245 | | SABINENE HYDRATE | 0.007 | ND ND | |
| LIMONENE | 0.007 | 19.74 0.564 | | VALENCENE | 0.007 | ND ND | |
| BETA-CARYOPHYLLENE | 0.007 | 14.39 0.411 | | ALPHA-CEDRENE | 0.007 | ND ND | |
| LINALOOL | 0.007 | 8.82 0.252 | | ALPHA-PHELLANDRENE | 0.007 | ND ND | |
| FARNESENE | 0.001 | 7.46 0.213 | | ALPHA-TERPINENE | 0.007 | ND ND | |
| ALPHA-PINENE | 0.007 | 4.69 0.134 | | ALPHA-TERPINOLENE | 0.007 | ND ND | |
| ALPHA-HUMULENE | 0.007 | 4.03 0.115 | | CIS-NEROLIDOL | 0.007 | ND ND | |
| OCIMENE | 0.007 | 3.75 0.107 | | GAMMA-TERPINENE | 0.007 | ND ND | |
| BETA-PINENE | 0.007 | 3.75 0.107 | | | | | |
| FENCHYL ALCOHOL | 0.007 | 2.94 0.084 | | Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL | Weight: 0.935g | Extraction date: 02/26/24 18:49:43 | Extracted by: 795.1665 |
| TOTAL TERPINEOL | 0.007 | 2.38 0.068 | | Analysis Batch : DA069793TER | | | Reviewed On : 02/27/24 15:18:19 |
| BETA-MYRCENE | 0.007 | 1.96 0.056 | | Instrument Used : DA-GCMS-009 | | | Batch Date : 02/25/24 14:27:51 |
| ALPHA-BISABOLOL | 0.007 | 1.86 0.053 | | Analysis Date : N/A | | | |
| TRANS-NEROLIDOL | 0.007 | 1.86 0.053 | | Dilution : 10 | | | |
| GERANIOL | 0.007 | 0.98 0.028 | | Reagent : N/A | | | |
| 3-CARENE | 0.007 | ND ND | | Consumables : N/A | | | |
| BORNEOL | 0.013 | ND ND | | Pipette : N/A | | | |
| CAMPHENE | 0.007 | ND ND | | | | | |
| CAMPHOR | 0.007 | ND ND | | | | | |
| CARYOPHYLLENE OXIDE | 0.007 | ND ND | | | | | |
| CEDROL | 0.007 | ND ND | | | | | |
| EUCALYPTOL | 0.007 | ND ND | | | | | |
| FENCHONE | 0.007 | ND ND | | | | | |
| GERANYL ACETATE | 0.007 | ND ND | | | | | |
| GUAIOL | 0.007 | ND ND | | | | | |
| HEXAHYDROTHYMOL | 0.007 | ND ND | | | | | |
| ISOBORNEOL | 0.007 | ND ND | | | | | |
| ISOPULEGOL | 0.007 | ND ND | | | | | |
| NEROL | 0.007 | ND ND | | | | | |
| PULEGONE | 0.007 | ND ND | | | | | |
| SABINENE | 0.007 | ND ND | | | | | |
| Total (%) | | 2.245 | | | | | |

Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJA-
Testing 97164

Signature
02/27/24



Certificate of Analysis

PASSED

FLUENT

5540 W. Executive Drive
Tampa, FL, 33609, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA40225002-005

Harvest/Lot ID: SA-LEG-021424-A151

Batch# : 0146 8028 4803
6808

Sampled : 02/25/24
Ordered : 02/25/24

Sample Size Received : 112 gram

Total Amount : 8795 units

Completed : 02/27/24 Expires: 02/27/25

Sample Method : SOP.T.20.010

Page 3 of 5



Pesticides

PASSED

| Pesticide | LOD | Units | Action Level | Pass/Fail | Result | Pesticide | LOD | Units | Action Level | Pass/Fail | Result |
|-------------------------------------|-------|-------|--------------|-----------|--------|--|-------|-------|--------------|-----------|--------|
| TOTAL CONTAMINANT LOAD (PESTICIDES) | 0.010 | ppm | 5 | PASS | ND | OXAMYL | 0.010 | ppm | 0.5 | PASS | ND |
| TOTAL DIMETHOMORPH | 0.010 | ppm | 0.2 | PASS | ND | PACLOBUTRAZOL | 0.010 | ppm | 0.1 | PASS | ND |
| TOTAL PERMETHRIN | 0.010 | ppm | 0.1 | PASS | ND | PHOSMET | 0.010 | ppm | 0.1 | PASS | ND |
| TOTAL PYRETHRINS | 0.010 | ppm | 0.5 | PASS | ND | PIPERONYL BUTOXIDE | 0.010 | ppm | 3 | PASS | ND |
| TOTAL SPINETORAM | 0.010 | ppm | 0.2 | PASS | ND | PRALLETHRIN | 0.010 | ppm | 0.1 | PASS | ND |
| TOTAL SPINOSAD | 0.010 | ppm | 0.1 | PASS | ND | PROPICONAZOLE | 0.010 | ppm | 0.1 | PASS | ND |
| ABAMECTIN B1A | 0.010 | ppm | 0.1 | PASS | ND | PROPOXUR | 0.010 | ppm | 0.1 | PASS | ND |
| ACEPHATE | 0.010 | ppm | 0.1 | PASS | ND | PYRIDABEN | 0.010 | ppm | 0.2 | PASS | ND |
| ACEQUINOCYL | 0.010 | ppm | 0.1 | PASS | ND | SPIROMESIFEN | 0.010 | ppm | 0.1 | PASS | ND |
| ACETAMIPRID | 0.010 | ppm | 0.1 | PASS | ND | SPIROTETRAMAT | 0.010 | ppm | 0.1 | PASS | ND |
| ALDICARB | 0.010 | ppm | 0.1 | PASS | ND | SPIROXAMINE | 0.010 | ppm | 0.1 | PASS | ND |
| AZOXYSTROBIN | 0.010 | ppm | 0.1 | PASS | ND | TEBUCONAZOLE | 0.010 | ppm | 0.1 | PASS | ND |
| BIFENAZATE | 0.010 | ppm | 0.1 | PASS | ND | THIACLOPRID | 0.010 | ppm | 0.1 | PASS | ND |
| BIFENTHRIN | 0.010 | ppm | 0.1 | PASS | ND | THIAMETHOXAM | 0.010 | ppm | 0.5 | PASS | ND |
| BOSCALID | 0.010 | ppm | 0.1 | PASS | ND | TRIFLOXYSTROBIN | 0.010 | ppm | 0.1 | PASS | ND |
| CARBARYL | 0.010 | ppm | 0.5 | PASS | ND | PENTACHLORONITROBENZENE (PCNB) * | 0.010 | PPM | 0.15 | PASS | ND |
| CARBOFURAN | 0.010 | ppm | 0.1 | PASS | ND | PARATHION-METHYL * | 0.010 | PPM | 0.1 | PASS | ND |
| CHLORANTRILIPROLE | 0.010 | ppm | 1 | PASS | ND | CAPTAN * | 0.070 | PPM | 0.7 | PASS | ND |
| CHLORMEQUAT CHLORIDE | 0.010 | ppm | 1 | PASS | ND | CHLORDANE * | 0.010 | PPM | 0.1 | PASS | ND |
| CHLORPYRIFOS | 0.010 | ppm | 0.1 | PASS | ND | CHLORFENAPYR * | 0.010 | PPM | 0.1 | PASS | ND |
| CLOFENTEZINE | 0.010 | ppm | 0.2 | PASS | ND | CYFLUTHRIN * | 0.050 | PPM | 0.5 | PASS | ND |
| COUMAPHOS | 0.010 | ppm | 0.1 | PASS | ND | CYPERMETHRIN * | 0.050 | PPM | 0.5 | PASS | ND |
| DAMINOZIDE | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| DIAZINON | 0.010 | ppm | 0.1 | PASS | ND | Analyzed by: 3379, 53, 1665, 4044 Weight: 0.982g Extraction date: 02/26/24 17:36:06 Extracted by: 3379 Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie) Analytical Batch : DA069813PES Reviewed On : 02/27/24 16:14:32 Instrument Used : DA-LCMS-003 (PES) Batch Date : 02/26/24 10:45:05 Analyzed Date : 02/26/24 17:45:48 Dilution : 250 Reagent : 022024.R04; 040423.08; 022124.R12; 022124.R09; 021524.R13; 021324.R05; 022124.R07 Consumables : 326250IW Pipette : DA-093; DA-094; DA-219 | | | | | |
| ETOFENPROX | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| ETOXAZOLE | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| FENHEXAMID | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| FENOXYCARB | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| FENPYROXIMATE | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| FIPRONIL | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| FLONICAMID | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| FLUDIOXONIL | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| HEXYTHIAZOX | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| IMAZALIL | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| IMIDACLOPRID | 0.010 | ppm | 0.4 | PASS | ND | | | | | | |
| KRESOXIM-METHYL | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| MALATHION | 0.010 | ppm | 0.2 | PASS | ND | | | | | | |
| METALAXYL | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| METHIACARB | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| METHOMYL | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| MEVINPHOS | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| MYCLOBUTANIL | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| NALED | 0.010 | ppm | 0.25 | PASS | ND | | | | | | |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
02/27/24



Certificate of Analysis

PASSED
FLUENT

 5540 W. Executive Drive
 Tampa, FL, 33609, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

 Sample : DA40225002-005
 Harvest/Lot ID: SA-LEG-021424-A151
 Batch# : 0146 8028 4803 Sample Size Received : 112 gram
 6808 Total Amount : 8795 units
 Sampled : 02/25/24 Completed : 02/27/24 Expires: 02/27/25
 Ordered : 02/25/24 Sample Method : SOP.T.20.010

Page 4 of 5

| | | | | | |
|---|------------------|---------------|---|-------------------|---------------|
|  | Microbial | PASSED |  | Mycotoxins | PASSED |
|---|------------------|---------------|---|-------------------|---------------|

| Analyte | LOD | Units | Result | Pass / Fail | Action Level |
|--|-----|-------|-------------|-------------|--------------|
| ASPERGILLUS TERREUS | | | Not Present | PASS | |
| ASPERGILLUS NIGER | | | Not Present | PASS | |
| ASPERGILLUS FUMIGATUS | | | Not Present | PASS | |
| ASPERGILLUS FLAVUS | | | Not Present | PASS | |
| SALMONELLA SPECIFIC GENE | | | Not Present | PASS | |
| ECOLI SHIGELLA | | | Not Present | PASS | |
| TOTAL YEAST AND MOLD | 10 | CFU/g | 350 | PASS | 100000 |
| Analyzed by: 4044, 3336, 1665 Weight: 1.122g Extraction date: 02/25/24 12:51:29 Extracted by: 4351 Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA069780MIC Reviewed On : 02/27/24 15:38:10 Instrument Used : PathogenDx Scanner DA-111, Applied Biosystems Thermocycler DA-013, fisherbrand Isotemp Heat Block DA-020, fisherbrand Isotemp Heat Block DA-049, Fisher Scientific Isotemp Heat Block DA-021 Batch Date : 02/25/24 10:01:03 Analyzed Date : 02/26/24 09:56:51 | | | | | |
| Dilution : N/A Reagent : 010924.65; 022224.R10; 100223.12 Consumables : 7569001040 Pipette : N/A | | | | | |

| Analyte | LOD | Units | Result | Pass / Fail | Action Level |
|---|-------|-------|--------|-------------|--------------|
| AFLATOXIN B2 | 0.002 | ppm | ND | PASS | 0.02 |
| AFLATOXIN B1 | 0.002 | ppm | ND | PASS | 0.02 |
| OCHRATOXIN A | 0.002 | ppm | ND | PASS | 0.02 |
| AFLATOXIN G1 | 0.002 | ppm | ND | PASS | 0.02 |
| AFLATOXIN G2 | 0.002 | ppm | ND | PASS | 0.02 |
| Analyzed by: 3379, 1665, 4044 Weight: 0.982g Extraction date: 02/26/24 17:36:06 Extracted by: 3379 Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA069821MYC Reviewed On : 02/27/24 16:11:14 Instrument Used : N/A Batch Date : 02/26/24 11:24:37 Analyzed Date : 02/26/24 17:46:04 Dilution : 250 Reagent : 022024.R04; 040423.08; 022124.R12; 022124.R09; 021524.R13; 021324.R05; 022124.R07 Consumables : 326250IW Pipette : DA-093; DA-094; DA-219 | | | | | |
| Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39. | | | | | |

| Analyte | LOD | Units | Result | Pass / Fail | Action Level |
|--|-------|-------|--------|-------------|--------------|
| TOTAL CONTAMINANT LOAD METALS | 0.080 | ppm | ND | PASS | 1.1 |
| ARSENIC | 0.020 | ppm | ND | PASS | 0.2 |
| CADMIUM | 0.020 | ppm | ND | PASS | 0.2 |
| MERCURY | 0.020 | ppm | ND | PASS | 0.2 |
| LEAD | 0.020 | ppm | ND | PASS | 0.5 |
| Analyzed by: 4044, 3390, 1665 Weight: 1.122g Extraction date: 02/25/24 12:51:29 Extracted by: 4351 Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL Analytical Batch : DA069787TYM Reviewed On : 02/27/24 15:40:43 Instrument Used : Incubator (25-27°C) DA-097 Batch Date : 02/25/24 12:45:59 Analyzed Date : 02/26/24 09:57:33 Dilution : N/A Reagent : 010924.65; 010924.63; 012524.R09 Consumables : N/A Pipette : N/A | | | | | |
| Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39. | | | | | |

| Metal | LOD | Units | Result | Pass / Fail | Action Level |
|--|-------|-------|--------|-------------|--------------|
| TOTAL CONTAMINANT LOAD METALS | 0.080 | ppm | ND | PASS | 1.1 |
| ARSENIC | 0.020 | ppm | ND | PASS | 0.2 |
| CADMIUM | 0.020 | ppm | ND | PASS | 0.2 |
| MERCURY | 0.020 | ppm | ND | PASS | 0.2 |
| LEAD | 0.020 | ppm | ND | PASS | 0.5 |
| Analyzed by: 1022, 1665, 4044 Weight: 0.2609g Extraction date: 02/25/24 16:40:26 Extracted by: 4306,1022 Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA069794HEA Reviewed On : 02/27/24 15:43:14 Instrument Used : DA-ICPMS-004 Batch Date : 02/25/24 14:28:17 Analyzed Date : 02/27/24 10:23:10 Dilution : 50 Reagent : 020724.R07; 022624.R03; 022124.R13; 022624.R01; 022624.R02; 020524.01; 021324.R02 Consumables : 179436; 35123025; 210508058 Pipette : DA-061; DA-191; DA-216 | | | | | |
| Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39. | | | | | |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
 Lab Director

 State License # CMTL-0002
 ISO 17025 Accreditation # ISO/IEC
 17025:2017 Accreditation PJLA-
 Testing 97164



 Signature
 02/27/24



Certificate of Analysis

PASSED

FLUENT


5540 W. Executive Drive
Tampa, FL, 33609, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA40225002-005
Harvest/Lot ID: SA-LEG-021424-A151
Batch# : 0146 8028 4803 Sample Size Received : 112 gram
6808 Total Amount : 8795 units
Sampled : 02/25/24 Completed : 02/27/24 Expires: 02/27/25
Ordered : 02/25/24 Sample Method : SOP.T.20.010

Page 5 of 5



Filth/Foreign Material PASSED



Moisture PASSED

| Analyte | LOD | Units | Result | P/F | Action Level | Analyte | LOD | Units | Result | P/F | Action Level |
|---------------------------------------|----------------------|--------------------------------|-----------------------------|------|--------------|---|--------------------------|--|--------|------------------------------|--------------|
| Filth and Foreign Material | 0.100 | % | ND | PASS | 1 | Moisture Content | 1.00 | % | 14.37 | PASS | 15 |
| Analyzed by: 1665, 4044 | Weight: NA | Extraction date: N/A | Extracted by: N/A | | | Analyzed by: 4044, 53, 1665 | Weight: 0.524g | Extraction date: 02/25/24 16:32:47 | | Extracted by: 4044 | |
| Analysis Method : SOP.T.40.090 | | | | | | Analysis Method : SOP.T.40.021 | | | | | |
| Analytical Batch : DA069784FIL | | | | | | Analytical Batch : DA069759MOI | | | | | |
| Instrument Used : N/A | | | | | | Instrument Used : DA-003 Moisture Analyzer | | | | | |
| Analyzed Date : N/A | | | | | | Analyzed Date : 02/24/24 15:45:55 | | | | | |
| Dilution : N/A | | | | | | Dilution : N/A | | | | | |
| Reagent : N/A | | | | | | Reagent : 092520.50; 020123.02 | | | | | |
| Consumables : N/A | | | | | | Consumables : N/A | | | | | |
| Pipette : N/A | | | | | | Pipette : DA-066 | | | | | |

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.



Water Activity PASSED

| Analyte | LOD | Units | Result | P/F | Action Level |
|---|--------------------------|--|------------------------------|------|--------------|
| Water Activity | 0.010 | aw | 0.525 | PASS | 0.65 |
| Analyzed by: 4044, 53, 1665 | Weight: 1.655g | Extraction date: 02/25/24 15:59:23 | Extracted by: 4044 | | |
| Analysis Method : SOP.T.40.019 | | | | | |
| Analytical Batch : DA069758WAT | | | | | |
| Instrument Used : DA-324 Rotronic HygroPalm HC2-AW (Probe) | | | | | |
| Analyzed Date : 02/24/24 15:45:35 | | | | | |
| Dilution : N/A | | | | | |
| Reagent : 111423.05 | | | | | |
| Consumables : PS-14 | | | | | |
| Pipette : N/A | | | | | |

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

