



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA30715005-006
Harvest/Lot ID: 0499 1014 3724 7668
Batch#: 0499 1014 3724 7668
Cultivation Facility: Tampa Cultivation
Processing Facility : Tampa Processing
Source Facility : Tampa Cultivation
Seed to Sale# 5402 3832 1344 0058
Batch Date: 06/01/23
Sample Size Received: 15.5 gram
Total Amount: 1644 units
Retail Product Size: 0.5 gram
Ordered: 07/14/23
Sampled: 07/14/23
Completed: 07/18/23
Sampling Method: SOP.T.20.010

Jul 18, 2023 | FLUENT
82 NE 26th street
Miami, FL, 33137, US



PASSED

Pages 1 of 6


PRODUCT IMAGE



SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals Solvents
PASSED



Filtration
PASSED



Water Activity
PASSED



Moisture
NOT TESTED



Terpenes
TESTED

MISC.

Cannabinoid

PASSED



Total THC
46.065%
Total THC/Container : 230.325 mg



Total CBD
42.745%
Total CBD/Container : 213.725 mg



Total Cannabinoids
94.147%
Total Cannabinoids/Container : 470.735 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	46.03	0.04	42.745	ND	0.094	1.97	ND	0.624	0.322	0.176	2.146
mg/unit	230.15	0.2	213.725	ND	0.47	9.85	ND	3.12	1.61	0.88	10.73
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
	%	%	%	%	%	%	%	%	%	%	%

Analyzed by:
3963, 3112, 585, 1440

Weight:
0.0967g

Extraction date:
07/17/23 10:46:21

Extracted by:
3963

Analysis Method : SOP.T.40.031, SOP.T.30.031
Analytical Batch : DA062404POT
Instrument Used : DA-LC-007
Analyzed Date : 07/17/23 10:48:41

Reviewed On : 07/18/23 11:49:08
Batch Date : 07/16/23 22:56:35

Dilution : 400
Reagent : 071123.R05; 060723.24; 071123.R04
Consumables : 947.109; 15021042; 250350; CE0123; 115C4-1151; 61691-131C6-131C; R1KB14270
Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164



Signature
07/18/23



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30715005-006
Harvest/Lot ID: 0499 1014 3724 7668

Batch# : 0499 1014 3724 7668
Sample Size Received : 15.5 gram
Total Amount : 1644 units
Completed : 07/18/23 Expires: 07/18/24
Sample Method : SOP.T.20.010

Page 2 of 6

Terpenes				TESTED			
Terpenes	LOD (%)	mg/unit %	Result (%)	Terpenes	LOD (%)	mg/unit %	Result (%)
TOTAL TERPENES	0.02	12.11	2.422	FARNESENE	0.009	0.175	0.035
TOTAL TERPENEOL	0.02	0.115	0.023	ALPHA-HUMULENE	0.02	0.76	0.152
ALPHA-BISABOLOL	0.02	0.39	0.078	VALENCENE	0.02	ND	ND
ALPHA-PINENE	0.02	0.13	0.026	CIS-NEROLIDOL	0.02	<0.1	<0.02
CAMPHENE	0.02	<0.1	<0.02	TRANS-NEROLIDOL	0.02	<0.1	<0.02
SABINENE	0.02	ND	ND	CARYOPHYLLENE OXIDE	0.02	0.1	0.02
BETA-PINENE	0.02	0.245	0.049	GUAIOL	0.02	ND	ND
BETA-MYRCENE	0.02	4.03	0.806	CEDROL	0.02	ND	ND
ALPHA-PHELLANDRENE	0.02	ND	ND				
3-CARENE	0.02	ND	ND	Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL	Weight:	Extraction date:	Extracted by:
ALPHA-TERPINENE	0.02	ND	ND	2076, 585, 1440	1.0624g	07/15/23 15:05:31	1879.2076
LIMONENE	0.02	2.13	0.426	Analysis Batch : DA062380TER			Reviewed On : 07/18/23 14:39:45
EUCALYPTOL	0.02	ND	ND	Instrument Used : DA-GCMS-008			Batch Date : 07/15/23 13:53:39
OCIMENE	0.02	<0.1	<0.02	Analyzed Date : 07/17/23 12:31:19			
GAMMA-TERPINENE	0.02	ND	ND	Dilution : 100			
SABINENE HYDRATE	0.02	ND	ND	Reagent : 121622.26			
TERPINOLENE	0.02	<0.1	<0.02	Consumables : 210414634; MKCN9995; CE0123; R1KB14270			
FENCHONE	0.04	ND	ND	Pipette : N/A			
LINALOOL	0.02	0.765	0.153	Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.			
FENCHYL ALCOHOL	0.02	0.245	0.049				
ISOPULEGOL	0.02	ND	ND				
CAMPHOR	0.06	ND	ND				
ISOBORNEOL	0.02	ND	ND				
BORNEOL	0.04	ND	ND				
HEXAHYDROTHYMOL	0.02	ND	ND				
NEROL	0.02	ND	ND				
PULEGONE	0.02	ND	ND				
GERANIOL	0.02	ND	ND				
GERANYL ACETATE	0.02	ND	ND				
ALPHA-CEDRENE	0.02	ND	ND				
BETA-CARYOPHYLLENE	0.02	3.025	0.605				
Total (%)			2.422				

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
07/18/23



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30715005-006
Harvest/Lot ID: 0499 1014 3724 7668

Batch# : 0499 1014 3724 7668
Sample Size Received : 15.5 gram
Total Amount : 1644 units
Completed : 07/18/23 Expires: 07/18/24
Ordered : 07/14/23
Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET	0.01	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	0.2	PASS	ND	PRALLETHRIN	0.01	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE	0.01	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	0.1	PASS	ND	PYRIDABEN	0.01	ppm	0.2	PASS	ND
ACEQUINOCLYL	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN	0.01	ppm	0.1	PASS	ND
ACETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.01	ppm	0.1	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.01	ppm	0.1	PASS	ND
BIFENAZATE	0.01	ppm	0.1	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.1	PASS	ND	THIAMETHOXAM	0.01	ppm	0.5	PASS	ND
BOSCALID	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	0.1	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.05	PPM	0.15	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.05	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	1	PASS	ND	CAPTAN *	0.35	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	CHLORDANE *	0.05	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.05	PPM	0.1	PASS	ND
CLOFENTEZINE	0.01	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.25	PPM	0.5	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.25	PPM	0.5	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND						
DIAZINON	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
DICHLORVOS	0.01	ppm	0.1	PASS	ND	3379, 585, 1440	0.2798g	07/17/23 13:30:41	3379,585		
DIMETHOATE	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)					
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA062388PES					
ETOFENPROX	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)					
ETOXAZOLE	0.01	ppm	0.1	PASS	ND	Analyzed Date : 07/17/23 13:31:51					
FENHEXAMID	0.01	ppm	0.1	PASS	ND	Dilution : 250					
FENOXYCARB	0.01	ppm	0.1	PASS	ND	Reagent : 071323.R03; 040521.11; 071023.R04; 071123.R18; 070723.R01; 060523.R26; 071323.R01					
FENPYROXIMATE	0.01	ppm	0.1	PASS	ND	Consumables : 326250IW					
FIPRONIL	0.01	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FLONICAMID	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FLUDIOXONIL	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
HEXYTHIAZOX	0.01	ppm	0.1	PASS	ND	450, 585, 1440	0.2798g	07/17/23 13:30:41	3379,585		
IMAZALIL	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
IMIDACLOPRID	0.01	ppm	0.4	PASS	ND	Analytical Batch : DA062389VOL					
KRESOXIM-METHYL	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-001					
MALATHION	0.01	ppm	0.2	PASS	ND	Analyzed Date : 07/17/23 13:43:18					
METALAXYL	0.01	ppm	0.1	PASS	ND	Dilution : 250					
METHIOCARB	0.01	ppm	0.1	PASS	ND	Reagent : 071323.R03; 040521.11; 071123.R21; 071123.R22					
METHOMYL	0.01	ppm	0.1	PASS	ND	Consumables : 326250IW; 14725401					
MEVINPHOS	0.01	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
MYCLOBUTANIL	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
NALED	0.01	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164



Signature
07/18/23



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30715005-006
Harvest/Lot ID: 0499 1014 3724 7668
Batch# : 0499 1014 3724 Sample Size Received : 15.5 gram
7668 Total Amount : 1644 units
Sampled : 07/14/23 Completed : 07/18/23 Expires: 07/18/24
Ordered : 07/14/23 Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
2-PROPANOL	50	ppm	500	PASS	ND
ACETONE	75	ppm	750	PASS	ND
ACETONITRILE	6	ppm	60	PASS	ND
BENZENE	0.1	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
CHLOROFORM	0.2	ppm	2	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
ETHANOL	500	ppm	5000	PASS	ND
ETHYL ACETATE	40	ppm	400	PASS	ND
ETHYL ETHER	50	ppm	500	PASS	ND
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND
HEPTANE	500	ppm	5000	PASS	ND
METHANOL	25	ppm	250	PASS	ND
N-HEXANE	25	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
PROPANE	500	ppm	5000	PASS	ND
TOLUENE	15	ppm	150	PASS	ND
TOTAL XYLENES	15	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND

Analyzed by: 850, 585, 1440	Weight: 0.0216g	Extraction date: 07/17/23 15:50:07	Extracted by: 850
--------------------------------	--------------------	---------------------------------------	----------------------

Analysis Method : SOP.T.40.041.FL	Reviewed On : 07/17/23 16:36:28
Analytical Batch : DA06237850L	Batch Date : 07/15/23 13:07:11
Instrument Used : DA-GCMS-002	
Analyzed Date : 07/17/23 15:53:01	

Dilution : 1
Reagent : N/A
Consumables : N/A
Pipette : N/A

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164



Signature
07/18/23



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30715005-006
Harvest/Lot ID: 0499 1014 3724 7668
Batch# : 0499 1014 3724 Sample Size Received : 15.5 gram
7668 Total Amount : 1644 units
Sampled : 07/14/23 Completed : 07/18/23 Expires: 07/18/24
Ordered : 07/14/23 Sample Method : SOP.T.20.010

Page 5 of 6

	Microbial	PASSED		Mycotoxins	PASSED
---	------------------	---------------	---	-------------------	---------------

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ECOLI SHIGELLA			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000
Analyzed by: 3621, 3390, 585, 1440 Weight: 1.163g Extraction date: 07/15/23 12:27:13 Extracted by: 3336 Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA062366MIC Reviewed On : 07/18/23 12:33:09 Instrument Used : PathogenDx Scanner DA-111, Applied Biosystems Thermocycler DA-013, fisherbrand Isotemp Heat Block DA-020, fisherbrand Isotemp Heat Block DA-049, Fisher Scientific Isotemp Heat Block DA-021 Batch Date : 07/15/23 09:21:27 Analyzed Date : 07/17/23 17:45:25 Dilution : N/A Reagent : 050223.33; 062323.R18; 020823.19; 092122.09 Consumables : N/A Pipette : N/A					

Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
Analyzed by: 3379, 585, 1440 Weight: 0.2798g Extraction date: 07/17/23 13:30:41 Extracted by: 3379,585 Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA062390MYC Reviewed On : 07/18/23 10:07:09 Instrument Used : N/A Batch Date : 07/16/23 15:44:27 Analyzed Date : 07/17/23 13:31:58 Dilution : 250 Reagent : 071323.R03; 040521.11; 071023.R04; 071123.R18; 070723.R01; 060523.R26; 071323.R01 Consumables : 326250IW Pipette : DA-093; DA-094; DA-219 Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

Analyte	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.08	ppm	ND	PASS	1.1
ARSENIC	0.02	ppm	ND	PASS	0.2
CADMIUM	0.02	ppm	ND	PASS	0.2
MERCURY	0.02	ppm	ND	PASS	0.2
LEAD	0.02	ppm	ND	PASS	0.5
Analyzed by: 1022, 585, 1440 Weight: 0.2274g Extraction date: 07/15/23 13:22:39 Extracted by: 1022,3807,3619 Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA062370HEA Reviewed On : 07/18/23 10:10:18 Instrument Used : DA-ICPMS-003 Batch Date : 07/15/23 10:18:48 Analyzed Date : 07/17/23 15:48:16 Dilution : 50 Reagent : 061523.R17; 062723.R18; 071423.R19; 071123.R17; 071423.R17; 071423.R18; 053023.R21; 070723.R18; 071023.01; 062823.R15 Consumables : 179436; 15021042; 210508058 Pipette : DA-061; DA-191; DA-216 Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

	Heavy Metals	PASSED
---	---------------------	---------------

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.08	ppm	ND	PASS	1.1
ARSENIC	0.02	ppm	ND	PASS	0.2
CADMIUM	0.02	ppm	ND	PASS	0.2
MERCURY	0.02	ppm	ND	PASS	0.2
LEAD	0.02	ppm	ND	PASS	0.5
Analyzed by: 1022, 585, 1440 Weight: 0.2274g Extraction date: 07/15/23 13:22:39 Extracted by: 1022,3807,3619 Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA062370HEA Reviewed On : 07/18/23 10:10:18 Instrument Used : DA-ICPMS-003 Batch Date : 07/15/23 10:18:48 Analyzed Date : 07/17/23 15:48:16 Dilution : 50 Reagent : 061523.R17; 062723.R18; 071423.R19; 071123.R17; 071423.R17; 071423.R18; 053023.R21; 070723.R18; 071023.01; 062823.R15 Consumables : 179436; 15021042; 210508058 Pipette : DA-061; DA-191; DA-216 Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164



Signature
07/18/23



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30715005-006
Harvest/Lot ID: 0499 1014 3724 7668
Batch# : 0499 1014 3724 7668
Sample Size Received : 15.5 gram
Total Amount : 1644 units
Sampled : 07/14/23
Completed : 07/18/23 Expires: 07/18/24
Ordered : 07/14/23
Sample Method : SOP.T.20.010

Page 6 of 6



Filth/Foreign Material PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.1	%	ND	PASS	1

Analyzed by: 1879, 1440 Weight: NA Extraction date: N/A Extracted by: N/A

Analysis Method : SOP.T.40.090
Analytical Batch : DA062385FIL Reviewed On : 07/15/23 17:12:31
Instrument Used : Filth/Foreign Material Microscope Batch Date : 07/15/23 16:49:55
Analyzed Date : 07/15/23 17:05:28

Dilution : N/A
Reagent : N/A
Consumables : N/A
Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.1	aw	0.498	PASS	0.85

Analyzed by: 4056, 585, 1440 Weight: 0.504g Extraction date: 07/16/23 13:26:08 Extracted by: 4056

Analysis Method : SOP.T.40.019
Analytical Batch : DA062383WAT Reviewed On : 07/16/23 15:07:52
Instrument Used : DA-028 Rotronic HygroPalm Batch Date : 07/15/23 14:01:51
Analyzed Date : N/A

Dilution : N/A
Reagent : 050923.04
Consumables : PS-14
Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

