



# Certificate of Analysis

## COMPLIANCE FOR RETAIL











Sample: DA31111010-004  
Harvest/Lot ID: 3768 2602 4695 9336  
Batch#: 3768 2602 4695 9336  
Cultivation Facility: Tampa Cultivation  
Processing Facility : Tampa Processing  
Source Facility : Tampa Cultivation  
Seed to Sale# 5251 8736 3187 6594  
Batch Date: 08/24/23  
Sample Size Received: 16 gram  
Total Amount: 1977 units  
Retail Product Size: 1 gram  
Ordered: 11/11/23  
Sampled: 11/11/23  
Completed: 11/14/23  
Sampling Method: SOP.T.20.010

Nov 14, 2023 | FLUENT  
82 NE 26th street  
Miami, FL, 33137, US




**PASSED**

Pages 1 of 6

PRODUCT IMAGE	SAFETY RESULTS								MISC.
	 Pesticides <b>PASSED</b>	 Heavy Metals <b>PASSED</b>	 Microbials <b>PASSED</b>	 Mycotoxins <b>PASSED</b>	 Residuals Solvents <b>PASSED</b>	 Filtration <b>PASSED</b>	 Water Activity <b>PASSED</b>	 Moisture <b>NOT TESTED</b>	 Terpenes <b>TESTED</b>

### Cannabinoid **PASSED**



	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	87.079	0.110	0.239	ND	0.225	2.136	ND	1.025	0.528	ND	0.678
mg/unit	870.79	1.10	2.39	ND	2.25	21.36	ND	10.25	5.28	ND	6.78
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
	%	%	%	%	%	%	%	%	%	%	%

Analyzed by: 1665, 585, 4044      Weight: 0.0948g      Extraction date: 11/13/23 09:45:40      Extracted by: 1665

Analysis Method : SOP.T.40.031, SOP.T.30.031      Analytical Batch : DA066336POT      Reviewed On : 11/14/23 12:51:15  
Instrument Used : DA-LC-007      Batch Date : 11/11/23 23:45:58  
Analyzed Date : 11/13/23 09:46:17

Dilution : 400  
Reagent : 102423.R05; 070121.27; 110723.R05  
Consumables : 947.109; 280670723; CE0123; R1KB14270  
Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164



Signature  
11/14/23



# Certificate of Analysis

**PASSED**

FLUENT

82 NE 26th street  
Miami, FL, 33137, US  
Telephone: (305) 900-6266  
Email: Taylor.Jones@getfluent.com

Sample : DA31111010-004  
Harvest/Lot ID: 3768 2602 4695 9336

Batch# : 3768 2602 4695 9336  
Sample Size Received : 16 gram  
Total Amount : 1977 units  
Sampled : 11/11/23  
Completed : 11/14/23 Expires: 11/14/24  
Ordered : 11/11/23  
Sample Method : SOP.T.20.010

Page 2 of 6

Terpenes				TESTED			
Terpenes	LOD (%)	mg/unit %	Result (%)	Terpenes	LOD (%)	mg/unit %	Result (%)
TOTAL TERPENES	0.007	21.18 2.118		ALPHA-CEDRENE	0.007	ND ND	
LIMONENE	0.007	10.47 1.047		ALPHA-PHELLANDRENE	0.007	ND ND	
LINALOOL	0.007	2.68 0.267		ALPHA-TERPINENE	0.007	ND ND	
BETA-MYRCENE	0.007	2.39 0.238		ALPHA-TERPINOLENE	0.007	<0.20 <-0.020	
BETA-CARYOPHYLLENE	0.007	1.99 0.199		CIS-NEROLIDOL	0.007	ND ND	
BETA-PINENE	0.007	1.02 0.101		GAMMA-TERPINENE	0.007	ND ND	
ALPHA-PINENE	0.007	0.74 0.074		TRANS-NEROLIDOL	0.007	ND ND	
FENCHYL ALCOHOL	0.007	0.66 0.066		TOTAL TERPENEOL	0.007	<0.20 <-0.020	
ALPHA-HUMULENE	0.007	0.62 0.062		Analyzed by: 2076, 585, 4044 Weight: 0.9577g Extraction date: 11/12/23 11:58:50 Extracted by: 1879 Analysis Method: SOP.T.30.061A.FL, SOP.T.40.061A.FL Analytical Batch: DA066344TER Reviewed On: 11/14/23 12:51:17 Instrument Used: DA-GCMS-008 Analyzed Date: 11/13/23 14:24:35 Batch Date: 11/12/23 10:15:22 Dilution: 10 Reagent: N/A Consumables: N/A Pipette: N/A Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.			
BORNEOL	0.013	0.48 0.047					
FARNESENE	0.001	0.18 0.017					
3-CARENE	0.007	ND ND					
CAMPHENE	0.007	ND ND					
CAMPHOR	0.007	ND ND					
CARYOPHYLLENE OXIDE	0.007	ND ND					
CEDROL	0.007	ND ND					
EUCALYPTOL	0.007	ND ND					
FENCHONE	0.007	ND ND					
GERANIOL	0.007	ND ND					
GERANYL ACETATE	0.007	ND ND					
GUAIOL	0.007	ND ND					
HEXAHYDROTHYMOL	0.007	ND ND					
ISOBORNEOL	0.007	ND ND					
ISOPULEGOL	0.007	<0.20 <-0.020					
NEROL	0.007	ND ND					
OCIMENE	0.007	ND ND					
PULEGONE	0.007	ND ND					
SABINENE	0.007	ND ND					
SABINENE HYDRATE	0.007	ND ND					
VALENCENE	0.007	ND ND					
ALPHA-BISABOLOL	0.007	ND ND					
<b>Total (%)</b>		<b>2.118</b>					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJA-  
Testing 97164

Signature  
11/14/23



# Certificate of Analysis

**PASSED**

FLUENT

82 NE 26th street  
Miami, FL, 33137, US  
Telephone: (305) 900-6266  
Email: Taylor.Jones@getfluent.com

Sample : DA31111010-004  
Harvest/Lot ID: 3768 2602 4695 9336

Batch# : 3768 2602 4695 9336  
Sample Size Received : 16 gram  
Total Amount : 1977 units  
Completed : 11/14/23 Expires: 11/14/24  
Ordered : 11/11/23  
Sample Method : SOP.T.20.010

Page 3 of 6



**Pesticides**

**PASSED**

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINO CYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND						
DICHLORVOS	0.010	ppm	0.1	PASS	ND						
DIMETHOATE	0.010	ppm	0.1	PASS	ND						
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND						
ETOFENPROX	0.010	ppm	0.1	PASS	ND						
ETOXAZOLE	0.010	ppm	0.1	PASS	ND						
FENHEXAMID	0.010	ppm	0.1	PASS	ND						
FENOXYCARB	0.010	ppm	0.1	PASS	ND						
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND						
FIPRONIL	0.010	ppm	0.1	PASS	ND						
FLONICAMID	0.010	ppm	0.1	PASS	ND						
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND						
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND						
IMAZALIL	0.010	ppm	0.1	PASS	ND						
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND						
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND						
MALATHION	0.010	ppm	0.2	PASS	ND						
METALAXYL	0.010	ppm	0.1	PASS	ND						
METHIACARB	0.010	ppm	0.1	PASS	ND						
METHOMYL	0.010	ppm	0.1	PASS	ND						
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

**Analyzed by:** 4056, 3379, 585, 4044      **Weight:** 0.2265g      **Extraction date:** 11/12/23 16:12:19      **Extracted by:** 4056  
**Analysis Method:** SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)  
**Analytical Batch:** DA066328PES      **Reviewed On:** 11/14/23 11:53:08  
**Instrument Used:** DA-LCMS-003 (PES)      **Batch Date:** 11/11/23 13:48:46  
**Analyzed Date:** 11/12/23 17:21:56  
**Dilution:** 250  
**Reagent:** 110823.R01; 040423.08; 110723.R28; 110823.R02; 110923.R03; 101023.R01; 110823.R03  
**Consumables:** 326250W  
**Pipette:** DA-093; DA-094; DA-219

Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

**Analyzed by:** 450, 585, 4044      **Weight:** 0.2265g      **Extraction date:** 11/12/23 16:12:19      **Extracted by:** 4056  
**Analysis Method:** SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL  
**Analytical Batch:** DA066342VOL      **Reviewed On:** 11/14/23 11:49:26  
**Instrument Used:** DA-GCMS-001      **Batch Date:** 11/12/23 09:51:15  
**Analyzed Date:** 11/13/23 13:58:58  
**Dilution:** 250  
**Reagent:** 110823.R01; 040423.08; 103123.R19; 103123.R20  
**Consumables:** 326250W; 14725401  
**Pipette:** DA-080; DA-146; DA-218

Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164



Signature  
11/14/23



# Certificate of Analysis

**PASSED**
**FLUENT**

 82 NE 26th street  
 Miami, FL, 33137, US  
 Telephone: (305) 900-6266  
 Email: Taylor.Jones@getfluent.com

Sample : DA31111010-004

Harvest/Lot ID: 3768 2602 4695 9336

 Batch# : 3768 2602 4695  
 9336

Sampled : 11/11/23

Ordered : 11/11/23

Sample Size Received : 16 gram

Total Amount : 1977 units

Completed : 11/14/23 Expires: 11/14/24

Sample Method : SOP.T.20.010

Page 4 of 6



## Residual Solvents

**PASSED**

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	279.391
CHLOROFORM	0.200	ppm	2	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

 Analyzed by:  
 850, 585, 4044

 Weight:  
 0.0214g

 Extraction date:  
 11/14/23 12:31:15

 Extracted by:  
 850

 Analysis Method : SOP.T.40.041.FL  
 Analytical Batch : DA06635250L  
 Instrument Used : DA-GCMS-003  
 Analyzed Date : 11/13/23 20:20:45

 Reviewed On : 11/14/23 13:40:19  
 Batch Date : 11/13/23 20:08:12

 Dilution : 1  
 Reagent : N/A  
 Consumables : N/A  
 Pipette : N/A

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.



# Certificate of Analysis

**PASSED**

**FLUENT**

82 NE 26th street  
Miami, FL, 33137, US  
Telephone: (305) 900-6266  
Email: Taylor.Jones@getfluent.com

Sample : DA31111010-004  
Harvest/Lot ID: 3768 2602 4695 9336  
Batch# : 3768 2602 4695 9336  
Sample Size Received : 16 gram  
Total Amount : 1977 units  
Sampled : 11/11/23  
Completed : 11/14/23 Expires: 11/14/24  
Ordered : 11/11/23  
Sample Method : SOP.T.20.010


Page 5 of 6

	<b>Microbial</b>	<b>PASSED</b>		<b>Mycotoxins</b>	<b>PASSED</b>
---	------------------	---------------	---	-------------------	---------------

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ECOLI SHIGELLA			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000
<b>Analyzed by:</b> 3390, 3336, 585, 4044 <b>Weight:</b> 1.194g <b>Extraction date:</b> 11/12/23 12:14:45 <b>Extracted by:</b> 3963,3390 <b>Analysis Method :</b> SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL <b>Analytical Batch :</b> DA066345MIC <b>Reviewed On :</b> 11/14/23 12:49:30 <b>Instrument Used :</b> PathogenDx Scanner DA-111.fisherbrand Isotemp Heat Block DA-020.fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021 <b>Batch Date :</b> 11/12/23 10:55:32 <b>Analyzed Date :</b> 11/13/23 09:35:52 <b>Dilution :</b> N/A <b>Reagent :</b> 083123.133; 083123.134; 100423.R40; 081023.07; 083123.104 <b>Consumables :</b> 7566004033 <b>Pipette :</b> N/A					

Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
<b>Analyzed by:</b> 4056, 3379, 585, 4044 <b>Weight:</b> 0.2265g <b>Extraction date:</b> 11/12/23 16:12:19 <b>Extracted by:</b> 4056 <b>Analysis Method :</b> SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) <b>Analytical Batch :</b> DA066343MYC <b>Reviewed On :</b> 11/14/23 11:11:34 <b>Instrument Used :</b> N/A <b>Batch Date :</b> 11/12/23 09:51:29 <b>Analyzed Date :</b> 11/12/23 17:23:34 <b>Dilution :</b> 250 <b>Reagent :</b> 110823.R01; 040423.08; 110723.R28; 110823.R02; 110923.R03; 101023.R01; 110823.R03 <b>Consumables :</b> 326250IW <b>Pipette :</b> DA-093; DA-094; DA-219 Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

Analyte	LOD	Units	Result	Pass / Fail	Action Level
<b>Analyzed by:</b> 3390, 3336, 585, 4044 <b>Weight:</b> 1.194g <b>Extraction date:</b> 11/12/23 12:14:45 <b>Extracted by:</b> 3963,3390 <b>Analysis Method :</b> SOP.T.40.208 (Gainesville), SOP.T.40.209.FL <b>Analytical Batch :</b> DA066347TYM <b>Reviewed On :</b> 11/14/23 12:51:19 <b>Instrument Used :</b> Incubator (25-27C) DA-096 <b>Batch Date :</b> 11/12/23 10:58:07 <b>Analyzed Date :</b> 11/13/23 11:43:14 <b>Dilution :</b> N/A <b>Reagent :</b> 083123.133; 083123.134; 101723.R10 <b>Consumables :</b> N/A <b>Pipette :</b> N/A Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.					

Metal	LOD	Units	Result	Pass / Fail	Action Level
 <b>Heavy Metals</b> <b>PASSED</b>					
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1
ARSENIC	0.020	ppm	ND	PASS	0.2
CADMIUM	0.020	ppm	ND	PASS	0.2
MERCURY	0.020	ppm	ND	PASS	0.2
LEAD	0.020	ppm	ND	PASS	0.5
<b>Analyzed by:</b> 1022, 585, 4044 <b>Weight:</b> 0.2331g <b>Extraction date:</b> 11/13/23 11:29:38 <b>Extracted by:</b> 1022 <b>Analysis Method :</b> SOP.T.30.082.FL, SOP.T.40.082.FL <b>Analytical Batch :</b> DA066349HEA <b>Reviewed On :</b> 11/14/23 12:36:43 <b>Instrument Used :</b> DA-ICPMS-004 <b>Batch Date :</b> 11/13/23 10:09:47 <b>Analyzed Date :</b> 11/14/23 09:52:06 <b>Dilution :</b> 50 <b>Reagent :</b> 102723.R12; 111023.R05; 110123.R33; 111023.R03; 111023.R04; 110123.R34; 110123.49; 111023.R06 <b>Consumables :</b> 179436; 210508058; 12594-247CD-247C <b>Pipette :</b> DA-061; DA-191; DA-216 Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164



Signature  
11/14/23



# Certificate of Analysis

**PASSED**

**FLUENT**

82 NE 26th street  
Miami, FL, 33137, US  
Telephone: (305) 900-6266  
Email: Taylor.Jones@getfluent.com

Sample : DA31111010-004  
Harvest/Lot ID: 3768 2602 4695 9336  
Batch# : 3768 2602 4695 9336  
Sample Size Received : 16 gram  
Total Amount : 1977 units  
Sampled : 11/11/23  
Completed : 11/14/23 Expires: 11/14/24  
Ordered : 11/11/23  
Sample Method : SOP.T.20.010

Page 6 of 6

	<b>Filth/Foreign Material</b>	<b>PASSED</b>
---	-------------------------------	---------------

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 4044	Weight: NA	Extraction date: N/A	Extracted by: N/A
----------------------------	---------------	-------------------------	----------------------

Analysis Method : SOP.T.40.090  
Analytical Batch : DA066301FIL  
Instrument Used : Filth/Foreign Material Microscope  
Analyzed Date : 11/12/23 20:50:47  
Reviewed On : 11/12/23 21:36:07  
Batch Date : 11/11/23 11:13:19

Dilution : N/A  
Reagent : N/A  
Consumables : N/A  
Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

	<b>Water Activity</b>	<b>PASSED</b>
---	-----------------------	---------------

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.460	PASS	0.85

Analyzed by: 4371, 585, 4044	Weight: 0.504g	Extraction date: 11/12/23 11:41:46	Extracted by: 4371
---------------------------------	-------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.019  
Analytical Batch : DA066340WAT  
Instrument Used : DA-028 Rotronic HygroPalm  
Analyzed Date : N/A  
Reviewed On : 11/13/23 15:31:22  
Batch Date : 11/12/23 09:44:16

Dilution : N/A  
Reagent : 113021.09  
Consumables : PS-14  
Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

