



# Certificate of Analysis

## COMPLIANCE FOR RETAIL

**Sample: DA31119001-002**  
**Harvest/Lot ID: 6292 6685 5939 8767**  
**Batch#: 6292 6685 5939 8767**  
**Cultivation Facility: Tampa Cultivation**  
**Processing Facility : Tampa Processing**  
**Source Facility : Tampa Cultivation**  
**Seed to Sale# 0174 6579 1177 5387**  
**Batch Date: 01/26/23**  
**Sample Size Received: 150 gram**  
**Total Amount: 998 units**  
**Retail Product Size: 59 ml**  
**Sample Density: 1.49 g/mL**  
**Ordered: 11/18/23**  
**Sampled: 11/19/23**  
**Completed: 11/21/23**  
**Sampling Method: SOP.T.20.010**

Nov 21, 2023 | FLUENT

82 NE 26th street  
 Miami, FL, 33137, US



**PASSED**

Pages 1 of 6


PRODUCT IMAGE



SAFETY RESULTS



Pesticides  
**PASSED**



Heavy Metals  
**PASSED**



Microbials  
**PASSED**



Mycotoxins  
**PASSED**



Residuals Solvents  
**PASSED**



Filtration  
**PASSED**



Water Activity  
**PASSED**



Moisture  
 NOT TESTED



Terpenes  
**TESTED**

MISC.



**Cannabinoid**

**PASSED**



**Total THC**  
**0.362%**  
 Total THC/Container : 318.23 mg



**Total CBD**  
**ND**  
 Total CBD/Container : 0.00 mg



**Total Cannabinoids**  
**0.385%**  
 Total Cannabinoids/Container : 338.45 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.362	ND	ND	ND	ND	0.012	ND	0.005	0.003	ND	0.003
mg/unit	213.58	ND	ND	ND	ND	7.08	ND	2.95	1.77	ND	1.77
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%	%	%	%	%	%	%	%	%	%	%	%

Analyzed by:  
 3335, 1665, 585, 4044

Weight:  
 3.0922g

Extraction date:  
 11/20/23 10:11:06

Extracted by:  
 1665,3335

Analysis Method : SOP.T.40.031, SOP.T.30.031  
 Analytical Batch : DA066585POT  
 Instrument Used : DA-LC-007  
 Analyzed Date : 11/20/23 09:51:57

Reviewed On : 11/21/23 15:22:40  
 Batch Date : 11/19/23 07:19:53

Dilution : 400  
 Reagent : 111423.R05; 070121.27; 110723.R05  
 Consumables : 947.109; 280670723; CE0123; R1KB14270  
 Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
 Lab Director

State License # CMTL-0002  
 ISO 17025 Accreditation # ISO/IEC  
 17025:2017 Accreditation PJLA-  
 Testing 97164



Signature  
 11/21/23



4131 SW 47th AVENUE SUITE 1408  
 DAVIE, FL, 33314, US  
 (954) 368-7664

**Kaycha Labs**

Natural Agave 300 mg  
 Natural Agave  
 Matrix : Derivative  
 usable products)



Type: Products for oral administration (pills, capsules, tinctures, and similar

# Certificate of Analysis

**PASSED**

FLUENT

82 NE 26th street  
 Miami, FL, 33137, US  
 Telephone: (305) 900-6266  
 Email: Taylor.Jones@getfluent.com

Sample : DA31119001-002  
 Harvest/Lot ID: 6292 6685 5939 8767

Batch# : 6292 6685 5939    Sample Size Received : 150 gram  
 8767    Total Amount : 998 units  
 Sampled : 11/19/23    Completed : 11/21/23 Expires: 11/21/24  
 Ordered : 11/19/23    Sample Method : SOP.T.20.010

Page 2 of 6

Terpenes				TESTED			
Terpenes	LOD (%)	mg/unit %	Result (%)	Terpenes	LOD (%)	mg/unit %	Result (%)
GERANYL ACETATE	0.007	<11.80	<0.020	ALPHA-TERPINENE	0.007	ND	ND
3-CARENE	0.007	ND	ND	ALPHA-TERPINOLENE	0.007	ND	ND
BORNEOL	0.013	ND	ND	BETA-CARYOPHYLLENE	0.007	ND	ND
CAMPHENE	0.007	ND	ND	BETA-MYRCENE	0.007	ND	ND
CAMPHOR	0.007	ND	ND	BETA-PINENE	0.007	ND	ND
CARYOPHYLLENE OXIDE	0.007	ND	ND	CIS-NEROLIDOL	0.007	ND	ND
CEDROL	0.007	ND	ND	GAMMA-TERPINENE	0.007	ND	ND
EUCALYPTOL	0.007	ND	ND	TRANS-NEROLIDOL	0.007	ND	ND
FARNESENE	0.001	ND	ND				
FENCHONE	0.007	ND	ND	Analyzed by: 1879, 2076, 585, 4044    Weight: 0.9594g    Extraction date: 11/19/23 12:05:34    Extracted by: 1879,2076 Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL Analytical Batch : DA066591ITER    Reviewed On : 11/21/23 16:44:32 Instrument Used : DA-GCMS-009    Batch Date : 11/19/23 09:44:28 Analyzed Date : 11/20/23 16:45:06 Dilution : 10 Reagent : 121622.26 Consumables : 210414634; MKCN9995; CE0123; R1KB14270 Pipette : N/A Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.			
FENCHYL ALCOHOL	0.007	ND	ND				
GERANIOL	0.007	ND	ND				
GUAIOL	0.007	ND	ND				
HEXAHYDROTHYMOL	0.007	ND	ND				
ISOBORNEOL	0.007	ND	ND				
ISOPULEGOL	0.007	ND	ND				
LIMONENE	0.007	ND	ND				
LINALOOL	0.007	ND	ND				
NEROL	0.007	ND	ND				
OCIMENE	0.007	ND	ND				
PULEGONE	0.007	ND	ND				
SABINENE	0.007	ND	ND				
SABINENE HYDRATE	0.007	ND	ND				
TOTAL TERPENES	0.007	ND	ND				
TOTAL TERPINEOL	0.007	ND	ND				
VALENCENE	0.007	ND	ND				
ALPHA-BISABOLOL	0.007	ND	ND				
ALPHA-CEDRENE	0.007	ND	ND				
ALPHA-HUMULENE	0.007	ND	ND				
ALPHA-PHELLANDRENE	0.007	ND	ND				
ALPHA-PINENE	0.007	ND	ND				
<b>Total (%)</b>			<b>ND</b>				

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
 Lab Director

State License # CMTL-0002  
 ISO 17025 Accreditation # ISO/IEC  
 17025:2017 Accreditation PJA-  
 Testing 97164

Signature  
 11/21/23



# Certificate of Analysis

**PASSED**

**FLUENT**

82 NE 26th street  
Miami, FL, 33137, US  
Telephone: (305) 900-6266  
Email: Taylor.Jones@getfluent.com

Sample : DA31119001-002

Harvest/Lot ID: 6292 6685 5939 8767

Batch# : 6292 6685 5939

8767

Sampled : 11/19/23

Ordered : 11/19/23


Sample Size Received : 150 gram

Total Amount : 998 units

Completed : 11/21/23 Expires: 11/21/24

Sample Method : SOP.T.20.010

Page 3 of 6



## Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	30	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	3	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	1	PASS	ND	PHOSMET	0.010	ppm	0.2	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	1	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	3	PASS	ND	PRALLETHRIN	0.010	ppm	0.4	PASS	ND
TOTAL SPINOSAD	0.010	ppm	3	PASS	ND	PROPICONAZOLE	0.010	ppm	1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.3	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	3	PASS	ND	PYRIDABEN	0.010	ppm	3	PASS	ND
ACEQUINOXYL	0.010	ppm	2	PASS	ND	SPIROMESIFEN	0.010	ppm	3	PASS	ND
ACETAMIPRID	0.010	ppm	3	PASS	ND	SPIROTETRAMAT	0.010	ppm	3	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	3	PASS	ND	TEBUCONAZOLE	0.010	ppm	1	PASS	ND
BIFENAZATE	0.010	ppm	3	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.5	PASS	ND	THIAMETHOXAM	0.010	ppm	1	PASS	ND
BOSCALID	0.010	ppm	3	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	3	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.2	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRILIPROLE	0.010	ppm	3	PASS	ND	CAPTAN *	0.070	PPM	3	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	3	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.5	PASS	ND	CYFLUTHRIN *	0.050	PPM	1	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	1	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	3	PASS	ND	<b>Analyzed by:</b> 3379, 585, 4044 <b>Weight:</b> 0.245g <b>Extraction date:</b> 11/19/23 14:01:53 <b>Extracted by:</b> 4056 <b>Analysis Method :</b> SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie) <b>Analytical Batch :</b> DA066572PES <b>Reviewed On :</b> 11/21/23 12:41:34 <b>Instrument Used :</b> DA-LCMS-004 (PES) <b>Batch Date :</b> 11/18/23 13:23:03 <b>Analyzed Date :</b> 11/20/23 14:06:32 <b>Dilution :</b> 250 <b>Reagent :</b> 111323.R02; 040423.08; 111523.R36; 111523.R03; 111523.R34; 101023.R01; 111523.R01 <b>Consumables :</b> 326250IW <b>Pipette :</b> DA-093; DA-094; DA-219					
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	<b>Analyzed by:</b> 450, 585, 4044 <b>Weight:</b> 0.245g <b>Extraction date:</b> N/A <b>Extracted by:</b> 4056 <b>Analysis Method :</b> SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL (Gainesville) <b>Analytical Batch :</b> DA066573VOL <b>Reviewed On :</b> 11/21/23 12:37:02 <b>Instrument Used :</b> DA-GCMS-010 <b>Batch Date :</b> 11/18/23 13:24:27 <b>Analyzed Date :</b> 11/20/23 14:08:24 <b>Dilution :</b> 25 <b>Reagent :</b> 111323.R02; 040423.08; 103123.R19; 103123.R20 <b>Consumables :</b> 326250IW; 14725401 <b>Pipette :</b> DA-080; DA-146; DA-218					
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
ETOXAZOLE	0.010	ppm	1.5	PASS	ND						
FENHEXAMID	0.010	ppm	3	PASS	ND						
FENOXYCARB	0.010	ppm	0.1	PASS	ND						
FENPYROXIMATE	0.010	ppm	2	PASS	ND						
FIPRONIL	0.010	ppm	0.1	PASS	ND						
FLONICAMID	0.010	ppm	2	PASS	ND						
FLUDIOXONIL	0.010	ppm	3	PASS	ND						
HEXYTHIAZOX	0.010	ppm	2	PASS	ND						
IMAZALIL	0.010	ppm	0.1	PASS	ND						
IMIDACLOPRID	0.010	ppm	1	PASS	ND						
KRESOXIM-METHYL	0.010	ppm	1	PASS	ND						
MALATHION	0.010	ppm	2	PASS	ND						
METALAXYL	0.010	ppm	3	PASS	ND						
METHIACARB	0.010	ppm	0.1	PASS	ND						
METHOMYL	0.010	ppm	0.1	PASS	ND						
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	3	PASS	ND						
NALED	0.010	ppm	0.5	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164



Signature  
11/21/23



# Certificate of Analysis

**PASSED**
**FLUENT**

 82 NE 26th street  
 Miami, FL, 33137, US  
 Telephone: (305) 900-6266  
 Email: Taylor.Jones@getfluent.com

Sample : DA31119001-002

Harvest/Lot ID: 6292 6685 5939 8767

 Batch# : 6292 6685 5939  
 8767

Sampled : 11/19/23

Ordered : 11/19/23

Sample Size Received : 150 gram

Total Amount : 998 units

Completed : 11/21/23 Expires: 11/21/24

Sample Method : SOP.T.20.010

Page 4 of 6



## Residual Solvents

**PASSED**

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
ETHANOL	500.000	ppm		TESTED	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

 Analyzed by:  
 850, 3605, 585, 4044

 Weight:  
 0.0214g

 Extraction date:  
 11/21/23 08:20:39

 Extracted by:  
 3605

 Analysis Method : SOP.T.40.041.FL  
 Analytical Batch : DA06661250L  
 Instrument Used : DA-GCMS-002  
 Analyzed Date : 11/21/23 08:02:26

 Reviewed On : 11/21/23 14:25:36  
 Batch Date : 11/20/23 14:59:54

 Dilution : 1  
 Reagent : 030420.09  
 Consumables : R2017.099; G201.167  
 Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.



# Certificate of Analysis

**PASSED**

**FLUENT**

82 NE 26th street  
Miami, FL, 33137, US  
Telephone: (305) 900-6266  
Email: Taylor.Jones@getfluent.com

Sample : DA3119001-002  
Harvest/Lot ID: 6292 6685 5939 8767  
Batch# : 6292 6685 5939 8767  
Sample Size Received : 150 gram  
Total Amount : 998 units  
Completed : 11/21/23 Expires: 11/21/24  
Ordered : 11/19/23  
Sample Method : SOP.T.20.010

Page 5 of 6

	<b>Microbial</b>	<b>PASSED</b>		<b>Mycotoxins</b>	<b>PASSED</b>
---	------------------	---------------	---	-------------------	---------------

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ECOLI SHIGELLA			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000

Analyzed by: 3390, 3336, 585, 4044  
Weight: 1.0796g  
Extraction date: 11/19/23 12:51:07  
Extracted by: 3963,3390

Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL  
Analytical Batch : DA066604MIC  
Reviewed On : 11/21/23 14:48:35  
Batch Date : 11/19/23

Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-171,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021  
Analyzed Date : 11/20/23 11:08:33

Dilution : N/A  
Reagent : 083123.129; 083123.134; 102323.R20; 081023.07; 083123.104  
Consumables : 7568001031  
Pipette : N/A

Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02

Analyzed by: 3379, 585, 4044  
Weight: 0.245g  
Extraction date: N/A  
Extracted by: 4056

Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)  
Analytical Batch : DA066574MYC  
Instrument Used : N/A  
Analyzed Date : 11/20/23 14:06:41

Dilution : 250  
Reagent : 111323.R02; 040423.08; 111523.R36; 111523.R03; 111523.R34; 101023.R01; 111523.R01  
Consumables : 326250IW  
Pipette : DA-093; DA-094; DA-219

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	5
ARSENIC	0.020	ppm	ND	PASS	1.5
CADMIUM	0.020	ppm	ND	PASS	0.5
MERCURY	0.020	ppm	ND	PASS	3
LEAD	0.020	ppm	ND	PASS	0.5

Analyzed by: 1022, 585, 4044  
Weight: 0.2894g  
Extraction date: 11/19/23 13:38:22  
Extracted by: 1022,4306

Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL  
Analytical Batch : DA066607TYM  
Instrument Used : Incubator (25-27C) DA-097  
Analyzed Date : 11/20/23 10:35:18

Dilution : N/A  
Reagent : 083123.129; 083123.134; 101723.R10  
Consumables : N/A  
Pipette : N/A

	<b>Heavy Metals</b>	<b>PASSED</b>
---	---------------------	---------------

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	5
ARSENIC	0.020	ppm	ND	PASS	1.5
CADMIUM	0.020	ppm	ND	PASS	0.5
MERCURY	0.020	ppm	ND	PASS	3
LEAD	0.020	ppm	ND	PASS	0.5

Analyzed by: 1022, 585, 4044  
Weight: 0.2894g  
Extraction date: 11/19/23 13:38:22  
Extracted by: 1022,4306

Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL  
Analytical Batch : DA066596HEA  
Instrument Used : DA-ICPMS-004  
Analyzed Date : 11/20/23 14:01:01

Dilution : 50  
Reagent : 102723.R12; 111723.R17; 111623.R11; 111723.R15; 111723.R16; 110123.R34; 110123.49; 111023.R06  
Consumables : 179436; 210508058; 12594-247CD-247C  
Pipette : DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Type: Products for oral administration (pills, capsules, tinctures, and similar usable products)

Kaycha Labs

Natural Agave 300 mg  
Natural Agave  
Matrix : Derivative



# Certificate of Analysis

**PASSED**

**FLUENT**

82 NE 26th street  
Miami, FL, 33137, US  
Telephone: (305) 900-6266  
Email: Taylor.Jones@getfluent.com

Sample : DA31119001-002  
Harvest/Lot ID: 6292 6685 5939 8767  
Batch# : 6292 6685 5939 8767  
Sample Size Received : 150 gram  
Total Amount : 998 units  
Sampled : 11/19/23  
Completed : 11/21/23 Expires: 11/21/24  
Ordered : 11/19/23  
Sample Method : SOP.T.20.010

Page 6 of 6

	<b>Filth/Foreign Material</b>	<b>PASSED</b>
--	-------------------------------	---------------

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 4044	Weight: NA	Extraction date: N/A	Extracted by: N/A
----------------------------	---------------	-------------------------	----------------------

Analysis Method : SOP.T.40.090  
Analytical Batch : DA066611FIL  
Instrument Used : Filth/Foreign Material Microscope  
Analyzed Date : 11/19/23 21:01:46  
Reviewed On : 11/19/23 21:10:57  
Batch Date : 11/19/23 20:57:40

Dilution : N/A  
Reagent : N/A  
Consumables : N/A  
Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

	<b>Water Activity</b>	<b>PASSED</b>
--	-----------------------	---------------

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.634	TESTED	

Analyzed by: 4371, 585, 4044	Weight: 0.542g	Extraction date: 11/20/23 14:43:43	Extracted by: 4371
---------------------------------	-------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.019  
Analytical Batch : DA066603WAT  
Instrument Used : DA-028 Rotronic HygroPalm  
Analyzed Date : N/A  
Reviewed On : 11/20/23 16:53:47  
Batch Date : 11/19/23 11:04:59

Dilution : N/A  
Reagent : 113021.09  
Consumables : PS-14  
Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJA-  
Testing 97164

Signature  
11/21/23