



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

COMPLIANCE FOR RETAIL

Certificate of Analysis

Matrix: Derivative Type: Products for oral administration (pills, capsules, tinctures, and similar usable products)

Sample:DA31201005-008 Harvest/Lot ID: 7030 4983 2301 2303 Batch#: 7030 4983 2301 2303 **Cultivation Facility: Tampa Cultivation Processing Facility : Tampa Processing Source Facility : Tampa Cultivation** Seed to Sale# 4954 3327 0588 2275 Batch Date: 09/25/23 Sample Size Received: 78.75 gram Total Amount: 1462 units Retail Product Size: 11.25 gram Ordered: 11/30/23 Sampled: 12/01/23 Completed: 12/04/23 Sampling Method: SOP.T.20.010

Dec 04, 2023 | FLUENT

82 NE 26th street Miami, FL, 33137, US

PASSED

Pages 1 of 6 PRODUCT IMAGE SAFETY RESULTS MISC. C Pesticides Heavy Metals Microbials **Mycotoxins Residuals Solvents** Filth Water Activity Moisture Terpenes PASSED PASSED PASSED PASSED TESTED PASSED PASSED PASSED Cannabinoid

PASSED

Total THC Total CBD **Total Cannabinoids** 4.290% 0.012% 535% Total THC/Container : 482.63 mg Total Cannabinoids/Container : 510.19 Total CBD/Container : 1.35 mg mg тнса CBDA тнсу CBC D9-THC CBD D8-THC CBG CRGA CBN CRDV 4.287 0.004 0.012 ND 0.021 0.101 ND 0.051 0.029 ND 0.030 482.29 0.45 1.35 2.36 11.36 ND 5.74 3.26 ND ND 3.38 ma/unit 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 % % % % % % % % % % % Extracted by: Analyzed by: 3335, 1665, 585, 1879 Weight: 3.0277g Extraction date: 12/01/23 14:20:46 3335 Analysis Method : SOP.T.40.031, SOP.T.30.031 Analytical Batch : DA066917POT Instrument Used : DA-LC-007 Reviewed On : 12/04/23 12:43:56 Batch Date : 12/01/23 10:35:38 Analyzed Date : 12/01/23 14:35:50 Dilution: 400 Reagent : 112223.R27; 070121.27; 110723.R03 Consumables : 947.109; CE0123; 12594-247CD-247C; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164

Signature 12/04/23



Miami Vibes Drops 11.25g Miami Vibes Matrix : Derivative



4131 SW 47th AVENUE SUITE 1408 Type: Products for oral administration (pills, capsules, tinctures, and similar usable products)

Certificate of Analysis

PASSED

TESTED

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com

DAVIE, FL, 33314, US

(954) 368-7664

Sample : DA31201005-008 Harvest/Lot ID: 7030 4983 2301 2303 Batch# : 7030 4983 2301 Sampled : 12/01/23 Ordered : 12/01/23

Sample Size Received : 78.75 gram Total Amount : 1462 units Completed : 12/04/23 Expires: 12/04/24 Sample Method : SOP.T.20.010

Page 2 of 6

6	

Terpenes

Terpenes	LOD (%)	mg/unit	%	Result (%)		Terpenes		LOD (%)	mg/unit	%	Result (%)
OTAL TERPENES	0.007	121.39	1.079			NEROL		0.007	ND	ND	
LPHA-TERPINOLENE	0.007	31.61	0.281			PULEGONE		0.007	ND	ND	
AMPHOR	0.007	11.14	0.099			SABINENE		0.007	ND	ND	
ETA-MYRCENE	0.007	10.46	0.093			SABINENE HYDRATE		0.007	ND	ND	
CIMENE	0.007	9.90	0.088			TOTAL TERPINEOL		0.007	ND	ND	
DRNEOL	0.013	8.10	0.072			ALPHA-CEDRENE		0.007	ND	ND	
ETA-CARYOPHYLLENE	0.007	6.08	0.054			CIS-NEROLIDOL		0.007	ND	ND	
MONENE	0.007	5.96	0.053			TRANS-NEROLIDOL		0.007	ND	ND	
ENCHYL ALCOHOL	0.007	4.84	0.043			Analyzed by:	Weight:	F	Extraction date	P:	Extracted by:
ALENCENE	0.007	4.50	0.040			2076, 585, 1879	1.1947g		L2/01/23 18:2		1022,2076
PHA-BISABOLOL	0.007	4.50	0.040			Analysis Method : SOP.T.30.061A.FL, S	SOP.T.40.061A.FL				
PHA-HUMULENE	0.007	4.16	0.037			Analytical Batch : DA066922TER					12/04/23 14:13:53
PHA-PHELLANDRENE	0.007	3.60	0.032			Instrument Used : DA-GCMS-004 Analyzed Date : 12/01/23 18:28:27			Batch	Date:12	/01/23 11:30:00
EXAHYDROTHYMOL	0.007	3.49	0.031			Dilution : 50					
TA-PINENE	0.007	3.38	0.030			Reagent : 121622.26					
NALOOL	0.007	2.70	0.024		Ĩ	Consumables : 210414634; MKCN999	5; CE0123; R1KB1	4270			
PHA-TERPINENE	0.007	2.36	0.021		i	Pipette : N/A					
AMMA-TERPINENE	0.007	2.36	0.021		i	Terpenoid testing is performed utilizing Ga	s Chromatography M	ass Spectr	rometry. For all	Flower sam	ples, the Total Terpenes % is dry-weight corrected.
PHA-PINENE	0.007	2.25	0.020		i						
CARENE	0.007	<2.25	< 0.020								
MPHENE	0.007	ND	ND								
ARYOPHYLLENE OXIDE	0.007	ND	ND								
DROL	0.007	ND	ND								
JCALYPTOL	0.007	ND	ND								
RNESENE	0.001	ND	ND								
INCHONE	0.007	ND	ND								
ERANIOL	0.007	ND	ND								
RANYL ACETATE	0.007	ND	ND								
JAIOL	0.007	ND	ND								
OBORNEOL	0.007	ND	ND								
OPULEGOL	0.007	ND	ND								

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature

12/04/23



Miami Vibes Drops 11.25g Miami Vibes Matrix : Derivative



Type: Products for oral administration (pills, capsules, tinctures, and similar usable products)

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

PASSED

PASSED

Certificate of Analysis Sample : DA31201005-008

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com

Harvest/Lot ID: 7030 4983 2301 2303 Batch# : 7030 4983 2301

2303 Sampled : 12/01/23 Ordered : 12/01/23 Sample Size Received : 78.75 gram Total Amount : 1462 units Completed : 12/04/23 Expires: 12/04/24 Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
OTAL CONTAMINANT LOAD (PESTICIDES)	0.010		30	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
OTAL DIMETHOMORPH	0.010	ppm	3	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
OTAL PERMETHRIN	0.010	ppm	1	PASS	ND	PHOSMET	0.010	maa	0.2	PASS	ND
OTAL PYRETHRINS	0.010	P.P.	1	PASS	ND	PIPERONYL BUTOXIDE	0.010		3	PASS	ND
OTAL SPINETORAM	0.010	ppm	3	PASS	ND		0.010		0.4	PASS	ND
OTAL SPINOSAD	0.010	ppm	3	PASS	ND	PRALLETHRIN			1	PASS	
BAMECTIN B1A	0.010	ppm	0.3	PASS	ND	PROPICONAZOLE	0.010		-		ND
CEPHATE	0.010	ppm	3	PASS	ND	PROPOXUR	0.010		0.1	PASS	ND
CEQUINOCYL	0.010	ppm	2	PASS	ND	PYRIDABEN	0.010	ppm	3	PASS	ND
CETAMIPRID	0.010	ppm	3	PASS	ND	SPIROMESIFEN	0.010	ppm	3	PASS	ND
LDICARB	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	3	PASS	ND
ZOXYSTROBIN	0.010	ppm	3	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
IFENAZATE	0.010	ppm	3	PASS	ND	TEBUCONAZOLE	0.010	maa	1	PASS	ND
IFENTHRIN	0.010	ppm	0.5	PASS	ND	THIACLOPRID	0.010		0.1	PASS	ND
OSCALID	0.010	ppm	3	PASS	ND		0.010		1	PASS	ND
ARBARYL	0.010	ppm	0.5	PASS	ND	THIAMETHOXAM			3	PASS	ND
ARBOFURAN	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010		-		
HLORANTRANILIPROLE	0.010	ppm	3	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010		0.2	PASS	ND
HLORMEQUAT CHLORIDE	0.010	ppm	3	PASS	ND	PARATHION-METHYL *	0.010		0.1	PASS	ND
HLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CAPTAN *	0.070	PPM	3	PASS	ND
LOFENTEZINE	0.010	ppm	0.5	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
OUMAPHOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
AMINOZIDE	0.010	ppm	0.1	PASS	ND	CYFLUTHRIN *	0.050	PPM	1	PASS	ND
IAZINON	0.010	ppm	3	PASS	ND	CYPERMETHRIN *	0.050	PPM	1	PASS	ND
ICHLORVOS	0.010	ppm	0.1	PASS	ND				-	Fortune start all h	
IMETHOATE	0.010	ppm	0.1	PASS	ND	Analyzed by: Weight: 3379, 585, 1879 0.2472g		on date: 3 16:11:56		Extracted k 3379.450	by:
THOPROPHOS	0.010	ppm	0.1	PASS	ND	Analysis Method :SOP.T.30.101.FL (Gainesville)			SOP T 40 101)
TOFENPROX	0.010	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)	5011150120	2.11 2 (Darre)) 2			,,
TOXAZOLE	0.010	ppm	1.5	PASS	ND	Analytical Batch : DA066925PES		Reviewed O			
ENHEXAMID	0.010	ppm	3	PASS	ND	Instrument Used : DA-LCMS-003 (PES)		Batch Date :	12/01/23 12:	03:18	
ENOXYCARB	0.010	ppm	0.1	PASS	ND	Analyzed Date :12/01/23 16:15:12					
ENPYROXIMATE	0.010	ppm	2	PASS	ND	Dilution : 250	120122 006	. 120122 002.	112122 012	112022 005	
IPRONIL	0.010	ppm	0.1	PASS	ND	Reagent : 040423.08; 120123.R03; 112923.R04 Consumables : 326250IW	120123.800	; 120123.R02;	112123.R13;	112923.RU5	
LONICAMID	0.010	ppm	2	PASS	ND	Pipette : DA-093: DA-094: DA-219					
LUDIOXONIL	0.010	ppm	3	PASS	ND	Testing for agricultural agents is performed utilizing	Liquid Chrom	hatography Trig	ole-Ouadrupol	e Mass Spectron	netry in
IEXYTHIAZOX	0.010	ppm	2	PASS	ND	accordance with F.S. Rule 64ER20-39.	,				
MAZALIL	0.010	ppm	0.1	PASS	ND	Analyzed by: Weight:	Extractio	n date:		Extracted b	y:
MIDACLOPRID	0.010	ppm	1	PASS	ND	450, 585, 1879 0.2472g	12/01/23			3379,450	
RESOXIM-METHYL	0.010	ppm	1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville)					
IALATHION	0.010	ppm	2	PASS	ND	Analytical Batch : DA066927VOL		eviewed On :1			
IETALAXYL	0.010	ppm	3	PASS	ND	Instrument Used :DA-GCMS-010 Analyzed Date :12/01/23 16:43:26	Ba	atch Date : 12	/01/23 12:05:	00	
IETHIOCARB	0.010	ppm	0.1	PASS	ND	Dilution : 250					
IETHOMYL	0.010	ppm	0.1	PASS	ND	Reagent: 112823.R13; 040423.08; 112723.R14	112723 R15				
IEVINPHOS	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW; 14725401					
IYCLOBUTANIL	0.010		3	PASS	ND	Pipette : DA-080; DA-146; DA-218					
			0.5	PASS				tography Triple			

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature

12/04/23



Miami Vibes Drops 11.25g Miami Vibes Matrix : Derivative



PASSED

PASSED

4131 SW 47th AVENUE SUITE 1408 Type: Products for oral administration (pills, capsules, tinctures, and similar usable products)

Certificate of Analysis

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com

DAVIE, FL, 33314, US

(954) 368-7664

Sample : DA31201005-008 Harvest/Lot ID: 7030 4983 2301 2303 Batch# : 7030 4983 2301 Sampled : 12/01/23 Ordered : 12/01/23

Sample Size Received : 78.75 gram Total Amount : 1462 units Completed : 12/04/23 Expires: 12/04/24 Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
ETHANOL	500.000	ppm		TESTED	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
THYLENE OXIDE	0.500	ppm	5	PASS	ND
IEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
I-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND
Analyzed by: 350, 585, 1879	Weight: 0.0268g	Extraction date: 12/04/23 11:40:41		E x 85	tracted by:
Analysis Method : SOP.T.40.041.FL Analytical Batch : DA066948SOL nstrument Used : DA-GCMS-002 Analyzed Date : 12/01/23 15:47:27			On : 12/04/23 12:41:23 e : 12/01/23 15:44:22		

Reagent : N/A Consumables : R2017.099; G201.062 Pipette : DA-310 25uL Syringe 35027

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 12/04/23



usable products)

Miami Vibes Drops 11.25g Miami Vibes Matrix : Derivative



4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Certificate of Analysis

PASSED

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA31201005-008 Harvest/Lot ID: 7030 4983 2301 2303 Batch# : 7030 4983 2301 Sample

Sampled : 12/01/23 Ordered : 12/01/23 Sample Size Received : 78.75 gram Total Amount : 1462 units Completed : 12/04/23 Expires: 12/04/24 Sample Method : SOP.T.20.010

Type: Products for oral administration (pills, capsules, tinctures, and similar

Page 5 of 6

(F	Micro	bial			PAS	SED	င်္သီး	Му	cotox	ins			PAS	SED
Analyte		LOD) Units	Result	Pass / Fail	Action Level	Analyte			LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLU	S TERREUS			Not Present	PASS		AFLATOXIN	32		0.002	ppm	ND	PASS	0.02
ASPERGILLU	S NIGER			Not Present	PASS		AFLATOXIN	1		0.002	ppm	ND	PASS	0.02
ASPERGILLU	S FUMIGATUS			Not Present	PASS		OCHRATOXII	A		0.002	ppm	ND	PASS	0.02
ASPERGILLU				Not Present	PASS		AFLATOXIN			0.002	ppm	ND	PASS	0.02
	A SPECIFIC GENI			Not Present	PASS		AFLATOXIN	62		0.002	ppm	ND	PASS	0.02
ECOLI SHIGE			0.5111	Not Present	PASS		Analyzed by:		Weight:	Extraction da			xtracted	oy:
TOTAL YEAS	T AND MOLD	10		<10	PASS	100000			0.2472g	12/01/23 16			379,450	
Analyzed by: 3621, 585, 187	9 0.943		raction date: 01/23 13:06:0		Extracted b 3336,3621	y:	SOP.T.30.102.	L (Davie),	30.101.FL (Gair SOP.T.40.102.	FL (Davie)				
	od : SOP.T.40.0560 h : DA066914MIC	C, SOP.T.40.0)58.FL, SOP.T.		ved On : 12	/04/23	Analytical Bate Instrument Use Analyzed Date	d:N/A			wed On : 1 Date : 12/	1 - 1 -		
DA-020,fishert sotemp Heat I Analyzed Date Dilution : N/A	: 12/01/23 13:41: 123.05; 101123.06	at Block DA-0	949,Fisher Scie	entific			112923.R05 Consumables : Pipette : DA-09	326250IW 3; DA-094 ng utilizing F.S. Rule 6	; DA-219 Liquid Chromator 4ER20-39.	graphy with Trip		le Mass Spe	ectrometry	in
Analyzed by: 3336, 4351, 58	5, 1879	Weight: 0.9433g	Extraction da 12/01/23 13		Extracted 3336,362		Hg	Hea	avy Me	etals			PAS	SED
Analytical Bato Instrument Use	od : SOP.T.40.208 h : DA066941TYM ed : Incubator (25-	27C) DA-097	Revi	9.FL iewed On : 12/04 :h Date : 12/01/2			Metal			LOD	Units		Pass / Fail PASS	Action Level
Analyzed Date	: 12/01/23 14:22:	13					ARSENIC	AMINANI	LOAD METAL	.S 0.080 0.020	ppm ppm	ND ND	PASS	5 1.5
vilution : N/A			2							0.020	ppm	ND	PASS	0.5
Reagent : 1011 Consumables :	L23.05; 101123.06 N/Δ	o; 112423.R()2				MERCURY			0.020	ppm	ND	PASS	3
Pipette : N/A	14/7 1						LEAD			0.020	ppm	ND	PASS	0.5
	otal yeast and mold testing is performed utilizing MPN and traditional culture based techniques in ccordance with F.S. Rule 64ER20-39.						Analyzed by: 1022, 585, 187	9	Weight: 0.2494g	Extraction d 12/01/23 13			Extracted	l by:
							Analysis Metho Analytical Bato Instrument Uso Analyzed Date	h:DA0669 d:DA-ICP	MS-004	Review	ved On : 12 Date : 12/0			
							Dilution : 50	22 012- 1	12723 004-11	1622 011. 112	723 002-1	12723 PO	3. 11202	2022

Reagent : 102723.R12; 112723.R04; 111623.R11; 112723.R02; 112723.R03; 112023.R22; 110123.49; 111023.R06 Consumables : 179436; 210508058; 12594-247CD-247C

Pipette : DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 12/04/23



Filth/Foreign **Material**

Kaycha Labs

Page 6 of 6

..... Miami Vibes Drops 11.25g Miami Vibes Matrix : Derivative



4131 SW 47th AVENUE SUITE 1408 Type: Products for oral administration (pills, capsules, tinctures, and similar usable products)

Certificate of Analysis

PASSED

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com

DAVIE, FL, 33314, US

(954) 368-7664

Sample : DA31201005-008 Harvest/Lot ID: 7030 4983 2301 2303 Batch# : 7030 4983 2301 Sampled : 12/01/23 Ordered : 12/01/23

PASSED

Sample Size Received : 78.75 gram Total Amount : 1462 units Completed : 12/04/23 Expires: 12/04/24 Sample Method : SOP.T.20.010

		-						
Analyte		LOD	Units	Result	P/F	Action Level		
Filth and Foreig	gn Material	0.100	%	ND	PASS	1		
Analyzed by: 1879	Weight: NA	Extr N/A	action da	te:	Extrac N/A	acted by:		
		rial Micro	oscope			/23 20:02:16 3 19:35:35		
	aterial inspection is pe			spection utilizir	ng naked ey	e and microscope		
	Water A				PA	SSED		
Analyte Water Activity		LOD 0.010	Units aw	Result 0.554	P/F TESTED	Action Level		
Analyzed by: 4056, 585, 1879	Weight: 0.424g		raction d /01/23 17		Ex 40	tracted by: 56		
Analysis Method :	SOP.T.40.019							

Reviewed On : 12/04/23 12:45:21 Analytical Batch : DA066942WAT Instrument Used : DA-028 Rotronic Hygropalm Batch Date : 12/01/23 13:43:29 Analyzed Date : 12/01/23 16:49:31 Dilution : N/A Reagent : 113021.09 Consumables : PS-14 Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Signature

12/04/23