



# Certificate of Analysis

## COMPLIANCE FOR RETAIL

**Sample: DA31206003-001**  
**Harvest/Lot ID: 2948 0789 7026 7735**  
**Batch#: 2948 0789 7026 7735**  
**Cultivation Facility: Tampa Cultivation**  
**Processing Facility : Tampa Processing**  
**Source Facility : Tampa Cultivation**  
**Seed to Sale# 5825 1483 9458 0242**  
**Batch Date: 09/25/23**  
**Sample Size Received: 180 gram**  
**Total Amount: 1173 units**  
**Retail Product Size: 59 ml**  
**Sample Density: 1.49 g/mL**  
**Ordered: 12/05/23**  
**Sampled: 12/06/23**  
**Completed: 12/08/23**  
**Sampling Method: SOP.T.20.010**

Dec 08, 2023 | FLUENT

82 NE 26th street  
Miami, FL, 33137, US



**PASSED**

Pages 1 of 6


PRODUCT IMAGE



SAFETY RESULTS



Pesticides  
**PASSED**



Heavy Metals  
**PASSED**



Microbials  
**PASSED**



Mycotoxins  
**PASSED**



Residuals Solvents  
**PASSED**



Filtration  
**PASSED**



Water Activity  
**PASSED**



Moisture  
**NOT TESTED**



Terpenes  
**TESTED**

MISC.



**Cannabinoid**

**PASSED**



**Total THC**  
**0.416%**

Total THC/Container : 365.71 mg



**Total CBD**  
**ND**

Total CBD/Container : 0.00 mg



**Total Cannabinoids**  
**0.439%**

Total Cannabinoids/Container : 385.93 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.416	ND	ND	ND	ND	0.012	ND	0.006	0.003	ND	0.002
mg/unit	245.44	ND	ND	ND	ND	7.08	ND	3.54	1.77	ND	1.18
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
	%	%	%	%	%	%	%	%	%	%	%

Analyzed by:  
3335, 1665, 585, 1440

Weight:  
3.1023g

Extraction date:  
12/06/23 11:21:57

Extracted by:  
3335

Analysis Method : SOP.T.40.031, SOP.T.30.031  
 Analytical Batch : DA067073POT  
 Instrument Used : DA-LC-007  
 Analyzed Date : 12/06/23 11:27:12

Reviewed On : 12/07/23 10:55:13  
 Batch Date : 12/06/23 08:34:39

Dilution : 400  
 Reagent : 120623.R28; 060723.24; 110723.R03  
 Consumables : 947.109; CE0123; 12594-247CD-247C; R1KB14270  
 Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License # CMTL-0002  
 ISO 17025 Accreditation # ISO/IEC  
 17025:2017 Accreditation PJLA-  
 Testing 97164



Signature  
12/08/23



Type: Products for oral administration (pills, capsules, tinctures, and similar

# Certificate of Analysis

**PASSED**

FLUENT

82 NE 26th street  
Miami, FL, 33137, US  
Telephone: (305) 900-6266  
Email: Taylor.Jones@getfluent.com

Sample : DA31206003-001  
Harvest/Lot ID: 2948 0789 7026 7735

Batch# : 2948 0789 7026 7735  
Sample Size Received : 180 gram  
Total Amount : 1173 units  
Completed : 12/08/23 Expires: 12/08/24  
Ordered : 12/06/23  
Sample Method : SOP.T.20.010

Page 2 of 6

Terpenes				TESTED			
Terpenes	LOD (%)	mg/unit %	Result (%)	Terpenes	LOD (%)	mg/unit %	Result (%)
BORNEOL	0.013	24.19	0.041	ALPHA-TERPINENE	0.007	ND	ND
TOTAL TERPENES	0.007	24.19	0.041	ALPHA-TERPINOLENE	0.007	ND	ND
PULEGONE	0.007	<11.80	<-0.020	BETA-CARYOPHYLLENE	0.007	ND	ND
3-CARENE	0.007	ND	ND	BETA-MYRCENE	0.007	ND	ND
CAMPHENE	0.007	ND	ND	BETA-PINENE	0.007	ND	ND
CAMPHOR	0.007	ND	ND	CIS-NEROLIDOL	0.007	ND	ND
CARYOPHYLLENE OXIDE	0.007	ND	ND	GAMMA-TERPINENE	0.007	ND	ND
CEDROL	0.007	ND	ND	TRANS-NEROLIDOL	0.007	ND	ND
EUCALYPTOL	0.007	ND	ND	Analyzed by: 2076, 585, 1440      Weight: 1.0415g      Extraction date: 12/07/23 10:00:52      Extracted by: 2076 Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL Analytical Batch : DA067076TER      Reviewed On : 12/08/23 14:46:58 Instrument Used : DA-GCMS-008      Batch Date : 12/06/23 09:11:22 Analyzed Date : 12/07/23 13:04:58 Dilution : 10 Reagent : 121622.26 Consumables : 210414634; MKCN9995; CE0123; R1KB14270 Pipette : N/A Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.			
FARNESENE	0.001	ND	ND				
FENCHONE	0.007	ND	ND				
FENCHYL ALCOHOL	0.007	ND	ND				
GERANIOL	0.007	ND	ND				
GERANYL ACETATE	0.007	ND	ND				
GUAJOL	0.007	ND	ND				
HEXAHYDROTHYMOL	0.007	ND	ND				
ISOBORNEOL	0.007	ND	ND				
ISOPULEGOL	0.007	ND	ND				
LIMONENE	0.007	ND	ND				
LINALOOL	0.007	ND	ND				
NEROL	0.007	ND	ND				
OCIMENE	0.007	ND	ND				
SABINENE	0.007	ND	ND				
SABINENE HYDRATE	0.007	ND	ND				
TOTAL TERPINEOL	0.007	ND	ND				
VALENCENE	0.007	ND	ND				
ALPHA-BISABOLOL	0.007	ND	ND				
ALPHA-CEDRENE	0.007	ND	ND				
ALPHA-HUMULENE	0.007	ND	ND				
ALPHA-PHELLANDRENE	0.007	ND	ND				
ALPHA-PINENE	0.007	ND	ND				
<b>Total (%)</b>		<b>0.041</b>					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
12/08/23



Type: Products for oral administration (pills, capsules, tinctures, and similar

# Certificate of Analysis

**PASSED**

**FLUENT**

82 NE 26th street  
Miami, FL, 33137, US  
Telephone: (305) 900-6266  
Email: Taylor.Jones@getfluent.com

Sample : DA31206003-001

Harvest/Lot ID: 2948 0789 7026 7735

Batch# : 2948 0789 7026  
7735

Sampled : 12/06/23  
Ordered : 12/06/23

Sample Size Received : 180 gram

Total Amount : 1173 units

Completed : 12/08/23 Expires: 12/08/24

Sample Method : SOP.T.20.010

Page 3 of 6



## Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	<b>Analyzed by:</b> 3379, 585, 1440	<b>Weight:</b> 0.2754g	<b>Extraction date:</b> 12/06/23 14:24:31	<b>Extracted by:</b> 4056,450,3379		
DICHLORVOS	0.010	ppm	0.1	PASS	ND	<b>Analysis Method :</b> SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)					
DIMETHOATE	0.010	ppm	0.1	PASS	ND	<b>Analytical Batch :</b> DA067088PES			<b>Reviewed On :</b> 12/07/23 10:51:02		
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	<b>Instrument Used :</b> DA-LCMS-003 (PES)			<b>Batch Date :</b> 12/06/23 10:28:38		
ETOFENPROX	0.010	ppm	0.1	PASS	ND	<b>Analyzed Date :</b> N/A					
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	<b>Dilution :</b> 250					
FENHEXAMID	0.010	ppm	0.1	PASS	ND	<b>Reagent :</b> 120123.R06; 040423.08; 120623.R34; 120623.R25; 120423.R04; 112123.R13; 120623.R01					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	<b>Consumables :</b> 326250IW					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	<b>Pipette :</b> DA-093; DA-094; DA-219					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FLONICAMID	0.010	ppm	0.1	PASS	ND	<b>Analyzed by:</b> 450, 585, 1440	<b>Weight:</b> 0.2754g	<b>Extraction date:</b> 12/06/23 14:24:31	<b>Extracted by:</b> 4056,450,3379		
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	<b>Analysis Method :</b> SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	<b>Analytical Batch :</b> DA067089VOL			<b>Reviewed On :</b> 12/07/23 10:48:31		
IMAZALIL	0.010	ppm	0.1	PASS	ND	<b>Instrument Used :</b> DA-GCMS-001			<b>Batch Date :</b> 12/06/23 10:29:33		
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	<b>Analyzed Date :</b> N/A					
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	<b>Dilution :</b> 250					
MALATHION	0.010	ppm	0.2	PASS	ND	<b>Reagent :</b> 120123.R06; 040423.08; 112723.R14; 112723.R15					
METALAXYL	0.010	ppm	0.1	PASS	ND	<b>Consumables :</b> 326250IW; 14725401					
METHIACARB	0.010	ppm	0.1	PASS	ND	<b>Pipette :</b> DA-080; DA-146; DA-218					
METHOMYL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
12/08/23



Type: Products for oral administration (pills, capsules, tinctures, and similar

# Certificate of Analysis


**PASSED**
**FLUENT**

 82 NE 26th street  
 Miami, FL, 33137, US  
 Telephone: (305) 900-6266  
 Email: Taylor.Jones@getfluent.com

 Sample : DA31206003-001  
 Harvest/Lot ID: 2948 0789 7026 7735

 Batch# : 2948 0789 7026 7735  
 Sample Size Received : 180 gram  
 Total Amount : 1173 units  
 Completed : 12/08/23 Expires: 12/08/24  
 Ordered : 12/06/23  
 Sample Method : SOP.T.20.010

Page 4 of 6



## Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
ETHANOL	500.000	ppm		TESTED	>9500.000
ETHYL ACETATE	40.000	ppm	400	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

Analyzed by: 850, 585, 1440	Weight: 0.0288g	Extraction date: 12/07/23 14:42:10	Extracted by: 850
--------------------------------	--------------------	---------------------------------------	----------------------

Analysis Method : SOP.T.40.041.FL Analytical Batch : DA06710150L Instrument Used : DA-GCMS-002 Analyzed Date : 12/07/23 14:51:36	Reviewed On : 12/07/23 15:20:00 Batch Date : 12/06/23 13:58:26
---	---

Dilution : 1  
 Reagent : N/A  
 Consumables : R2017.099; G201.167  
 Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.





# Certificate of Analysis

**PASSED**
**FLUENT**

 82 NE 26th street  
 Miami, FL, 33137, US  
 Telephone: (305) 900-6266  
 Email: Taylor.Jones@getfluent.com

 Sample : DA31206003-001  
 Harvest/Lot ID: 2948 0789 7026 7735  
 Batch# : 2948 0789 7026 7735  
 Sample Size Received : 180 gram  
 Total Amount : 1173 units  
 Sampled : 12/06/23  
 Completed : 12/08/23 Expires: 12/08/24  
 Ordered : 12/06/23  
 Sample Method : SOP.T.20.010

Page 5 of 6

	<b>Microbial</b>	<b>PASSED</b>		<b>Mycotoxins</b>	<b>PASSED</b>
---	------------------	---------------	---	-------------------	---------------

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ECOLI SHIGELLA			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000
Analyzed by: 3621, 585, 1440    Weight: 1.0358g    Extraction date: 12/06/23 10:56:03    Extracted by: 3621 Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA067079MIC    Reviewed On : 12/07/23 10:55:30    Batch Date : 12/06/23 09:24:21 Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-013,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021 Analyzed Date : 12/06/23 14:00:30					

Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
Analyzed by: 3379, 585, 1440    Weight: 0.2754g    Extraction date: 12/06/23 14:24:31    Extracted by: 4056,450,3379 Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA067090MYC    Reviewed On : 12/07/23 10:21:58 Instrument Used : N/A    Batch Date : 12/06/23 10:30:59 Analyzed Date : N/A Dilution : 250 Reagent : 120123.R06; 040423.08; 120623.R34; 120623.R25; 120423.R04; 112123.R13; 120623.R01 Consumables : 326250IW Pipette : DA-093; DA-094; DA-219					

Analyte	LOD	Units	Result	Pass / Fail	Action Level
Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

Analyte	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1
ARSENIC	0.020	ppm	ND	PASS	0.2
CADMIUM	0.020	ppm	ND	PASS	0.2
MERCURY	0.020	ppm	ND	PASS	0.2
LEAD	0.020	ppm	ND	PASS	0.5
Analyzed by: 1022, 585, 1440    Weight: 0.2946g    Extraction date: 12/06/23 11:18:21    Extracted by: 1022,4306 Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA067086HEA    Reviewed On : 12/07/23 10:42:37 Instrument Used : DA-ICPMS-004    Batch Date : 12/06/23 10:15:50 Analyzed Date : 12/07/23 10:32:59 Dilution : 50 Reagent : 120123.R17; 120123.R15; 120123.R16; 120123.R13; 120123.R14; 112023.R22; 111023.R06; 120623.01 Consumables : 179436; 210508058; 12594-247CD-247C Pipette : DA-061; DA-191; DA-216					

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Result	Pass / Fail	Action Level
Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

Analyte	LOD	Units	Result	Pass / Fail	Action Level
Heavy Metals testing utilizing Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Vanilla Agave Tincture (2oz)  
Vanilla Agave  
Matrix : Derivative  
usable products)



Type: Products for oral administration (pills, capsules, tinctures, and similar

# Certificate of Analysis

**PASSED**

**FLUENT**

82 NE 26th street  
Miami, FL, 33137, US  
Telephone: (305) 900-6266  
Email: Taylor.Jones@getfluent.com

Sample : DA31206003-001  
Harvest/Lot ID: 2948 0789 7026 7735  
Batch# : 2948 0789 7026 7735  
Sample Size Received : 180 gram  
Total Amount : 1173 units  
Sampled : 12/06/23  
Completed : 12/08/23 Expires: 12/08/24  
Ordered : 12/06/23  
Sample Method : SOP.T.20.010

Page 6 of 6

	<b>Filth/Foreign Material</b>	<b>PASSED</b>
--	-------------------------------	---------------

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A
----------------------------	---------------	-------------------------	----------------------

Analysis Method : SOP.T.40.090  
Analytical Batch : DA067100FIL  
Instrument Used : Filth/Foreign Material Microscope  
Analyzed Date : 12/06/23 12:57:26  
Reviewed On : 12/06/23 13:08:21  
Batch Date : 12/06/23 12:56:08

Dilution : N/A  
Reagent : N/A  
Consumables : N/A  
Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

	<b>Water Activity</b>	<b>PASSED</b>
--	-----------------------	---------------

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.542	TESTED	

Analyzed by: 4371, 585, 1440	Weight: 0.32g	Extraction date: 12/06/23 11:50:37	Extracted by: 4371
---------------------------------	------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.019  
Analytical Batch : DA067084WAT  
Instrument Used : DA-028 Rotronic HygroPalm  
Analyzed Date : N/A  
Reviewed On : 12/07/23 10:55:15  
Batch Date : 12/06/23 10:09:20

Dilution : N/A  
Reagent : 113021.09  
Consumables : PS-14  
Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJA-  
Testing 97164



Signature  
12/08/23