

# **Certificate of Analysis**

COMPLIANCE FOR RETAIL

**Kaycha Labs** 

Primus Cartridge Concentrate 1g (90%)

Primus

Matrix: Derivative Type: Distillate

Sample:DA31223002-001 Harvest/Lot ID: 9663 9950 2179 6545

Batch#: 9663 9950 2179 6545

**Cultivation Facility: Tampa Cultivation** 

**Processing Facility: Tampa Processing Source Facility: Tampa Cultivation** 

Seed to Sale# 1531 4447 6116 8258

Batch Date: 09/28/23

Sample Size Received: 16 gram Total Amount: 1944 units

Retail Product Size: 1 gram

**Ordered:** 12/22/23 Sampled: 12/23/23

**Completed: 12/27/23** 

Sampling Method: SOP.T.20.010

# **PASSED**

Dec 27, 2023 | FLUENT

82 NE 26th street Miami, FL, 33137, US



Pages 1 of 6

PRODUCT IMAGE

SAFETY RESULTS























MISC.

Pesticides

Heavy Metals

Microbials

Mycotoxins PASSED

Residuals Solvents PASSED

Filth

Water Activity

Moisture

TESTED

**PASSED** 



## Cannabinoid

**Total THC** 85.648%

Total THC/Container: 856.48 mg



Total CBD 0.268%

Total CBD/Container: 2.68 mg



**Total Cannabinoids** 90.049%

Extracted by:

Total Cannabinoids/Container: 900.49 mg

THCA THCV CBC CBD CBDA D8-THC CRG CRGA CRN CRDV 0.942 85.551 0.111 0.268 ND 0.280 1.971 ND 0.759 ND 0.167 855.51 2.80 19.71 ND 9.42 1.11 2.68 ND 7.59 ND 1.67 ma/unit 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 LOD % % % % % % % % %

**Extraction date** 

12/26/23 10:05:23

Analyzed by: 1665, 585, 1440 Analysis Method : SOP.T.40.031, SOP.T.30.031 Analytical Batch : DA067732POT Instrument Used : DA-LC-007

Analyzed Date: 12/26/23 21:54:57

Reagent: 121223.R05; 070121.27; 121223.R01 Consumables: 947.109; 280670723; CE0123; R1KB14270

**Pipette :** DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

Weight: 0.1009g

Reviewed On: 12/27/23 08:16:05 Batch Date: 12/26/23 05:25:18

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

## **Vivian Celestino**

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164



## Kaycha Labs

Primus Cartridge Concentrate 1g (90%)

Primus **X** 

Matrix : Derivative Type: Distillate



# **Certificate of Analysis**

**PASSED** 

ELLIENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA31223002-001 Harvest/Lot ID: 9663 9950 2179 6545

Batch#: 9663 9950 2179

6545 Sampled: 12/23/23 Ordered: 12/23/23 Sample Size Received : 16 gram
Total Amount : 1944 units

Completed: 12/27/23 Expires: 12/27/24
Sample Method: SOP.T.20.010

Page 2 of 6



## **Terpenes**

**TESTED** 

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	26.65	2.665		ALPHA-BISABOLOL	0.007	ND	ND	
LIMONENE	0.007	10.77	1.076		ALPHA-CEDRENE	0.007	ND	ND	
BETA-MYRCENE	0.007	5.34	0.534		ALPHA-PHELLANDRENE	0.007	ND	ND	
BETA-CARYOPHYLLENE	0.007	3.69	0.368		ALPHA-TERPINENE	0.007	ND	ND	
INALOOL	0.007	2.56	0.256		CIS-NEROLIDOL	0.007	ND	ND	
ALPHA-HUMULENE	0.007	1.10	0.109		GAMMA-TERPINENE	0.007	ND	ND	
ETA-PINENE	0.007	1.03	0.103		TRANS-NEROLIDOL	0.007	ND	ND	
LPHA-TERPINOLENE	0.007	0.66	0.066	The state of the s	TOTAL TERPINEOL	0.007	< 0.20	< 0.020	
LPHA-PINENE	0.007	0.66	0.065		Analyzed by:	Weight:	Extraction	n date:	Extracted by:
ENCHYL ALCOHOL	0.007	0.61	0.060	Ï	1879, 795, 585, 1440	1.0131g		17:46:36	3605,1879
ARNESENE	0.001	0.28	0.028		Analysis Method: SOP.T.30.061A.FL, SOP.T.4	0.061A.FL			
-CARENE	0.007	ND	ND		Analytical Batch : DA067696TER Instrument Used : DA-GCMS-008				2/27/23 08:16:09 23/23 11:22:34
ORNEOL	0.013	ND	ND		Analyzed Date: 12/24/23 12:42:36		Batch	1 Date : 12/2	23/23 11:22:34
AMPHENE	0.007	ND	ND		Dilution: 10				
AMPHOR	0.007	ND	ND		Reagent : N/A				
ARYOPHYLLENE OXIDE	0.007	ND	ND		Consumables : N/A				
EDROL	0.007	ND	ND		Pipette : N/A				
UCALYPTOL	0.007	ND	ND		Terpenoid testing is performed utilizing Gas Chrom	atograpny Mass Spectro	ometry. For all	Flower sampl	ies, the Total Terpenes % is dry-weight corrected.
ENCHONE	0.007	ND	ND						
ERANIOL	0.007	ND	ND						
ERANYL ACETATE	0.007	ND	ND						
UAIOL	0.007	ND	ND						
EXAHYDROTHYMOL	0.007	ND	ND						
OBORNEOL	0.007	ND	ND						
SOPULEGOL	0.007	ND	ND						
EROL	0.007	ND	ND						
CIMENE	0.007	ND	ND						
ULEGONE	0.007	ND	ND						
ABINENE	0.007	ND	ND						
ABINENE HYDRATE	0.007	ND	ND						
/ALENCENE	0.007	ND	ND						
otal (%)			2.665						

Total (%) 2.669

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

## **Vivian Celestino**

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



## Kaycha Labs

Primus Cartridge Concentrate 1g (90%)

Primus Primus Matrix : Derivative

Type: Distillate



# **Certificate of Analysis**

**PASSED** 

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA31223002-001 Harvest/Lot ID: 9663 9950 2179 6545

Batch#: 9663 9950 2179

6545 **Sampled**: 12/23/23 **Ordered**: 12/23/23 Sample Size Received: 16 gram
Total Amount: 1944 units

Completed: 12/27/23 Expires: 12/27/24 Sample Method: SOP.T.20.010

Page 3 of 6



## **Pesticides**

## **PASSED**

esticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	L	OD Un	its	Action Level	Pass/Fail	Resu
OTAL CONTAMINANT LOAD (PESTICIDES)	0.010	1.1.	5	PASS	ND	OXAMYL	0.	010 ppr	m	0.5	PASS	ND
OTAL DIMETHOMORPH	0.010		0.2	PASS	ND	PACLOBUTRAZOL	0.	010 ppr	m	0.1	PASS	ND
OTAL PERMETHRIN	0.010		0.1	PASS	ND	PHOSMET	0.	010 ppr	m	0.1	PASS	ND
OTAL PYRETHRINS	0.010	P. P.	0.5	PASS	ND	PIPERONYL BUTOXIDE		010 ppr		3	PASS	ND
OTAL SPINETORAM	0.010		0.2	PASS	ND	PRALLETHRIN		010 ppr		0.1	PASS	ND
OTAL SPINOSAD	0.010	ppm	0.1	PASS	ND					0.1	PASS	ND
BAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE		010 ppr				
CEPHATE	0.010	ppm	0.1	PASS	ND	PROPOXUR		010 ppr		0.1	PASS	ND
EQUINOCYL	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.	010 ppr	n	0.2	PASS	ND
ETAMIPRID	0.010	P. P.	0.1	PASS	ND	SPIROMESIFEN	0.	010 ppr	n	0.1	PASS	ND
DICARB	0.010		0.1	PASS	ND	SPIROTETRAMAT	0.	010 ppr	m	0.1	PASS	ND
OXYSTROBIN	0.010	P. P.	0.1	PASS	ND	SPIROXAMINE	0.	010 ppr	m	0.1	PASS	ND
ENAZATE	0.010		0.1	PASS	ND	TEBUCONAZOLE	0.	010 ppr	m	0.1	PASS	ND
FENTHRIN	0.010		0.1	PASS	ND	THIACLOPRID	0.	010 ppr	m	0.1	PASS	ND
SCALID	0.010		0.1	PASS	ND	THIAMETHOXAM		010 ppr		0.5	PASS	ND
RBARYL	0.010		0.5	PASS	ND	TRIFLOXYSTROBIN		010 ppr		0.1	PASS	ND
RBOFURAN	0.010		0.1	PASS	ND			010 PPN		0.15	PASS	ND
LORANTRANILIPROLE	0.010		1	PASS	ND	PENTACHLORONITROBENZENE (PCN	,				PASS	
LORMEQUAT CHLORIDE	0.010		1	PASS	ND	PARATHION-METHYL *		010 PPN		0.1		ND
LORPYRIFOS	0.010	P. P.	0.1	PASS	ND	CAPTAN *		070 PPN		0.7	PASS	ND
DFENTEZINE	0.010		0.2	PASS	ND	CHLORDANE *	0.	010 PPN	VI	0.1	PASS	ND
UMAPHOS	0.010		0.1	PASS	ND	CHLORFENAPYR *	0.	010 PPN	VI.	0.1	PASS	ND
MINOZIDE	0.010	ppm	0.1	PASS	ND	CYFLUTHRIN *	0.	050 PPN	M	0.5	PASS	ND
ZINON	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.	050 PPN	И	0.5	PASS	ND
HLORVOS	0.010	1.1.	0.1	PASS	ND	Analyzed by: We	ight: Extr	action d	ato:		Extracted b	<i>u</i> •
METHOATE	0.010	ppm	0.1	PASS	ND			6/23 06:			4056.3379	y.
HOPROPHOS	0.010		0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (G				SOP.T.40.101.		
OFENPROX	0.010	P. P.	0.1	PASS	ND	SOP.T.40.102.FL (Davie)						
OXAZOLE	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA067702PES				n:12/27/23 1		
NHEXAMID	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES	5)	Bat	ch Date :	12/23/23 12:	30:42	
NOXYCARB	0.010		0.1	PASS	ND	Analyzed Date : N/A						
NPYROXIMATE	0.010		0.1	PASS	ND	Dilution: 250 Reagent: 122023.R04; 040423.08; 13	22323 BUI: 122023	RU3- 121	1023 BU3.	112123 812	122023 R01	
PRONIL	0.010		0.1	PASS	ND	Consumables : 326250IW		, 121	,		122025.1101	
ONICAMID	0.010	P. P.	0.1	PASS	ND	Pipette: DA-093; DA-094; DA-219						
UDIOXONIL	0.010		0.1	PASS	ND	Testing for agricultural agents is perform	med utilizing Liquid C	hromatog	graphy Trip	ole-Quadrupol	e Mass Spectron	netry in
XYTHIAZOX	0.010	P. P.	0.1	PASS	ND	accordance with F.S. Rule 64ER20-39.						
AZALIL	0.010		0.1	PASS	ND	Analyzed by: Weig		ction da			Extracted by	r:
IDACLOPRID	0.010		0.4	PASS	ND	<b>450, 585, 1440</b> 0.23		/23 06:5		000 W 10	4056,3379	
ESOXIM-METHYL	0.010	P. P.	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (G	ainesville), SOP.T.3					
LATHION	0.010		0.2	PASS	ND	Analytical Batch : DA067703VOL Instrument Used : DA-GCMS-001				12/27/23 11:1 /23/23 12:31:		
TALAXYL	0.010		0.1	PASS	ND	Analyzed Date :12/26/23 13:24:58		Dutell	-400 (12)	, 12.31.		
THIOCARB	0.010	ppm	0.1	PASS	ND	Dilution: 250						
THOMYL	0.010	ppm	0.1	PASS	ND	Reagent: 122023.R04; 040423.08; 13	21423.R01; 112723	R15				
EVINPHOS	0.010	1.1.	0.1	PASS	ND	Consumables: 326250IW; 14725401						
CLOBUTANIL	0.010	ppm	0.1	PASS	ND	Pipette: DA-080; DA-146; DA-218						
ALED	0.010	ppm	0.25	PASS	ND	Testing for agricultural agents is perforn	ned utilizing Gas Chr	omatogra	phy Triple	-Quadrupole I	Mass Spectromet	try in

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

## **Vivian Celestino**

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



## Kaycha Labs

Primus Cartridge Concentrate 1g (90%)

Primus Primus

Matrix : Derivative Type: Distillate



# **Certificate of Analysis**

**PASSED** 

ELLIENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample: DA31223002-001 Harvest/Lot ID: 9663 9950 2179 6545

Batch#: 9663 9950 2179

6545 **Sampled :** 12/23/23 **Ordered :** 12/23/23

9950 2179 Sample Size Received : 16 gram
Total Amount : 1944 units

Completed: 12/27/23 Expires: 12/27/24
Sample Method: SOP.T.20.010

Page 4 of 6



## **Residual Solvents**

**PASSED** 

Solvents	LOD	Units	Action Level	Pass/Fail	Result	
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND	
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND	
ACETONE	75.000	ppm	750	PASS	ND	
DICHLOROMETHANE	12.500	ppm	125	PASS	ND	
BENZENE	0.100	ppm	1	PASS	ND	
2-PROPANOL	50.000	ppm	500	PASS	ND	
CHLOROFORM	0.200	ppm	2	PASS	ND	
ETHANOL	500.000	ppm	5000	PASS	ND	
ETHYL ACETATE	40.000	ppm	400	PASS	ND	
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND	
ACETONITRILE	6.000	ppm	60	PASS	ND	
ETHYL ETHER	50.000	ppm	500	PASS	ND	
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND	
HEPTANE	500.000	ppm	5000	PASS	ND	
METHANOL	25.000	ppm	250	PASS	ND	
N-HEXANE	25.000	ppm	250	PASS	ND	
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND	
TOLUENE	15.000	ppm	150	PASS	ND	
TOTAL XYLENES	15.000	ppm	150	PASS	ND	
PROPANE	500.000	ppm	5000	PASS	ND	
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND	
Analysis of hou	144 - L., L. A.	Postura attanza ata tan		Fortuna et a	at the co	

Reviewed On: 12/26/23 12:50:19

Batch Date: 12/23/23 13:34:43

 Analyzed by:
 Weight:
 Extraction date:
 Extracted by:

 850, 585, 1440
 0.0206g
 12/23/23 14:02:06
 3605,850

Analysis Method: SOP.T.40.041.FL Analytical Batch: DA067714SOL Instrument Used: DA-GCMS-002 Analyzed Date: 12/24/23 09:23:21

Dilution: 1 Reagent: N/A

**Consumables :** R2017.167; G201.167 **Pipette :** DA-309 25 uL Syringe 35028

zed Date: 12/24/23 09:23:21

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino** 

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164 1/2



#### Kaycha Labs

Primus Cartridge Concentrate 1g (90%)

Primus

Matrix : Derivative Type: Distillate



# **Certificate of Analysis**

PASSED

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.lones@getfluent.com Sample : DA31223002-001 Harvest/Lot ID: 9663 9950 2179 6545

Batch#: 9663 9950 2179

6545 Sampled: 12/23/23 Ordered: 12/23/23 Sample Size Received: 16 gram Total Amount: 1944 units Completed: 12/27/23 Expires: 12/27/24 Sample Method: SOP.T.20.010

Page 5 of 6



## **Microbial**

## **PASSED**



# **Mycotoxins**

## **PASSED**

Analyte	LOD	Units	Result	Pass / Fail	Action Level	1
ASPERGILLUS TERREUS			Not Present	PASS		1
ASPERGILLUS NIGER			Not Present	PASS		1
ASPERGILLUS FUMIGATUS			Not Present	PASS		(
ASPERGILLUS FLAVUS			Not Present	PASS		1
SALMONELLA SPECIFIC GENE			Not Present	PASS		1
ECOLI SHIGELLA			Not Present	PASS		Α
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000	3

Analyzed by:	Weight:	Extraction date:	Extracted by:
3336, 3621, 585, 1440	0.823g	12/23/23 13:37:12	3963,3336

Analysis Method: SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA067689MIC

**Reviewed On:** 12/27/23

Batch Date: 12/23/23

Instrument Used: PathogenDx Scanner DA-111.Applied Biosystems Thermocycler DA-010, fisherbrand Isotemp Heat Block 09:34:24 DA-020, fisherbrand Isotemp Heat Block DA-049, Fisher Scientific

Isotemp Heat Block DA-021 **Analyzed Date :** 12/26/23 14:09:30

Dilution: N/A

Reagent: 110723.04; 112423.R01; 081023.07; 100223.10

Consumables : 7568502060 Pipette: N/A

Pipette: N/A

2
---

Analyte		LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2		0.002	ppm	ND	PASS	0.02
AFLATOXIN B1		0.002	ppm	ND	PASS	0.02
OCHRATOXIN A		0.002	ppm	ND	PASS	0.02
AFLATOXIN G1		0.002	ppm	ND	PASS	0.02
AFLATOXIN G2		0.002	ppm	ND	PASS	0.02
Analyzed by: 3379, 585, 1440	Weight:	Extraction dat	Extracted by:			

12/26/23 06:50:49 0.2336g Analysis Method: SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)

Analytical Batch : DA067704MYC Reviewed On: 12/26/23 10:48:23 Instrument Used: N/A Batch Date: 12/23/23 12:32:40

Analyzed Date : N/A

Dilution: 250
Reagent: 122023.R04; 040423.08; 122323.R01; 122023.R03; 121923.R03; 112123.R13; 122023.R01

Consumables: 326250IW Pipette: DA-093; DA-094; DA-219

 $My cotoxins\ testing\ utilizing\ Liquid\ Chromatography\ with\ Triple-Quadrupole\ Mass\ Spectrometry\ in\ accordance\ with\ F.S.\ Rule\ 64ER20-39.$ 



# **Heavy Metals**

4351, 3621, 585, 1440	0.823g	12/23/23 13:37:12	3963,3336			
Analysis Method : SOP.T.40.208	(Gainesville)	, SOP.T.40.209.FL				
Analytical Batch : DA067691TY			12/26/23 11:54:13			
Instrument Used : Incubator (25		6 <b>Batch Date :</b> 12/23/23 09:37:20				
<b>Analyzed Date :</b> 12/24/23 10:03	:16					
Dilution: N/A						
Reagent: 110723.04; 112423.F	R02					
C						

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

TOTAL CONTAMINA	ANT LOAD METAL	<b>5</b> 0.080	ppm	ND	Fail PASS	Level 1.1
ARSENIC		0.020	ppm	ND	PASS	0.2
CADMIUM		0.020	ppm	ND	PASS	0.2
MERCURY		0.020	ppm	ND	PASS	0.2
LEAD		0.020	ppm	ND	PASS	0.5
Analyzed by	Majalah	Evensetion date		E.	thun aho al le	

12/23/23 13:56:17

Analysis Method: SOP.T.30.082.FL, SOP.T.40.082.FL

Reviewed On: 12/27/23 12:01:09 Analytical Batch : DA067705HEA Instrument Used : DA-ICPMS-004 Batch Date: 12/23/23 12:33:41 Analyzed Date: 12/26/23 11:52:05

0.2673g

Dilution: 50

1022, 585, 1440

Reagent : 120123.R17; 122623.R06; 121723.R01; 122623.R04; 122623.R05; 122023.R43; 120623.R45

Consumables: 210508058; 12594-247CD-247C Pipette: DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

#### **Vivian Celestino**

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



## **Kaycha Labs**

Primus Cartridge Concentrate 1g (90%)

Primus

Matrix : Derivative Type: Distillate



# **Certificate of Analysis**

PASSED

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.lones@getfluent.com Sample : DA31223002-001 Harvest/Lot ID: 9663 9950 2179 6545

Batch#: 9663 9950 2179

6545 Sampled: 12/23/23 Ordered: 12/23/23

Reviewed On: 12/24/23 13:23:51

Batch Date: 12/23/23 11:26:31

Sample Size Received: 16 gram Total Amount: 1944 units Completed: 12/27/23 Expires: 12/27/24 Sample Method: SOP.T.20.010

Page 6 of 6

## Filth/Foreign **Material**

**PASSED** 

Analyte LOD Units Result P/F **Action Level** Filth and Foreign Material 0.100 % ND PASS 1

Analyzed by: 1879, 585, 1440 Weight: NA N/A N/A

Analysis Method: SOP.T.40.090 Analytical Batch: DA067698FIL Instrument Used: N/A

Analyzed Date: 12/24/23 12:31:17

Dilution: N/AReagent: N/A Consumables : N/A Pipette: N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



## **Water Activity**

Analyte Water Activity		<b>LOD</b> 0.010	<b>Units</b> aw	Result 0.390	P/F PASS	Action Level 0.85
Analyzed by:	Weight:	Extraction date: 12/23/23 18:11:04		Extracted by:		
4371, 585, 1440	0.499q			4371		

Analysis Method : SOP.T.40.019 Analytical Batch : DA067701WAT Instrument Used : DA-028 Rotronic Hygropalm

Reviewed On: 12/26/23 11:03:59 Batch Date: 12/23/23 12:24:17

Analyzed Date : N/A Dilution: N/A Reagent: 113021.09 Consumables : PS-14

Pipette: N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

**Vivian Celestino** 

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha