

Kaycha Labs

Emerald Fire OG Syringe Distillate 0.5 g

Emerald Fire OG Matrix: Derivative



Type: Distillate

Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample:DA31231002-008 Harvest/Lot ID: 9033 5024 4543 3861

Batch#: 9033 5024 4543 3861

Cultivation Facility: Tampa Cultivation Processing Facility: Tampa Processing

Source Facility: Tampa Cultivation Seed to Sale# 8266 8995 5419 5507

Batch Date: 10/02/23

Sample Size Received: 15.5 gram Total Amount: 1056 units

Retail Product Size: 0.55 gram

Ordered: 12/30/23 Sampled: 12/31/23

Completed: 01/03/24 Revision Date: 01/12/24

Sampling Method: SOP.T.20.010

PASSED

Jan 12, 2024 | FLUENT

82 NE 26th street Miami, FL, 33137, US



Pages 1 of 6

PRODUCT IMAGE

SAFETY RESULTS



Pesticides



Heavy Metals PASSED



Mycotoxins PASSED



Residuals Solvents PASSED



Filth PASSED



Water Activity PASSED



Moisture **NOT TESTED**



MISC.



Cannabinoid

PASSED



Total THC 87.580% Total THC/Container: 481.69 mg



Microbials

Total CBD

Total CBD/Container: 1.61 mg



Total Cannabinoids

Extracted by:

Total Cannabinoids/Container: 514.18 mg

THCA CRGA THCV CBD CRDA D8-THC CRG CBN CRDV CRC 87.502 0.089 0.293 ND 0.333 2.535 ND 0.986 0.979 ND 0.771 481.26 0.49 1.61 ND 1.83 13.94 ND 5.42 5.38 ND 4.24 ma/unit 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 LOD % %

> **Extraction date** 01/02/24 08:16:27

Analyzed by: 1665, 585, 4351 Analysis Method: SOP.T.40.031, SOP.T.30.031
Analytical Batch: DA067894POT

Instrument Used: DA-LC-001 Analyzed Date: 01/02/24 08:16:52

Reagent: 122223.R01; 070121.27; 121223.R01 Consumables: 947.109; 280670723; CE0123; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

Weight

0.1043a

Vivian Celestino

Lab Director

Reviewed On: 01/03/24 14:21:19

Batch Date: 12/31/23 07:39:52

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature

01/03/24

Revision: #1 - Clerical error.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Million, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.



Kaycha Labs

Emerald Fire OG Syringe Distillate 0.5 g

Emerald Fire OG Matrix: Derivative Type: Distillate



PASSED

Certificate of Analysis

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA31231002-008 Harvest/Lot ID: 9033 5024 4543 3861

Batch#: 9033 5024 4543

Sampled: 12/31/23 Ordered: 12/31/23

Sample Size Received: 15.5 gram Total Amount : 1056 units

Completed: 01/03/24 Expires: 01/12/25 Sample Method: SOP.T.20.010

Page 2 of 6



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	t %	Result (%)	Terpenes		LOD (%)	mg/unit	%	Result (%)	
TOTAL TERPENES	0.007	24.26	4.410		VALENCENE		0.007	ND	ND		
LIMONENE	0.007	7.85	1.427		ALPHA-CEDRENE		0.007	ND	ND		
BETA-MYRCENE	0.007	7.84	1.426		ALPHA-PHELLANDRENE		0.007	ND	ND		
BETA-CARYOPHYLLENE	0.007	3.09	0.562		ALPHA-TERPINENE		0.007	ND	ND		
LINALOOL	0.007	1.78	0.323		ALPHA-TERPINOLENE		0.007	ND	ND		
ALPHA-HUMULENE	0.007	0.94	0.171		CIS-NEROLIDOL		0.007	ND	ND		
BETA-PINENE	0.007	0.94	0.171		GAMMA-TERPINENE		0.007	ND	ND		
FENCHYL ALCOHOL	0.007	0.70	0.128		TRANS-NEROLIDOL		0.007	ND	ND		
ALPHA-PINENE	0.007	0.47	0.086		Analyzed by:	Weight:		Extraction d	ate:		Extracted by:
GERANIOL	0.007	0.25	0.045		2076, 585, 4351	0.9406g		01/02/24 09			2076
TOTAL TERPINEOL	0.007	0.21	0.038		Analysis Method : SOP.T.30.061A.FL, S	OP.T.40.061A.FL					
FARNESENE	0.001	0.18	0.033		Analytical Batch : DA067902TER Instrument Used : DA-GCMS-004					01/03/24 14:21:19 1/01/24 14:30:21	
CARYOPHYLLENE OXIDE	0.007	< 0.11	< 0.020		Analyzed Date: 01/02/24 09:36:54			Battr	Date: U	1/01/24 14.30:21	
ALPHA-BISABOLOL	0.007	< 0.11	< 0.020		Dilution: 10						
B-CARENE	0.007	ND	ND		Reagent: 121622.26						
BORNEOL	0.013	ND	ND		Consumables: 210414634; MKCN9995	; CE0123; R1KB14	1270				
CAMPHENE	0.007	ND	ND		Pipette: N/A Terpenoid testing is performed utilizing Gas	Chananaha annaha M	Cb-	Fee ell		bb- T-b-! T 0/ :- d-	
CAMPHOR	0.007	ND	ND		respendid testing is performed utilizing Gas	Cironiatography Ma	ass spectn	umeury. FOF all	riuwer sar	npies, the rotal Terpenes % is di	ry-weight corrected.
CEDROL	0.007	ND	ND								
EUCALYPTOL	0.007	ND	ND								
ENCHONE	0.007	ND	ND								
GERANYL ACETATE	0.007	ND	ND								
GUAIOL	0.007	ND	ND								
HEXAHYDROTHYMOL	0.007	ND	ND								
SOBORNEOL	0.007	ND	ND								
SOPULEGOL	0.007	ND	ND								
NEROL	0.007	ND	ND								
DCIMENE	0.007	ND	ND								
PULEGONE	0.007	ND	ND								
SABINENE	0.007	ND	ND								
SABINENE HYDRATE	0.007	ND	ND								
otal (%)			4.410								

Total (%)

4.410

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Revision: #1 - Clerical error.



Kaycha Labs

Emerald Fire OG Syringe Distillate 0.5 g

Emerald Fire OG Matrix: Derivative Type: Distillate



Certificate of Analysis

PASSED

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA31231002-008 Harvest/Lot ID: 9033 5024 4543 3861

Batch#: 9033 5024 4543

Sampled: 12/31/23 Ordered: 12/31/23

Sample Size Received: 15.5 gram Total Amount : 1056 units

Completed: 01/03/24 Expires: 01/12/25Sample Method: SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

Pesticide	LOD	Units	Action	Pass/Fail	Result	Pesticide	LOD	Units	Action	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	nnm	Level 5	PASS	ND		0.010		Level	D. C.C.	ND
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010		0.2	PASS	ND	OXAMYL		ppm	0.5	PASS	ND
TOTAL PERMETHRIN	0.010		0.1	PASS	ND	PACLOBUTRAZOL		ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010		0.5	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PINETORAM	0.010		0.2	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM TOTAL SPINOSAD	0.010		0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010		0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010		0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEOUINOCYL	0.010		0.1	PASS	ND	PYRIDABEN		ppm	0.2	PASS	ND
ACETAMIPRID	0.010		0.1	PASS	ND	SPIROMESIFEN		ppm	0.1	PASS	ND
ALDICARB	0.010		0.1	PASS	ND			ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010		0.1	PASS	ND	SPIROTETRAMAT				PASS	
BIFENAZATE	0.010		0.1	PASS	ND	SPIROXAMINE		ppm	0.1		ND
BIFENTHRIN	0.010	P. P.	0.1	PASS	ND	TEBUCONAZOLE		ppm	0.1	PASS	ND
BOSCALID	0.010		0.1	PASS	ND	THIACLOPRID		ppm	0.1	PASS	ND
CARBARYL	0.010		0.5	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
CARBOFURAN	0.010		0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010		1	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CHLORMEQUAT CHLORIDE	0.010		1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010		0.1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CLOFENTEZINE	0.010		0.2	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
COUMAPHOS	0.010		0.1	PASS	ND	CHLORFENAPYR *	0.010		0.1	PASS	ND
DAMINOZIDE	0.010		0.1	PASS	ND	CYFLUTHRIN *	0.050		0.5	PASS	ND
DIAZINON	0.010		0.1	PASS	ND		0.050		0.5	PASS	ND
DICHLORVOS	0.010		0.1	PASS	ND	CYPERMETHRIN *			0.5		
DIMETHOATE	0.010		0.1	PASS	ND	Analyzed by: Weight:		raction date:		Extracted	
THOPROPHOS	0.010	ppm	0.1	PASS	ND	4056, 3379, 585, 4351 0.2314g Analysis Method : SOP.T.30.101.FL (Gainesville), SO		02/24 13:14:0		4056,450,5	
ETOFENPROX	0.010	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)	JP.1.30.10	JZ.FL (Davie),	50P.1.40.101	.rr (Gainesville),
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA067878PES		Reviewed O	n:01/03/24 1	11:39:22	
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)		Batch Date	:12/30/23 11	:39:31	
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Analyzed Date :12/31/23 11:56:13					
ENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Dilution: 250					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Reagent: 122623.R03; 040423.08; 122623.R01; 12 Consumables: 326250IW	2723.R30); 122623.R02	; 112123.R13	; 122723.R01	
FLONICAMID	0.010	ppm	0.1	PASS	ND	Pipette: DA-093; DA-094; DA-219					
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Lic	nuid Chror	natography Tri	nle-Ouadruno	le Mass Snectron	netry in
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	accordance with F.S. Rule 64ER20-39.	quiu ciiioi	nacograpity iii	pic quadrapo	ic mass specific	neary in
MAZALIL	0.010	ppm	0.1	PASS	ND	Analyzed by: Weight:		Extraction d	ate:	Extracted b	y:
MIDACLOPRID	0.010	ppm	0.4	PASS	ND	450, 1665, 585, 4351 0.2314g		N/A		4056,450	
CRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Analysis Method: SOP.T.30.151.FL (Gainesville), SC					
ALATHION	0.010	ppm	0.2	PASS	ND	Analytical Batch : DA067879VOL Instrument Used : DA-GCMS-010		eviewed On :			
METALAXYL	0.010	ppm	0.1	PASS	ND	Analyzed Date: 01/02/24 13:25:39	В	atch Date:12	/30/23 11:40	.20	
METHIOCARB	0.010	ppm	0.1	PASS	ND	Dilution: 25					
METHOMYL	0.010	ppm	0.1	PASS	ND	Reagent: 122623.R03; 040423.08; 121423.R01; 11	2723.R15	5			
MEVINPHOS	0.010	ppm	0.1	PASS	ND	Consumables: 326250IW; 14725401					
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND	Pipette: DA-080; DA-146; DA-218					
NALED	0.010	ppm	0.25	PASS	ND	Testing for agricultural agents is performed utilizing Ga accordance with F.S. Rule 64ER20-39.	s Chroma	tography Triple	e-Quadrupole	Mass Spectrome	try in

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Revision: #1 - Clerical error.



Kaycha Labs

Emerald Fire OG Syringe Distillate 0.5 g

Emerald Fire OG Matrix: Derivative Type: Distillate



Certificate of Analysis

PASSED

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA31231002-008 Harvest/Lot ID: 9033 5024 4543 3861

Batch#: 9033 5024 4543

Sampled: 12/31/23 Ordered: 12/31/23

Sample Size Received: 15.5 gram Total Amount: 1056 units Completed: 01/03/24 Expires: 01/12/25 Sample Method: SOP.T.20.010

Page 4 of 6



Residual Solvents

Э Л			
- /-		_	ш
-			

Analyzed by:	Weight:	Extraction date:			Extracted by:	
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND	
PROPANE	500.000	ppm	5000	PASS	ND	
TOTAL XYLENES	15.000	ppm	150	PASS	ND	
TOLUENE	15.000	ppm	150	PASS	ND	
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND	
N-HEXANE	25.000	ppm	250	PASS	ND	
METHANOL	25.000	ppm	250	PASS	ND	
HEPTANE	500.000	ppm	5000	PASS	ND	
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND	
ETHYL ETHER	50.000	ppm	500	PASS	ND	
ACETONITRILE	6.000	ppm	60	PASS	ND	
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND	
ETHYL ACETATE	40.000	ppm	400	PASS	ND	
ETHANOL	500.000	ppm	5000	PASS	ND	
CHLOROFORM	0.200	ppm	2	PASS	ND	
2-PROPANOL	50.000	ppm	500	PASS	ND	
BENZENE	0.100	ppm	1	PASS	ND	
DICHLOROMETHANE	12.500	ppm	125	PASS	ND	
ACETONE	75.000	ppm	750	PASS	ND	
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND	
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND	
Solvents	LOD	Units	Action Level	Pass/Fail	Result	

0.0241g 01/03/24 12:21:13

Analysis Method: SOP.T.40.041.FL Analytical Batch: DA067910SOL Instrument Used: DA-GCMS-003 **Analyzed Date:** 01/03/24 12:52:54

Dilution: 1 $\textbf{Reagent:} \ \, \textbf{N/A}$

Consumables: R2017.167; G201.167 **Pipette :** DA-309 25 uL Syringe 35028 Batch Date: 01/02/24 12:19:37

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Reviewed On: 01/03/24 13:38:39

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Revision: #1 - Clerical error.



Kaycha Labs

Emerald Fire OG Syringe Distillate 0.5 g

Emerald Fire OG Matrix: Derivative Type: Distillate



Certificate of Analysis

PASSED

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA31231002-008 Harvest/Lot ID: 9033 5024 4543 3861

Batch#: 9033 5024 4543

Sampled: 12/31/23 Ordered: 12/31/23 Sample Size Received: 15.5 gram Total Amount: 1056 units Completed: 01/03/24 Expires: 01/12/25 Sample Method: SOP.T.20.010

Page 5 of 6



Microbial



Mycotoxins

PASSED

LOD	Units	Result	Pass / Fail	Action Level	
		Not Present	PASS		
		Not Present	PASS		
		Not Present	PASS		
		Not Present	PASS		
		Not Present	PASS		
		Not Present	PASS		1
10	CFU/g	<10	PASS	100000	4
			Not Present Not Present Not Present Not Present Not Present Not Present	Not Present PASS	Not Present PASS

Analyzed by: Weight: **Extraction date:** Extracted by: 1.046g 3621, 3390, 585, 4351 12/31/23 12:43:21

Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL

Analytical Batch: DA067900MIC

Reviewed On: 01/03/24

Batch Date: 12/31/23

Instrument Used: PathogenDx Scanner DA-111.Applied Biosystems Thermocycler DA-013,fisherbrand Isotemp Heat Block 10:37:40

DA-020, fisherbrand Isotemp Heat Block DA-049, Fisher Scientific Isotemp Heat Block DA-021

Analyzed Date : 01/02/24 11:48:42

Dilution: N/A

Reagent: 110723.19; 111623.09; 111623.10; 111623.16; 112423.R01; 081023.07; 091523.46;

100223.10

Consumables: 7567003056 Pipette: N/A

Analyzed by:	Weight:	Extraction date:	Extracted by:
3621, 585, 4351	1.046a	NI/A	/351 3336

Analysis Method: SOP.T.40.208 (Gainesville), SOP.T.40.209.FL

Analytical Batch : DA067901TYM Reviewed On: 01/03/24 17:05:14 Instrument Used: Incubator (25-27*C) DA-096 Batch Date : $12/31/23 \ 10:38:16$ Analyzed Date : N/A

Dilution: 10Reagent : N/A Consumables : N/A Pipette: N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Å.	I

Analyte		LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2		0.002	ppm	ND	PASS	0.02
AFLATOXIN B1		0.002	ppm	ND	PASS	0.02
OCHRATOXIN A		0.002	ppm	ND	PASS	0.02
AFLATOXIN G1		0.002	ppm	ND	PASS	0.02
AFLATOXIN G2		0.002	ppm	ND	PASS	0.02
Analyzed by:	Weight:	Extraction date:		E	Extracted by:	

4056, 3379, 585, 4351 0.2314g N/A 4056,450 Analysis Method: SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville),

SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA067880MYC Reviewed On: 01/03/24 11:31:47 Instrument Used : N/A Batch Date: 12/30/23 11:40:54

Analyzed Date: 12/31/23 11:56:34

Dilution: 250 Reagent: 122623.R03; 040423.08; 122623.R01; 122723.R30; 122623.R02; 112123.R13;

122723.R01 Consumables: 326250IW Pipette: DA-093; DA-094; DA-219

 $My cotoxins\ testing\ utilizing\ Liquid\ Chromatography\ with\ Triple-Quadrupole\ Mass\ Spectrometry\ in\ accordance\ with\ F.S.\ Rule\ 64ER20-39.$



Heavy Metals

Metal		LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOA	0.080	ppm	ND	PASS	1.1	
ARSENIC		0.020	ppm	ND	PASS	0.2
CADMIUM		0.020	ppm	ND	PASS	0.2
MERCURY		0.020	ppm	ND	PASS	0.2
LEAD		0.020	ppm	ND	PASS	0.5
Analyzed by: 1879, 1022, 585, 4351	Weight: 0.2766g	Extraction date: 12/31/23 10:35:29			Extracted 1879,102	

Analysis Method: SOP.T.30.082.FL, SOP.T.40.082.FL

Analytical Batch: DA067896HEA Instrument Used : DA-ICPMS-004 Analyzed Date: 12/31/23 20:49:10

Reviewed On: 01/02/24 12:14:41

Dilution: 50 Reagent: 120123.R17; 122623.R06; 121723.R01; 122623.R04; 122623.R05; 122023.R43;

120623.R45 Consumables: 179436; 210508058; 12594-247CD-247C

Pipette: DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Revision: #1 - Clerical error.

01/03/24



Kaycha Labs

Emerald Fire OG Syringe Distillate 0.5 g

Emerald Fire OG Matrix: Derivative Type: Distillate

Page 6 of 6



Certificate of Analysis

PASSED

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.lones@getfluent.com Sample : DA31231002-008 Harvest/Lot ID: 9033 5024 4543 3861

Batch#: 9033 5024 4543

Sampled: 12/31/23 Ordered: 12/31/23

Sample Size Received: 15.5 gram Total Amount: 1056 units Completed: 01/03/24 Expires: 01/12/25

Sample Method: SOP.T.20.010



Filth/Foreign **Material**

PASSED

Analyte LOD Units Result P/F **Action Level** Filth and Foreign Material 0.100 % ND PASS 1

Analyzed by: 1879, 585, 4351 Weight: NA N/A N/A

Analysis Method : SOP.T.40.090

Analytical Batch: DA067890FIL
Instrument Used: Filth/Foreign Material Microscope Reviewed On: 12/31/23 20:46:06 Batch Date: 12/30/23 17:23:40 Analyzed Date: 12/30/23 17:25:48

Dilution: N/AReagent: N/A Consumables : N/A Pipette: N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

Batch Date: 12/31/23 09:50:31

Analyte		LOD	Units	Result	P/F	Action Level
Water Activity		0.010	aw	0.396	PASS	0.85
Analyzed by:	Weight:	Ev	traction date	۵.	Evtr	acted hv

4371, 585, 4351 12/31/23 10:53:42 Analysis Method : SOP.T.40.019 Analytical Batch : DA067897WAT Instrument Used : DA-028 Rotronic Hygropalm Reviewed On: 01/02/24 10:30:30

Analyzed Date : N/A Dilution: N/A Reagent: 113021.09 Consumables : PS-14 Pipette: N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

01/03/24

Revision: #1 - Clerical error.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.