

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

## **Certificate of Analysis COMPLIANCE FOR RETAIL**

**Kaycha Labs** 

Sour Watermelon Gels 10 Count Sour Watermelon Matrix: Edible Type: Soft Chew


Pages 1 of 5



Sample:DA40110002-001 Harvest/Lot ID: 6233 4381 2683 6213 Batch#: 6233 4381 2683 6213 **Cultivation Facility: Tampa Cultivation Processing Facility : Tampa Processing Source Facility : Tampa Cultivation** Seed to Sale# 1564 7971 8587 1870 Batch Date: 10/02/23 Sample Size Received: 1020 gram Total Amount: 6824 units Retail Product Size: 63.7836 gram Ordered: 01/09/24 Sampled: 01/10/24 Completed: 01/12/24 Sampling Method: SOP.T.20.010

PASSED

Jan 12, 2024 | FLUENT 82 NE 26th street Miami, FL, 33137, US



Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

#### **Vivian Celestino** Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164

Signature 01/12/24



Sour Watermelon Gels 10 Count Sour Watermelon Matrix : Edible Type: Soft Chew



4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

## **Certificate of Analysis**

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA40110002-001 Harvest/Lot ID: 6233 4381 2683 6213 Batch# : 6233 4381 2683 Sample

6213 Sampled : 01/10/24 Ordered : 01/10/24 Sample Size Received : 1020 gram Total Amount : 6824 units Completed : 01/12/24 Expires: 01/12/25 Sample Method : SOP.T.20.010

Page 2 of 5



### Pesticides

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)		ppm	30	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH		ppm	3	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN		ppm	1	PASS	ND	PHOSMET	0.010	ppm	0.2	PASS	ND
OTAL PYRETHRINS		ppm	1	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
OTAL SPINETORAM		ppm	3	PASS	ND	PRALLETHRIN		maa	0.4	PASS	ND
OTAL SPINOSAD		ppm	3	PASS	ND	PROPICONAZOLE		ppm	1	PASS	ND
BAMECTIN B1A		ppm	0.3	PASS	ND			ppm	0.1	PASS	ND
CEPHATE		ppm	3	PASS	ND	PROPOXUR				PASS	ND
CEQUINOCYL		ppm	2	PASS	ND	PYRIDABEN		ppm	3		
CETAMIPRID		ppm	3	PASS	ND	SPIROMESIFEN		ppm	3	PASS	ND
LDICARB		ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	3	PASS	ND
ZOXYSTROBIN		ppm	3	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
IFENAZATE		ppm	3	PASS	ND	TEBUCONAZOLE	0.010	ppm	1	PASS	ND
BIFENTHRIN	0.010		0.5	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
IOSCALID		ppm	3	PASS	ND	THIAMETHOXAM	0.010	ppm	1	PASS	ND
CARBARYL		ppm	0.5	PASS	ND	TRIFLOXYSTROBIN		mag	3	PASS	ND
ARBOFURAN		ppm	0.1	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	P.P.	0.2	PASS	ND
HLORANTRANILIPROLE	0.010		3	PASS	ND		0.010		0.1	PASS	ND
HLORMEQUAT CHLORIDE		ppm	3	PASS	ND	PARATHION-METHYL *					
HLORPYRIFOS	0.010		0.1	PASS	ND	CAPTAN *	0.070		3	PASS	ND
LOFENTEZINE	0.010		0.5	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
OUMAPHOS		ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
AMINOZIDE		ppm	0.1	PASS	ND	CYFLUTHRIN *	0.050	PPM	1	PASS	ND
IAZINON	0.010		3	PASS	ND	CYPERMETHRIN *	0.050	PPM	1	PASS	ND
ICHLORVOS	0.010		0.1	PASS	ND	Analyzed by: Weight:	Extracti	on date:		Extracted b	v:
IMETHOATE	0.010		0.1	PASS	ND	<b>3379, 585, 1440</b> 0.8671g		14:00:49		4056,3379	
THOPROPHOS		ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville	, SOP.T.30.10	2.FL (Davie),	SOP.T.40.101.	.FL (Gainesville	),
TOFENPROX		ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)					
TOXAZOLE		ppm	1.5	PASS	ND	Analytical Batch : DA068157PES			n:01/11/241		
ENHEXAMID		ppm	3	PASS	ND	Instrument Used :DA-LCMS-003 (PES) Analyzed Date :01/10/24 14:05:31		Batch Date	:01/10/24 10:	18:15	
ENOXYCARB		ppm	0.1	PASS	ND	Dilution : 250					
ENPYROXIMATE		ppm	2	PASS	ND	Reagent: 011024.R03; 040423.08; 010924.R03	· 011024 R02	· 010824 R01	· 011024 R01	011024 R04	
IPRONIL		ppm	0.1	PASS	ND	Consumables : 326250IW	., 01102	, 01002 11101	, 01102 11101	, 01102	
LONICAMID		ppm	2	PASS	ND	Pipette : DA-093; DA-094; DA-219					
LUDIOXONIL		ppm	3	PASS	ND	Testing for agricultural agents is performed utilizir	g Liquid Chron	natography Tri	ple-Quadrupol	e Mass Spectror	netry in
EXYTHIAZOX		ppm	2	PASS	ND	accordance with F.S. Rule 64ER20-39.					
AZALIL		ppm	0.1	PASS	ND	Analyzed by: Weight:	Extractio			Extracted by	y:
AIDACLOPRID		ppm	1	PASS	ND	<b>450, 585, 1440</b> 0.8671g	01/10/24			4056,3379	
RESOXIM-METHYL		ppm	1	PASS	ND	Analysis Method :SOP.T.30.151.FL (Gainesville Analytical Batch :DA068160VOL			, SOP.T.40.15 01/11/24 12:0		
ALATHION		ppm	2	PASS	ND	Instrument Used : DA-GCMS-010			./10/24 12:0		
ETALAXYL	0.010		3	PASS	ND	Analyzed Date :01/10/24 16:35:25			., / Ł ł Ł 0.20.		
IETHIOCARB		ppm	0.1	PASS	ND	Dilution : 250					
ETHOMYL		ppm	0.1	PASS	ND	Reagent : 011024.R03; 040423.08; 121423.R03	;010524.R01				
IEVINPHOS	0.010		0.1	PASS	ND	Consumables : 326250IW; 14725401					
IYCLOBUTANIL	0.010		3	PASS	ND	Pipette : DA-080; DA-146; DA-218					
VALED	0.010	ppm	0.5	PASS	ND	Testing for agricultural agents is performed utilizir accordance with F.S. Rule 64ER20-39.	g Gas Chroma	tography Triple	e-Quadrupole I	Mass Spectrome	try in

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LDD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

### Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 01/12/24

#### PASSED

PASSED



..... Sour Watermelon Gels 10 Count Sour Watermelon Matrix : Edible Type: Soft Chew

Page 3 of 5



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

## **Certificate of Analysis**

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA40110002-001 Harvest/Lot ID: 6233 4381 2683 6213 Batch#: 6233 4381 2683 6213 Sampled : 01/10/24 Ordered : 01/10/24

Sample Size Received : 1020 gram Total Amount : 6824 units Completed : 01/12/24 Expires: 01/12/25 Sample Method : SOP.T.20.010

# ñ

### **Residual Solvents**

Solvents	LOD	Units	Action Level	Pass/Fail	Result			
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND			
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND			
ACETONE	75.000	ppm	750	PASS	ND			
DICHLOROMETHANE	12.500	ppm	125	PASS	ND			
BENZENE	0.100	ppm	1	PASS	ND			
2-PROPANOL	50.000	ppm	500	PASS	ND			
CHLOROFORM	0.200	ppm	2	PASS	ND			
ETHANOL	500.000	ppm	5000	PASS	ND			
ETHYL ACETATE	40.000	ppm	400	PASS	ND			
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND			
ACETONITRILE	6.000	ppm	60	PASS	ND			
THYL ETHER	50.000	ppm	500	PASS	ND			
THYLENE OXIDE	0.500	ppm	5	PASS	ND			
IEPTANE	500.000	ppm	5000	PASS	ND			
IETHANOL	25.000	ppm	250	PASS	ND			
I-HEXANE	25.000	ppm	250	PASS	ND			
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND			
OLUENE	15.000	ppm	150	PASS	ND			
TOTAL XYLENES	15.000	ppm	150	PASS	ND			
PROPANE	500.000	ppm	5000	PASS	ND			
RICHLOROETHYLENE	2.500	ppm	25	PASS	ND			
analyzed by: 50, 585, 1440	Weight: 0.0255g	Extraction date: 01/12/24 16:40:15		<b>Ex</b> 85	tracted by:			
Analysis Method : SOP.T.40.041.FL Analytical Batch : DA068217SOL nstrument Used : DA-GCMS-003 Analyzed Date : 01/11/24 16:54:43	Reviewed On : 01/12/24 17:49:51 Batch Date : 01/11/24 13:14:03							

Reagent : N/A Consumables : R2017.167; G201.167 Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

#### **Vivian Celestino** Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 01/12/24

PASSED

PASSED



Sour Watermelon Gels 10 Count Sour Watermelon Matrix : Edible Type: Soft Chew



PASSED

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

# **Certificate of Analysis**

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA40110002-001 Harvest/Lot ID: 6233 4381 2683 6213 Batch# : 6233 4381 2683 Sample

6213 Sampled : 01/10/24 Ordered : 01/10/24 Sample Size Received : 1020 gram Total Amount : 6824 units Completed : 01/12/24 Expires: 01/12/25 Sample Method : SOP.T.20.010

Page 4 of 5

Ę	Micro	bial			PAS	SED	స్థోం	ľ	/lyc	oto	xin	5			PAS	SED
Analyte		LOD	Units	Result	Pass / Fail	Action Level	Analyte					LOD	Units	Result	Pass / Fail	Action Level
	A SPECIFIC GEN	F		Not Present	PASS	Level	AFLATOXIN	R7				0.002	ppm	ND	PASS	0.02
ECOLI SHIGE		L		Not Present	PASS		AFLATOXIN					0.002	ppm	ND	PASS	0.02
ASPERGILLUS				Not Present	PASS		OCHRATOXI					0.002	ppm	ND	PASS	0.02
	S FUMIGATUS			Not Present	PASS		AFLATOXIN					0.002	ppm	ND	PASS	0.02
ASPERGILLUS	S TERREUS			Not Present	PASS		AFLATOXIN	G2				0.002	ppm	ND	PASS	0.02
ASPERGILLUS	S NIGER			Not Present	PASS		Analyzed by:			Weight:	Evt	raction da	tou	E	xtracted b	
TOTAL YEAS	T AND MOLD	10	CFU/g	<10	PASS	100000		0		0.8671g		10/24 14:0			056,3379	y.
nalytical Batc nstrument Use ITPCR,DA-351 Nilution : N/A leagent : 0105 onsumables : iipette : N/A nalyzed by: 336, 585, 144 nalysis Metho	Weig	<pre>*C) DA- 188,C ,Incubator (42 :16 .R32 </pre>	A-265 Gene- *C) DA- 328 action date: L0/24 11:32:3 SOP.T.40.20	Reviewed C UP Batch Date	: 01/10/24 Extracted b 3621,3336	08:15:38	Analytical Batk Instrument Us Analyzed Date Dilution : 250 Reagent : 011 011024.R04 Consumables : Pipette : DA-0 Mycotoxins tes accordance wit	ed : N, : 01/1 024.R 3262 93; DA :ing uti h F.S. F	(A .0/24 1 03; 040 501W A-094; I lizing Li Rule 64E	4:05:54 0423.08; 0 DA-219 quid Chrom	atograph	Batch R01; 01102 y with Triple		10/24 10: 0824.R01	20:55	in
	ed : Incubator (25 : 01/10/24 12:02		7 Bate	ch Date : 01/10,	/24 11:30:3	30	Metal					LOD	Units	Result	Pass /	Action
Dilution: 10												200	011103	nesure	Fail	Level
	523.08; 111623.2	1; 010524.R1	0				TOTAL CONT		IANT L	OAD MET	ALS	0.080	ppm	ND	PASS	5
onsumables : ipette : N/A	N/A						ARSENIC					0.020	ppm	ND	PASS	1.5
							CADMIUM					0.020	ppm	ND	PASS	0.5
	mold testing is perf F.S. Rule 64ER20-3		MPN and traditi	onal culture base	d techniques	s in	MERCURY					0.020	ppm	ND	PASS	3
lecordance with	1.5. Raie 04ER20 5						LEAD					0.020	ppm	ND	PASS	0.5
							Analyzed by: 1022, 3379, 58	5, 14	10	<b>Wei</b> 0.27		Extractio 01/10/24	n date: 12:24:58		Extracted 1022,430	
							Analysis Meth Analytical Bat Instrument Us Analyzed Date	ch : DA ed : D	A06816 A-ICPM	3HEA S-004	OP.T.40	Review	ed On : 01 ate : 01/1			
							Dilution : 50	27/ D	10. 010	124 D18.	010824	P07:010	12/ P16· 0	10424 01	7, 10000	2 0 4 2 -

Reagent : 010824.R08; 010424.R18; 010824.R07; 010424.R16; 010424.R17; 122023.R43; 120623.R45 Consumables : 179436; A191022C; 210508058

**Pipette :** DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Sen Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

### Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 01/12/24



Page 5 of 5

Sour Watermelon Gels 10 Count Sour Watermelon Matrix : Edible Type: Soft Chew



PASSED

PASSED

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

# **Certificate of Analysis**

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA40110002-001 Harvest/Lot ID: 6233 4381 2683 6213 Batch# : 6233 4381 2683 Sample 6213 Total Am

Sampled : 01/10/24 Ordered : 01/10/24

Sample Size Received : 1020 gram Total Amount : 6824 units Completed : 01/12/24 Expires: 01/12/25 Sample Method : SOP.T.20.010

Filth/Foreign Material

## PASSED Homogeneity

Amount of tests conducted : 32

Analyte Filth and Fore	ign Material	<b>LOD</b> 0.100	Units %	Result ND	P/F PASS	Action Level
Analyzed by: 1879, 585, 1440		Weight: NA	Extraction	n date:	Extr N/A	acted by:
Analysis Method Analytical Batch Instrument Used Analyzed Date :	: DA068159FII I : Filth/Foreign	Material Micro	oscope			0/24 10:40:36 24 10:19:32
Dilution : N/A Reagent : N/A Consumables : N Pipette : N/A	I/A					
Filth and foreign n technologies in ac				spection utiliz	ing naked ey	e and microscope
$(\bigcirc)$	Wate	r Activ	ity		ΡΑ	SSED

Analyte Water Activity		<b>LOD</b> 0.010	<b>Units</b> aw	<b>Result</b> 0.523	P/F PASS	Action Level 0.85			
Analyzed by: 4371, 585, 1440	Weight: 15.68g		<b>traction d</b> /10/24 11			tracted by: 371			
Analysis Method : SOP.T.40.019 Analytical Batch : DA068166WAT Instrument Used : DA-028 Rotronic Hygropalm Analyzed Date : N/A				<b>Reviewed On :</b> 01/11/24 15:45:24 <b>Batch Date :</b> 01/10/24 10:35:19					
Dilution : N/A Reagent : 113021.09 Consumables : PS-14 Pipette : N/A									

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

Analyte TOTAL THC - HOMOGENEITY (RSD)		LOD	Units	Pass/Fail	Result	Action Level	
		0.001	%	PASS	2.972	25	
Analyzed by Weigh		Extraction date :			Extracted By		
3605, 585, 1440	6.301g	(	01/10/24	11:36:52	36	505	
Analysis Method : SOP.T Analytical Batch : DA068 Instrument Used : DA-LC Analyzed Date : 01/10/2	8143HOM C-004	OP.T.40.1	Reviewe	d On : 01/11/2 ate : 01/10/24		)	
Dilution: 40 Reagent: N/A Consumables: N/A Pipette: N/A							
Homogeneity testing is per	formed utilizing	High Perl	ormance L	iquid Chromatod	graphy with	JV detection in	

Homogeneity testing is performed utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

### Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 01/12/24