



# Certificate of Analysis

## COMPLIANCE FOR RETAIL

Sample: DA40124002-005  
Harvest/Lot ID: ID-LOO-010924-A145  
Batch#: 4499 8480 0999 5432  
Cultivation Facility: Tampa Cultivation  
Processing Facility : Tampa Processing  
Source Facility : Tampa Cultivation  
Seed to Sale# 3122 8523 8460 4075  
Batch Date: 01/04/24  
Sample Size Received: 38.5 gram  
Total Amount: 2593 units  
Retail Product Size: 3.5 gram  
Ordered: 01/23/24  
Sampled: 01/24/24  
Completed: 01/26/24  
Sampling Method: SOP.T.20.010

Jan 26, 2024 | FLUENT

5540 W. Executive Drive  
Tampa, FL, 33609, US



**PASSED**

Pages 1 of 5

### PRODUCT IMAGE



### SAFETY RESULTS



Pesticides  
**PASSED**



Heavy Metals  
**PASSED**



Microbials  
**PASSED**



Mycotoxins  
**PASSED**



Residuals Solvents  
**NOT TESTED**



Filtration  
**PASSED**



Water Activity  
**PASSED**



Moisture  
**PASSED**



Terpenes  
**TESTED**

### MISC.



### Cannabinoid

**PASSED**



Total THC  
**27.472%**  
Dry Weight



Total CBD  
**0.082%**  
Dry Weight



Total Cannabinoids  
**32.134%**  
Dry Weight

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.422	26.174	ND	0.08	0.036	0.089	0.389	ND	ND	ND	0.153
mg/unit	14.77	916.09	ND	2.8	1.26	3.115	13.615	ND	ND	ND	5.355
LOD	0.001	0.001		0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
	%	%	%	%	%	%	%	%	%	%	%

Total THC  
**23.376%**  
818.16 mg /Container

Total CBD  
**0.07%**  
2.45 mg /Container

Total Cannabinoids  
**27.343%**  
957.005 mg /Container

As Received

Analyzed by:  
1665, 585, 3335, 1440

Weight:  
0.2076g

Extraction date:  
01/24/24 10:31:07

Extracted by:  
3335

Analysis Method : SOP.T.40.031, SOP.T.30.031  
Analytical Batch : DA068619POT  
Instrument Used : DA-LC-001  
Analyzed Date : 01/24/24 10:44:16

Reviewed On : 01/26/24 07:48:05  
Batch Date : 01/24/24 08:53:58

Dilution : 400  
Reagent : 122923.R03; 060723.24; 011924.R09  
Consumables : 947.109; CE0123; 12594-247CD-247C; R1KB14270  
Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJA-  
Testing 97164



Signature  
01/26/24



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Locals Only WF 3.5g (1/8 oz)  
Locals Only WF  
Matrix : Flower  
Type: Flower-Cured



# Certificate of Analysis

PASSED

FLUENT

5540 W. Executive Drive  
Tampa, FL, 33609, US  
Telephone: (305) 900-6266  
Email: Taylor.Jones@getfluent.com

Sample : DA40124002-005

Harvest/Lot ID: ID-LOO-010924-A145

Batch# : 4499 8480 0999  
5432

Sampled : 01/24/24  
Ordered : 01/24/24

Sample Size Received : 38.5 gram

Total Amount : 2593 units

Completed : 01/26/24 Expires: 01/26/25

Sample Method : SOP.T.20.010

Page 2 of 5



## Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	119.84	3.424		VALENCENE	0.007	ND	ND	
BETA-CARYOPHYLLENE	0.007	29.82	0.852		ALPHA-CEDRENE	0.007	ND	ND	
BETA-MYRCENE	0.007	20.37	0.582		ALPHA-PHELLANDRENE	0.007	ND	ND	
LIMONENE	0.007	16.66	0.476		ALPHA-TERPINENE	0.007	ND	ND	
ALPHA-BISABOLOL	0.007	11.94	0.341		ALPHA-TERPINOLENE	0.007	ND	ND	
ALPHA-HUMULENE	0.007	10.43	0.298		CIS-NEROLIDOL	0.007	ND	ND	
LINALOOL	0.007	4.03	0.115		GAMMA-TERPINENE	0.007	ND	ND	
BETA-PINENE	0.007	2.49	0.071		TRANS-NEROLIDOL	0.007	ND	ND	
FENCHYL ALCOHOL	0.007	1.89	0.054		Analysis by:	Weight:	Extraction date:	Extracted by:	
ALPHA-PINENE	0.007	1.58	0.045		2076, 585, 1440	0.8376g	01/24/24 11:28:51	2076	
TOTAL TERPINEOL	0.007	1.40	0.040		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
CARYOPHYLLENE OXIDE	0.007	0.74	0.021		Analytical Batch : DA068629TER			Reviewed On : 01/26/24 10:32:24	
FARNESENE	0.001	0.67	0.019		Instrument Used : DA-GCMS-004			Batch Date : 01/24/24 10:11:57	
3-CARENE	0.007	ND	ND		Analyzed Date : 01/24/24 11:27:43				
BORNEOL	0.013	ND	ND		Dilution : 10				
CAMPHENE	0.007	ND	ND		Reagent : 110123.08				
CAMPHOR	0.007	ND	ND		Consumables : 210414634; MKCN995; CE0123; R1KB14270				
CEDROL	0.007	ND	ND		Pipette : N/A				
EUCALYPTOL	0.007	ND	ND		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
FENCHONE	0.007	ND	ND						
GERANIOL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
GUAIOL	0.007	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
ISOBORNEOL	0.007	ND	ND						
ISOPULEGOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
OCIMENE	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
SABINENE	0.007	ND	ND						
SABINENE HYDRATE	0.007	ND	ND						
Total (%)			3.424						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
01/26/24



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Locals Only WF 3.5g (1/8 oz)

Locals Only WF

Matrix : Flower

Type: Flower-Cured



# Certificate of Analysis

**PASSED**

FLUENT

5540 W. Executive Drive  
Tampa, FL, 33609, US  
Telephone: (305) 900-6266  
Email: Taylor.Jones@getfluent.com

Sample : DA40124002-005

Harvest/Lot ID: ID-LOO-010924-A145

Batch# : 4499 8480 0999  
5432

Sampled : 01/24/24

Ordered : 01/24/24

Sample Size Received : 38.5 gram

Total Amount : 2593 units

Completed : 01/26/24 Expires: 01/26/25

Sample Method : SOP.T.20.010

Page 3 of 5



## Pesticides

**PASSED**

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)	Weight: 1.0313g	Extraction date: 01/24/24 14:25:38	Extracted by: 3379		
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analysis Batch : DA068626PES					
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)			Reviewed On : 01/25/24 11:00:07		
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Analysis Date : 01/24/24 14:25:57			Batch Date : 01/24/24 09:59:47		
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Dilution : 250					
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Reagent : 011724.R04; 040423.08; 012224.R01; 012424.R14; 012424.R12; 011024.R01; 011724.R05					
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL (Gainesville), SOP.T.40.151A.FL (Davie)	Weight: 1.0313g	Extraction date: 01/24/24 14:25:38	Extracted by: 3379		
FLONICAMID	0.010	ppm	0.1	PASS	ND	Analysis Batch : DA068627VOL					
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-010			Reviewed On : 01/25/24 10:58:54		
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	Analysis Date : 01/24/24 15:09:52			Batch Date : 01/24/24 10:01:12		
IMAZALIL	0.010	ppm	0.1	PASS	ND	Dilution : 250					
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	Reagent : 011724.R04; 040423.08; 121423.R01; 010524.R01					
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW; 14725401					
MALATHION	0.010	ppm	0.2	PASS	ND	Pipette : DA-080; DA-146; DA-218					
METALAXYL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
METHIOCARB	0.010	ppm	0.1	PASS	ND						
METHOMYL	0.010	ppm	0.1	PASS	ND						
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
01/26/24



# Certificate of Analysis

**PASSED**
**FLUENT**

 5540 W. Executive Drive  
 Tampa, FL, 33609, US  
 Telephone: (305) 900-6266  
 Email: Taylor.Jones@getfluent.com

Sample : DA40124002-005

Harvest/Lot ID: ID-LOO-010924-A145

 Batch# : 4499 8480 0999  
 5432


 Sampled : 01/24/24  
 Ordered : 01/24/24


Sample Size Received : 38.5 gram

Total Amount : 2593 units

 Completed : 01/26/24 Expires: 01/26/25  
 Sample Method : SOP.T.20.010

Page 4 of 5

 <b>Microbial</b> <b>PASSED</b>						 <b>Mycotoxins</b> <b>PASSED</b>					
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
ECOLI SHIGELLA			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000	Analyzed by: 3379, 585, 1440 Weight: 1.0313g Extraction date: 01/24/24 14:25:38 Extracted by: 3379					
Analyzed by: 3336, 3621, 585, 1440 Weight: 0.8724g Extraction date: 01/24/24 11:26:24 Extracted by: 3336 Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA068615MIC Instrument Used : Incubator (37°C) DA- 188,DA-265 Gene-UP RT-PCR,DA-351 GENE-UP RT-PCR,Incubator (42°C) DA- 328 Analyzed Date : 01/24/24 12:09:57 Dilution : N/A Reagent : 010524.R11; 011624.R26 Consumables : 2256280 Pipette : N/A						Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA068663MYC Instrument Used : N/A Analyzed Date : N/A Dilution : 250 Reagent : 011724.R04; 040423.08; 012224.R01; 012424.R14; 012424.R12; 011024.R01; 011724.R05 Consumables : 326250IW Pipette : DA-093; DA-094; DA-219					
Reviewed On : 01/26/24 14:08:50 Batch Date : 01/24/24 08:45:21						Reviewed On : 01/25/24 10:51:48 Batch Date : 01/25/24 10:33:50					
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.						Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

 <b>Heavy Metals</b> <b>PASSED</b>					
Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1
ARSENIC	0.020	ppm	ND	PASS	0.2
CADMIUM	0.020	ppm	ND	PASS	0.2
MERCURY	0.020	ppm	ND	PASS	0.2
LEAD	0.020	ppm	ND	PASS	0.5
Analyzed by: 1022, 585, 1440 Weight: 0.2939g Extraction date: 01/24/24 11:52:43 Extracted by: 4306,1022 Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA068623HEA Instrument Used : DA-ICPMS-004 Analyzed Date : 01/25/24 10:25:15 Dilution : 50 Reagent : 010824.R08; 012224.R05; 011624.R28; 012224.R03; 012224.R04; 012424.01; 011224.R12 Consumables : 179436; 12532-225CD-225C; 210508058 Pipette : DA-061; DA-191; DA-216					
Reviewed On : 01/25/24 10:53:19 Batch Date : 01/24/24 09:55:07					
Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Locals Only WF 3.5g (1/8 oz)  
Locals Only WF  
Matrix : Flower  
Type: Flower-Cured



# Certificate of Analysis

PASSED

FLUENT

5540 W. Executive Drive  
Tampa, FL, 33609, US  
Telephone: (305) 900-6266  
Email: Taylor.Jones@getfluent.com

Sample : DA40124002-005

Harvest/Lot ID: ID-LOO-010924-A145

Batch# : 4499 8480 0999  
5432

Sampled : 01/24/24  
Ordered : 01/24/24

Sample Size Received : 38.5 gram

Total Amount : 2593 units

Completed : 01/26/24 Expires: 01/26/25

Sample Method : SOP.T.20.010

Page 5 of 5



Filth/Foreign  
Material

PASSED



Moisture

PASSED

Analyte	LOD	Units	Result	P/F	Action Level	Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1	Moisture Content	1.00	%	14.91	PASS	15
Analyzed by: 1879, 585, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A			Analyzed by: 4351, 1665, 585, 1440	Weight: 0.53g	Extraction date: 01/24/24 13:36:01	Extracted by: 4351		
Analysis Method : SOP.T.40.090 Analytical Batch : DA068634FIL Instrument Used : N/A Analyzed Date : 01/24/24 10:58:14						Analysis Method : SOP.T.40.021 Analytical Batch : DA068633MOI Instrument Used : DA-003 Moisture Analyzer Analyzed Date : N/A					
Reviewed On : 01/24/24 11:05:40 Batch Date : 01/24/24 10:55:24						Reviewed On : 01/24/24 13:52:25 Batch Date : 01/24/24 10:31:25					
Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A						Dilution : N/A Reagent : 031523.19; 020123.02 Consumables : N/A Pipette : DA-066					

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.502	PASS	0.65
Analyzed by: 4351, 1665, 585, 1440	Weight: 0.753g	Extraction date: 01/24/24 13:25:22	Extracted by: 4351		
Analysis Method : SOP.T.40.019 Analytical Batch : DA068630WAT Instrument Used : DA-324 Rotronic HygroPalm HC2-AW (Probe) Analyzed Date : N/A					
Reviewed On : 01/24/24 13:56:21 Batch Date : 01/24/24 10:26:20					
Dilution : N/A Reagent : 111423.05 Consumables : PS-14 Pipette : N/A					

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
01/26/24