



Certificate of Analysis

COMPLIANCE FOR RETAIL





Sample: DA40125005-001
Harvest/Lot ID: HYB-MOJ-011524-A146
Batch#: 7726 1106 8935 7024
Cultivation Facility: Tampa Cultivation
Processing Facility: Tampa Processing
Source Facility: Tampa Cultivation
Seed to Sale# 8521 6060 2641 2809
Batch Date: 01/11/23
Sample Size Received: 49 gram
Total Amount: 3464 units
Retail Product Size: 3.5 gram
Ordered: 01/24/24
Sampled: 01/25/24
Completed: 01/27/24
Sampling Method: SOP.T.20.010


Jan 27, 2024 | FLUENT
5540 W. Executive Drive
Tampa, FL, 33609, US



PASSED

Pages 1 of 5

PRODUCT IMAGE	SAFETY RESULTS								MISC.
	 Pesticides PASSED	 Heavy Metals PASSED	 Microbials PASSED	 Mycotoxins PASSED	 Residuals Solvents NOT TESTED	 Filtth PASSED	 Water Activity PASSED	 Moisture PASSED	 Terpenes TESTED

	Cannabinoid	PASSED
--	--------------------	---------------

	Total THC 23.706% Dry Weight		Total CBD 0.063% Dry Weight		Total Cannabinoids 28.167% Dry Weight
--	--	---	---	---	---

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC	Total THC	Total CBD	Total Cannabinoids
%	0.207	23.503	ND	0.064	0.034	0.041	0.861	ND	ND	ND	0.027	20.819%	0.056%	24.737%
mg/unit	7.245	822.605	ND	2.24	1.19	1.435	30.135	ND	ND	ND	0.945	728.665 mg /Container	1.96 mg /Container	865.795 mg /Container
LOD	0.001	0.001		0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001			
	%	%	%	%	%	%	%	%	%	%	%			As Received

Analyzed by: 3335, 1665, 585, 1440 Weight: 0.2055g Extraction date: 01/25/24 12:19:03 Extracted by: 3335

Analysis Method : SOP.T.40.031, SOP.T.30.031 Reviewed On : 01/27/24 10:08:47
Analytical Batch : DA068659POT Batch Date : 01/25/24 09:52:06
Instrument Used : DA-LC-001

Dilution : 400
Reagent : 011824.R03; 060723.24; 011924.R09
Consumables : 947.109; CE0123; 12594-247CD-247C; R1KB14270
Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164



Signature
01/27/24



Certificate of Analysis

PASSED

FLUENT

5540 W. Executive Drive
Tampa, FL, 33609, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA40125005-001
Harvest/Lot ID: HYB-MOJ-011524-A146
Batch# : 7726 1106 8935 Sample Size Received : 49 gram
7024 Total Amount : 3464 units
Sampled : 01/25/24 Completed : 01/27/24 Expires: 01/27/25
Ordered : 01/25/24 Sample Method : SOP.T.20.010

Page 2 of 5

Terpenes				TESTED			
Terpenes	LOD (%)	mg/unit %	Result (%)	Terpenes	LOD (%)	mg/unit %	Result (%)
TOTAL TERPENES	0.007	66.89 1.911		SABINENE HYDRATE	0.007	ND ND	
BETA-CARYOPHYLLENE	0.007	14.07 0.402		ALPHA-CEDRENE	0.007	ND ND	
LIMONENE	0.007	13.62 0.389		ALPHA-PHELLANDRENE	0.007	ND ND	
BETA-MYRCENE	0.007	9.49 0.271		ALPHA-TERPINENE	0.007	ND ND	
LINALOOL	0.007	6.13 0.175		ALPHA-TERPINOLENE	0.007	ND ND	
ALPHA-HUMULENE	0.007	5.15 0.147		CIS-NEROLIDOL	0.007	ND ND	
ALPHA-BISABOLOL	0.007	3.57 0.102		GAMMA-TERPINENE	0.007	ND ND	
BETA-PINENE	0.007	2.21 0.063		TRANS-NEROLIDOL	0.007	ND ND	
ALPHA-PINENE	0.007	1.68 0.048					
FENCHYL ALCOHOL	0.007	1.58 0.045		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL	Weight: 1.0071g	Extraction date: 01/26/24 15:04:04	Extracted by: 2076
TOTAL TERPINEOL	0.007	1.09 0.031		Analytical Batch : DA06853TER			Reviewed On : 01/27/24 12:43:27
FARNESENE	0.001	0.21 0.006		Instrument Used : DA-GCMS-004			Batch Date : 01/25/24 09:35:34
GERANIOL	0.007	<0.70 <0.020		Analysis Date : N/A			
VALENCENE	0.007	<0.70 <0.020		Dilution : 10			
3-CARENE	0.007	ND ND		Reagent : 110123.08			
BORNEOL	0.013	ND ND		Consumables : 210414634; MKCN9995; CE0123; R1KB14270			
CAMPHENE	0.007	ND ND		Pipette : N/A			
CAMPHOR	0.007	ND ND		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.			
CARYOPHYLLENE OXIDE	0.007	ND ND					
CEDROL	0.007	ND ND					
EUCALYPTOL	0.007	ND ND					
FENCHONE	0.007	ND ND					
GERANYL ACETATE	0.007	ND ND					
GUAJOL	0.007	ND ND					
HEXAHYDROTHYMOL	0.007	ND ND					
ISOBORNEOL	0.007	ND ND					
ISOPULEGOL	0.007	ND ND					
NEROL	0.007	ND ND					
OCIMENE	0.007	ND ND					
PULEGONE	0.007	ND ND					
SABINENE	0.007	ND ND					
Total (%)		1.911					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
01/27/24



Certificate of Analysis

PASSED

FLUENT

5540 W. Executive Drive
Tampa, FL, 33609, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA40125005-001
Harvest/Lot ID: HYB-MOJ-011524-A146
Batch# : 7726 1106 8935 Sample Size Received : 49 gram
7024 Total Amount : 3464 units
Sampled : 01/25/24 Completed : 01/27/24 Expires: 01/27/25
Ordered : 01/25/24 Sample Method : SOP.T.20.010

Page 3 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINO CYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analyzed by: 3379, 585, 1440	Weight: 0.8587g	Extraction date: 01/25/24 15:28:53	Extracted by: 3379		
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)					
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA068669PES			Reviewed On : 01/26/24 10:17:25		
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)			Batch Date : 01/25/24 10:48:06		
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Analyzed Date : 01/25/24 15:29:45					
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Dilution : 250					
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Reagent : 012224.R01; 012424.R14; 011724.R04; 012424.R12; 011024.R01; 011724.R05; 040423.08					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FLONICAMID	0.010	ppm	0.1	PASS	ND	Analyzed by: 450, 585, 1440	Weight: 0.8587g	Extraction date: 01/25/24 15:28:53	Extracted by: 3379		
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA068671VOL			Reviewed On : 01/26/24 10:06:55		
IMAZALIL	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-010			Batch Date : 01/25/24 10:49:49		
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	Analyzed Date : 01/25/24 15:43:29					
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Dilution : 250					
MALATHION	0.010	ppm	0.2	PASS	ND	Reagent : 011724.R04; 040423.08; 012324.R12; 012324.R13					
METALAXYL	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW; 14725401					
METHIACARB	0.010	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
METHOMYL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164



Signature
01/27/24



Certificate of Analysis

PASSED

FLUENT

5540 W. Executive Drive
Tampa, FL, 33609, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA40125005-001
Harvest/Lot ID: HYB-MOJ-011524-A146
Batch# : 7726 1106 8935 Sample Size Received : 49 gram
7024 Total Amount : 3464 units
Sampled : 01/25/24 Completed : 01/27/24 Expires: 01/27/25
Ordered : 01/25/24 Sample Method : SOP.T.20.010

Page 4 of 5

	Microbial	PASSED		Mycotoxins	PASSED
---	------------------	---------------	---	-------------------	---------------

Analyte	LOD	Units	Result	Pass / Fail	Action Level
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ECOLI SHIGELLA			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000

Analyzed by: 3336, 3621, 585, 1440 **Weight:** 0.995g **Extraction date:** 01/25/24 11:49:23 **Extracted by:** 3336,3621
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL
Analytical Batch : DA068648MIC **Reviewed On :** 01/27/24 12:38:56
Instrument Used : Incubator (37°C) DA- 188,DA-265 Gene-UP RTPCR,DA-351 GENE-UP RTPCR,Incubator (42°C) DA- 328 **Batch Date :** 01/25/24 08:46:17
Analyzed Date : 01/25/24 12:13:05
Dilution : N/A
Reagent : 010524.R11; 111423.22
Consumables : 2256280
Pipette : N/A

Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02

Analyzed by: 3379, 585, 1440 **Weight:** 0.8587g **Extraction date:** 01/25/24 15:28:53 **Extracted by:** 3379
Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)
Analytical Batch : DA068670MYC **Reviewed On :** 01/26/24 10:16:03
Instrument Used : N/A **Batch Date :** 01/25/24 10:49:46
Analyzed Date : 01/25/24 15:29:59
Dilution : 250
Reagent : 012224.R01; 012424.R14; 011724.R04; 012424.R12; 011024.R01; 011724.R05; 040423.08
Consumables : 326250IW
Pipette : DA-093; DA-094; DA-219

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Result	Pass / Fail	Action Level
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000

Analyzed by: 3336, 3621, 585, 1440 **Weight:** 0.8893g **Extraction date:** 01/25/24 11:56:55 **Extracted by:** 3336,3621
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL
Analytical Batch : DA068681TYM **Reviewed On :** 01/27/24 16:35:32
Instrument Used : Incubator (25-27°C) DA-097 **Batch Date :** 01/25/24 11:53:43
Analyzed Date : 01/25/24 13:00:15
Dilution : 10
Reagent : 111623.20; 111623.30; 010524.R10; 011924.R15
Consumables : N/A
Pipette : N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

	Heavy Metals	PASSED
---	---------------------	---------------

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1
ARSENIC	0.020	ppm	ND	PASS	0.2
CADMIUM	0.020	ppm	ND	PASS	0.2
MERCURY	0.020	ppm	ND	PASS	0.2
LEAD	0.020	ppm	ND	PASS	0.5

Analyzed by: 1022, 585, 1440 **Weight:** 0.2725g **Extraction date:** 01/25/24 11:39:10 **Extracted by:** 1022
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL
Analytical Batch : DA068662HEA **Reviewed On :** 01/26/24 11:55:18
Instrument Used : DA-ICPMS-004 **Batch Date :** 01/25/24 10:31:42
Analyzed Date : 01/25/24 14:29:23
Dilution : 50
Reagent : 010824.R08; 012224.R05; 011624.R28; 012224.R03; 012224.R04; 012424.01; 011224.R12
Consumables : 179436; 12532-225CD-225C; 210508058
Pipette : DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164



Signature
01/27/24



Certificate of Analysis

PASSED

FLUENT

5540 W. Executive Drive
Tampa, FL, 33609, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA40125005-001
Harvest/Lot ID: HYB-MOJ-011524-A146
Batch# : 7726 1106 8935 Sample Size Received : 49 gram
7024 Total Amount : 3464 units
Sampled : 01/25/24 Completed : 01/27/24 Expires: 01/27/25
Ordered : 01/25/24 Sample Method : SOP.T.20.010

Page 5 of 5



Filth/Foreign Material **PASSED**



Moisture **PASSED**

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1
Analyzed by: 1879, 585, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A		
Analysis Method : SOP.T.40.090			Reviewed On : 01/25/24 11:44:23		
Analytical Batch : DA068678FIL			Batch Date : 01/25/24 11:27:28		
Instrument Used : Filth/Foreign Material Microscope					
Analyzed Date : 01/25/24 11:39:31					
Dilution : N/A					
Reagent : N/A					
Consumables : N/A					
Pipette : N/A					

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Result	P/F	Action Level
Moisture Content	1.00	%	12.18	PASS	15
Analyzed by: 4056, 1665, 585, 1440	Weight: 0.509g	Extraction date: 01/25/24 14:47:35	Extracted by: 4056		
Analysis Method : SOP.T.40.021			Reviewed On : 01/26/24 09:05:23		
Analytical Batch : DA068680MOI			Batch Date : 01/25/24 11:53:43		
Instrument Used : DA-003 Moisture Analyzer					
Analyzed Date : 01/25/24 14:47:47					
Dilution : N/A					
Reagent : 031523.19; 020123.02					
Consumables : N/A					
Pipette : DA-066					

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.



Water Activity **PASSED**

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.552	PASS	0.65
Analyzed by: 4056, 1665, 585, 1440	Weight: 1.737g	Extraction date: 01/25/24 15:02:32	Extracted by: 4056		
Analysis Method : SOP.T.40.019			Reviewed On : 01/26/24 09:07:25		
Analytical Batch : DA068682WAT			Batch Date : 01/25/24 11:53:58		
Instrument Used : DA-028 Rotronic HygroPalm					
Analyzed Date : 01/25/24 14:50:07					
Dilution : N/A					
Reagent : 111423.05					
Consumables : PS-14					
Pipette : N/A					

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

