



# Certificate of Analysis

## COMPLIANCE FOR RETAIL

Sample: DA40229010-006  
Harvest/Lot ID: 6872 8365 1896 0063  
Batch#: 6872 8365 1896 0063  
Cultivation Facility: Tampa Cultivation  
Processing Facility: Tampa Processing  
Source Facility: Tampa Cultivation  
Seed to Sale#: 4538 5828 5936 0631  
Batch Date: 10/16/23  
Sample Size Received: 16 gram  
Total Amount: 1975 units  
Retail Product Size: 1 gram  
Ordered: 02/28/24  
Sampled: 02/29/24  
Completed: 03/02/24  
Sampling Method: SOP.T.20.010

Mar 02, 2024 | FLUENT

5540 W. Executive Drive  
Tampa, FL, 33609, US



**PASSED**

Pages 1 of 6


### PRODUCT IMAGE



### SAFETY RESULTS



Pesticides  
**PASSED**



Heavy Metals  
**PASSED**



Microbials  
**PASSED**



Mycotoxins  
**PASSED**



Residuals Solvents  
**PASSED**



Filtration  
**PASSED**



Water Activity  
**PASSED**



Moisture  
**NOT TESTED**



Terpenes  
**TESTED**

### MISC.



## Cannabinoid

**PASSED**



Total THC

**90.973%**

Total THC/Container : 909.73 mg



Total CBD

**0.268%**

Total CBD/Container : 2.68 mg



Total Cannabinoids

**95.733%**

Total Cannabinoids/Container : 957.33 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	90.863	0.126	0.268	ND	0.355	1.466	0.117	1.052	0.646	ND	0.840
mg/unit	908.63	1.26	2.68	ND	3.55	14.66	1.17	10.52	6.46	ND	8.40
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
	%	%	%	%	%	%	%	%	%	%	%

Analyzed by:  
3335, 1665, 53, 1440

Weight:  
0.1029g

Extraction date:  
02/29/24 14:11:55

Extracted by:  
3335

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA069945POT

Instrument Used : DA-LC-007

Analyzed Date : 02/29/24 14:25:21

Reviewed On : 03/02/24 19:06:16

Batch Date : 02/29/24 10:48:44

Dilution : 400

Reagent : 013024.R02; 060723.24; 021424.R04

Consumables : 947.109; 34623011; CE0123; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
03/02/24



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Locals Only Cartridge Concentrate 1g (90%)

Locals Only

Matrix : Derivative

Type: Distillate



# Certificate of Analysis

PASSED

FLUENT

5540 W. Executive Drive  
Tampa, FL, 33609, US  
Telephone: (305) 900-6266  
Email: Taylor.Jones@getfluent.com

Sample : DA40229010-006

Harvest/Lot ID: 6872 8365 1896 0063

Batch# : 6872 8365 1896

0063

Sampled : 02/29/24

Ordered : 02/29/24

Sample Size Received : 16 gram

Total Amount : 1975 units

Completed : 03/02/24 Expires: 03/02/25

Sample Method : SOP.T.20.010

Page 2 of 6



## Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	10.10	1.010		VALENCENE	0.007	ND	ND	
LIMONENE	0.007	2.61	0.261		ALPHA-CEDRENE	0.007	ND	ND	
BETA-CARYOPHYLLENE	0.007	1.67	0.167		ALPHA-PHELLANDRENE	0.007	ND	ND	
BETA-MYRCENE	0.007	1.13	0.113		ALPHA-TERPINENE	0.007	ND	ND	
LINALOOL	0.007	1.10	0.110		ALPHA-TERPINOLENE	0.007	ND	ND	
FARNESENE	0.001	0.93	0.093		CIS-NEROLIDOL	0.007	ND	ND	
BETA-PINENE	0.007	0.60	0.060		GAMMA-TERPINENE	0.007	ND	ND	
ALPHA-HUMULENE	0.007	0.54	0.054		TRANS-NEROLIDOL	0.007	ND	ND	
ALPHA-PINENE	0.007	0.42	0.042		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
FENCHYL ALCOHOL	0.007	0.40	0.040		Weight: NA				
TOTAL TERPINEOL	0.007	0.26	0.026		Extraction date: N/A				
ALPHA-BISABOLOL	0.007	0.24	0.024		Extracted by: N/A				
GERANIOL	0.007	0.20	0.020		Analysis Batch : DA06958TER				
3-CARENE	0.007	ND	ND		Instrument Used : DA-GCMS-009				
BORNEOL	0.013	ND	ND		Analyzed Date : N/A				
CAMPHENE	0.007	ND	ND		Dilution : N/A				
CAMPHOR	0.007	ND	ND		Reagent : N/A				
CARYOPHYLLENE OXIDE	0.007	ND	ND		Consumables : N/A				
CEDROL	0.007	ND	ND		Pipette : N/A				
EUCALYPTOL	0.007	ND	ND		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
FENCHONE	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
GUAIOL	0.007	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
ISOBORNEOL	0.007	ND	ND						
ISOPULEGOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
OCIMENE	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
SABINENE	0.007	ND	ND						
SABINENE HYDRATE	0.007	ND	ND						
Total (%)			1.010						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
03/02/24



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Locals Only Cartridge Concentrate 1g (90%)

Locals Only

Matrix : Derivative

Type: Distillate



# Certificate of Analysis

PASSED

FLUENT

5540 W. Executive Drive  
Tampa, FL, 33609, US  
Telephone: (305) 900-6266  
Email: Taylor.Jones@getfluent.com

Sample : DA40229010-006

Harvest/Lot ID: 6872 8365 1896 0063

Batch# : 6872 8365 1896 0063

Sampled : 02/29/24

Ordered : 02/29/24

Sample Size Received : 16 gram

Total Amount : 1975 units

Completed : 03/02/24 Expires: 03/02/25

Sample Method : SOP.T.20.010

Page 3 of 6



## Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analyzed by: 3379, 1665, 1440	Weight: 0.2715g	Extraction date: 02/29/24 16:35:55	Extracted by: 3379		
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)					
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA069938PES		Reviewed On : 03/02/24 06:40:17			
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)		Batch Date : 02/29/24 10:39:15			
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Analyzed Date : 02/29/24 16:43:44					
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Dilution : 250					
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Reagent : 022124.R12; 022824.R04; 022824.R13; 021324.R05; 022824.R02; 040423.08					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FLONICAMID	0.010	ppm	0.1	PASS	ND	Analyzed by: 450, 1665, 1440	Weight: 0.2715g	Extraction date: 02/29/24 16:35:55	Extracted by: 3379		
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA069941VOL		Reviewed On : 03/01/24 17:47:46			
IMAZALIL	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-001		Batch Date : 02/29/24 10:41:22			
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	Analyzed Date : 02/29/24 16:57:30					
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Dilution : 250					
MALATHION	0.010	ppm	0.2	PASS	ND	Reagent : 022824.R01; 040423.08; 021424.R18; 021424.R19					
METALAXYL	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW; 14725401					
METHIOCARB	0.010	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
METHOMYL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
03/02/24



# Certificate of Analysis

**PASSED**
**FLUENT**

 5540 W. Executive Drive  
 Tampa, FL, 33609, US  
 Telephone: (305) 900-6266  
 Email: Taylor.Jones@getfluent.com

Sample : DA40229010-006

Harvest/Lot ID: 6872 8365 1896 0063

 Batch# : 6872 8365 1896  
 0063

Sampled : 02/29/24

Ordered : 02/29/24

Sample Size Received : 16 gram

Total Amount : 1975 units

Completed : 03/02/24 Expires: 03/02/25

Sample Method : SOP.T.20.010

Page 4 of 6



## Residual Solvents

**PASSED**

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

 Analyzed by:  
 850, 1665, 1440

 Weight:  
 0.0265g

 Extraction date:  
 03/01/24 16:02:35

 Extracted by:  
 850

 Analysis Method : SOP.T.40.041.FL  
 Analytical Batch : DA069961SOL  
 Instrument Used : DA-GCMS-003  
 Analyzed Date : 02/29/24 15:41:12

 Reviewed On : 03/02/24 07:42:25  
 Batch Date : 02/29/24 15:37:17

 Dilution : 1  
 Reagent : N/A  
 Consumables : N/A  
 Pipette : N/A

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with F.S. Rule 64ER20-39.





# Certificate of Analysis

**PASSED**
**FLUENT**

 5540 W. Executive Drive  
 Tampa, FL, 33609, US  
 Telephone: (305) 900-6266  
 Email: Taylor.Jones@getfluent.com

Sample : DA40229010-006

Harvest/Lot ID: 6872 8365 1896 0063

 Batch# : 6872 8365 1896  
 0063

 Sampled : 02/29/24  
 Ordered : 02/29/24

Sample Size Received : 16 gram

Total Amount : 1975 units

Completed : 03/02/24 Expires: 03/02/25

Sample Method : SOP.T.20.010

Page 5 of 6

	<b>Microbial</b>	<b>PASSED</b>		<b>Mycotoxins</b>	<b>PASSED</b>
---	------------------	---------------	---	-------------------	---------------

Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ECOLI SHIGELLA			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000	Analyzed by: 3379, 1665, 1440	Weight: 0.2715g	Extraction date: 02/29/24 16:35:55		Extracted by: 3379	
Analyzed by: 3621, 1665, 1440	Weight: 0.841g	Extraction date: 02/29/24 11:57:00		Extracted by: 3621		Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)					
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL			Reviewed On : 03/01/24 17:45:25			Analytical Batch : DA069940MYC			Reviewed On : 03/01/24 17:49:00		
Analytical Batch : DA069926MIC			Batch Date : 02/29/24 09:59:16			Instrument Used : N/A			Batch Date : 02/29/24 10:41:19		
						Analyzed Date : 02/29/24 16:43:53					
Instrument Used : PathogenDx Scanner DA-111, fisherbrand Isotemp Heat Block DA-020, fisherbrand Isotemp Heat Block DA-049, Fisher Scientific Isotemp Heat Block DA-021						Dilution : 250					
Analyzed Date : N/A						Reagent : 022124.R12; 022824.R04; 022824.R01; 022624.R13; 021324.R05; 022824.R02; 040423.08					
Dilution : N/A						Consumables : 326250IW					
Reagent : 010924.72; 012424.46; 022224.R10; 100223.12						Pipette : DA-093; DA-094; DA-219					
Consumables : 7569001024											
Pipette : N/A						Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

<div>Analyzed by: 3621, 1665, 1440</div>	<div>Weight: 0.841g</div>	<div>Extraction date: 02/29/24 11:57:00</div>	<div>Extracted by: 3621</div>	<div><div><div>Hg</div></div></div>	<div>Heavy Metals</div>	<div>PASSED</div>
<div><div>Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL</div><div>Analytical Batch : DA069956TYM<div>Reviewed On : 03/02/24 16:56:30</div></div><div>Instrument Used : Incubator (25-27°C) DA-096<div>Batch Date : 02/29/24 11:57:20</div></div><div>Analyzed Date : 02/29/24 13:13:04</div></div>						
<div><div>Dilution : N/A</div><div>Reagent : 010924.72; 012424.46; 012524.R09; 011924.R15</div><div>Consumables : N/A</div><div>Pipette : N/A</div></div>						
<div>Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.</div>						
<div><div>Analyzed by: 1022, 1665, 1440</div><div>Weight: 0.2564g</div><div>Extraction date: 02/29/24 13:23:17</div><div>Extracted by: 1022,4306</div></div>						
<div><div>Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL</div><div>Analytical Batch : DA069944HEA<div>Reviewed On : 03/01/24 13:03:18</div></div><div>Instrument Used : DA-ICPMS-004<div>Batch Date : 02/29/24 10:45:08</div></div><div>Analyzed Date : 03/01/24 10:30:28</div></div>						
<div><div>Dilution : 50</div><div>Reagent : 020724.R07; 022624.R03; 022124.R13; 022624.R01; 022624.R02; 020524.01; 021324.R02</div><div>Consumables : 179436; 34623011; 210508058</div><div>Pipette : DA-061; DA-191; DA-216</div></div>						
<div>Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.</div>						



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Locals Only Cartridge Concentrate 1g (90%)

Locals Only

Matrix : Derivative

Type: Distillate



# Certificate of Analysis

**PASSED**

FLUENT

5540 W. Executive Drive  
Tampa, FL, 33609, US  
Telephone: (305) 900-6266  
Email: Taylor.Jones@getfluent.com

Sample : DA40229010-006

Harvest/Lot ID: 6872 8365 1896 0063

Batch# : 6872 8365 1896  
0063

Sampled : 02/29/24

Ordered : 02/29/24

Sample Size Received : 16 gram

Total Amount : 1975 units

Completed : 03/02/24 Expires: 03/02/25

Sample Method : SOP.T.20.010

Page 6 of 6



**Filth/Foreign  
Material**

**PASSED**

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1665, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A
----------------------------	---------------	-------------------------	----------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA070013FIL

Instrument Used : N/A

Analyzed Date : N/A

Reviewed On : 03/02/24 08:04:58

Batch Date : 03/01/24 14:08:25

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



**Water Activity**

**PASSED**

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.466	PASS	0.85

Analyzed by: 4056, 1665, 1440	Weight: 0.36g	Extraction date: 02/29/24 17:42:32	Extracted by: 4056
----------------------------------	------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA069955WAT

Instrument Used : DA-028 Rotronic HygroPalm

Analyzed Date : 02/29/24 12:03:39

Reviewed On : 03/01/24 14:01:02

Batch Date : 02/29/24 11:49:00

Dilution : N/A

Reagent : 022024.28

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
03/02/24