



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA40302005-002
Harvest/Lot ID: 9926 6030 7625 2659
Batch#: 9926 6030 7625 2659
Cultivation Facility: Tampa Cultivation
Processing Facility : Tampa Processing
Source Facility : Tampa Cultivation
Seed to Sale# 8828 0932 4829 7826
Batch Date: 11/06/23
Sample Size Received: 16 gram
Total Amount: 720 units
Retail Product Size: 1 gram
Ordered: 03/01/24
Sampled: 03/02/24
Completed: 03/05/24
Sampling Method: SOP.T.20.010

Mar 05, 2024 | FLUENT

5540 W. Executive Drive
Tampa, FL, 33609, US




PASSED

Pages 1 of 6

PRODUCT IMAGE	SAFETY RESULTS								MISC.
	Pesticides PASSED	Heavy Metals PASSED	Microbials PASSED	Mycotoxins PASSED	Residuals Solvents PASSED	Filtration PASSED	Water Activity PASSED	Moisture NOT TESTED	Terpenes TESTED

	Cannabinoid	PASSED
--	--------------------	---------------



Analized by: 3335, 1665, 53, 1440 Weight: 0.1054g Extraction date: 03/04/24 10:44:02 Extracted by: 1665, 3335

Analysis Method : SOP.T.40.031, SOP.T.30.031
Analytical Batch : DA070089POT
Instrument Used : DA-LC-007
Analized Date : 03/04/24 11:25:34

Reviewed On : 03/05/24 19:38:17
Batch Date : 03/04/24 07:48:06

Dilution : 400
Reagent : 022124.R04; 030923.08; 020724.R04
Consumables : 947.109; 280670723; CE0123; R1KB14270
Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
03/05/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Sirens Call RSO Syringes 1 g
Sirens Call
Matrix : Derivative
Type: Full Extract Cannabis Oil



Certificate of Analysis

PASSED

FLUENT

5540 W. Executive Drive
Tampa, FL, 33609, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA40302005-002

Harvest/Lot ID: 9926 6030 7625 2659

Batch# : 9926 6030 7625
2659

Sampled : 03/02/24
Ordered : 03/02/24

Sample Size Received : 16 gram

Total Amount : 720 units

Completed : 03/05/24 Expires: 03/05/25

Sample Method : SOP.T.20.010

Page 2 of 6



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	13.79	1.379		SABINENE	0.007	ND	ND	
LIMONENE	0.007	2.41	0.241		VALENCENE	0.007	ND	ND	
BETA-CARYOPHYLLENE	0.007	2.17	0.217		ALPHA-CEDRENE	0.007	ND	ND	
FARNESENE	0.001	1.53	0.153		ALPHA-PHELLANDRENE	0.007	ND	ND	
TRANS-NEROLIDOL	0.007	0.99	0.099		ALPHA-TERPINENE	0.007	ND	ND	
ALPHA-HUMULENE	0.007	0.95	0.095		ALPHA-TERPINOLENE	0.007	ND	ND	
LINALOOL	0.007	0.83	0.083		CIS-NEROLIDOL	0.007	ND	ND	
BETA-MYRCENE	0.007	0.83	0.083		GAMMA-TERPINENE	0.007	ND	ND	
BORNEOL	0.013	0.63	0.063		Analyzed by:	Weight:	Extraction date:	Extracted by:	
ALPHA-BISABOLOL	0.007	0.63	0.063		795, 53, 1440	0.3329g	03/05/24 16:18:53	795	
FENCHONE	0.007	0.50	0.050		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
FENCHYL ALCOHOL	0.007	0.47	0.047		Analytical Batch : DA07095TER			Reviewed On : 03/05/24 16:45:53	
CARYOPHYLLENE OXIDE	0.007	0.46	0.046		Instrument Used : DA-GCMS-009			Batch Date : 03/04/24 14:32:31	
BETA-PINENE	0.007	0.45	0.045		Analyzed Date : N/A				
ALPHA-PINENE	0.007	0.44	0.044		Dilution : 10				
TOTAL TERPINEOL	0.007	0.33	0.033		Reagent : N/A				
GUAIOL	0.007	0.26	0.026		Consumables : N/A				
SABINENE HYDRATE	0.007	0.24	0.024		Pipette : N/A				
3-CARENE	0.007	ND	ND		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
CAMPHENE	0.007	ND	ND						
CAMPHOR	0.007	ND	ND						
CEDROL	0.007	ND	ND						
EUCALYPTOL	0.007	ND	ND						
GERANIOL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
ISOBORNEOL	0.007	ND	ND						
ISOPULEGOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
OCIMENE	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
Total (%)			1.379						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
03/05/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Sirens Call RSO Syringes 1 g
Sirens Call
Matrix : Derivative
Type: Full Extract Cannabis Oil



Certificate of Analysis

PASSED

FLUENT

5540 W. Executive Drive
Tampa, FL, 33609, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA40302005-002

Harvest/Lot ID: 9926 6030 7625 2659

Batch# : 9926 6030 7625
2659

Sampled : 03/02/24
Ordered : 03/02/24

Sample Size Received : 16 gram

Total Amount : 720 units

Completed : 03/05/24 Expires: 03/05/25

Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analized by:	Weight:	Extraction date:	Extracted by:		
DICHLORVOS	0.010	ppm	0.1	PASS	ND	4056, 3379, 53, 1440	0.2293g	03/02/24 17:06:03	4056		
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville),					
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)					
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA070052PES		Reviewed On : 03/05/24 17:03:40			
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)		Batch Date : 03/02/24 14:09:40			
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Analyzed Date : 03/03/24 18:08:41					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Dilution : 250					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Reagent : 022824.R01; 040423.08; 022924.R03; 022824.R04; 022624.R13; 021324.R05; 022824.R02					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW					
FLONICAMID	0.010	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND						
IMAZALIL	0.010	ppm	0.1	PASS	ND	Analized by:	Weight:	Extraction date:	Extracted by:		
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	450, 53, 1440	0.2293g	03/02/24 17:06:03	4056		
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
MALATHION	0.010	ppm	0.2	PASS	ND	Analytical Batch : DA070053VOL		Reviewed On : 03/05/24 19:26:50			
METALAXYL	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-010		Batch Date : 03/02/24 14:10:29			
METHIOCARB	0.010	ppm	0.1	PASS	ND	Analyzed Date : 03/04/24 14:24:59					
METHOMYL	0.010	ppm	0.1	PASS	ND	Dilution : 250					
MEVINPHOS	0.010	ppm	0.1	PASS	ND	Reagent : 022824.R01; 040423.08; 021424.R18; 021424.R19					
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW; 14725401					
NALED	0.010	ppm	0.25	PASS	ND	Pipette : DA-080; DA-146; DA-218					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
03/05/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Sirens Call RSO Syringes 1 g

Sirens Call

Matrix : Derivative

Type: Full Extract Cannabis Oil



Certificate of Analysis

PASSED

FLUENT

5540 W. Executive Drive
Tampa, FL, 33609, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA40302005-002

Harvest/Lot ID: 9926 6030 7625 2659

Batch# : 9926 6030 7625
2659

Sampled : 03/02/24

Ordered : 03/02/24

Sample Size Received : 16 gram

Total Amount : 720 units

Completed : 03/05/24 Expires: 03/05/25

Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

Analyzed by:
850, 53, 1440

Weight:
0.0222g

Extraction date:
03/04/24 20:34:22

Extracted by:
850

Analysis Method : SOP.T.40.041.FL
Analytical Batch : DA070081SOL
Instrument Used : DA-GCMS-002
Analyzed Date : 03/03/24 19:55:18

Reviewed On : 03/05/24 08:57:59
Batch Date : 03/03/24 19:26:17

Dilution : 1
Reagent : N/A
Consumables : N/A
Pipette : N/A

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
03/05/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Sirens Call RSO Syringes 1 g
Sirens Call
Matrix : Derivative
Type: Full Extract Cannabis Oil



Certificate of Analysis

PASSED

FLUENT

5540 W. Executive Drive
Tampa, FL, 33609, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA40302005-002

Harvest/Lot ID: 9926 6030 7625 2659

Batch# : 9926 6030 7625
2659

Sampled : 03/02/24

Ordered : 03/02/24

Sample Size Received : 16 gram

Total Amount : 720 units

Completed : 03/05/24 Expires: 03/05/25

Sample Method : SOP.T.20.010

Page 5 of 6

	Microbial	PASSED		Mycotoxins	PASSED
--	------------------	---------------	--	-------------------	---------------

Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
ECOLI SHIGELLA			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000	Analyzed by:		Weight:		Extraction date:	
						4056, 3379, 53, 1440		0.2293g		03/02/24 17:06:03	Extracted by:
											4056
Analyzed by:	Weight:	Extraction date:	Extracted by:			Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville),					
3390, 53, 1440	0.9244g	03/02/24 17:49:13	3621			SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)					
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL			Reviewed On : 03/05/24			Analytical Batch : DA070054MYC					
Analytical Batch : DA070030MIC			19:19:07			Instrument Used : N/A					
Instrument Used : PathogenDx Scanner DA-111,Applied			Batch Date : 03/02/24			Analyzed Date : 03/03/24 18:09:04					
Biosystems Thermocycler DA-013, fisherbrand Isotemp Heat Block			09:43:54			Dilution : 250					
DA-020, fisherbrand Isotemp Heat Block DA-049, Fisher Scientific						Reagent : 022824.R01; 040423.08; 022924.R03; 022824.R04; 022624.R13; 021324.R05;					
Isotemp Heat Block DA-021						022824.R02					
Analyzed Date : 03/04/24 13:25:36						Consumables : 326250IW					
						Pipette : DA-093; DA-094; DA-219					

Dilution : N/A
Reagent : 012424.43; 012424.44; 022224.R10; 083123.107
Consumables : 7569001063
Pipette : N/A

Analyzed by: 3621, 3390, 53, 1440
Weight: 0.9244g
Extraction date: 03/02/24 17:49:13
Extracted by: 3621

Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL
Analytical Batch : DA070041TYM
Instrument Used : Incubator (25-27°C) DA-096
Analyzed Date : 03/02/24 17:52:14
Reviewed On : 03/05/24 17:13:46
Batch Date : 03/02/24 11:46:16

Dilution : N/A
Reagent : 012424.43; 012424.44; 012524.R09
Consumables : N/A
Pipette : N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.



Heavy Metals

PASSED

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1
ARSENIC	0.020	ppm	ND	PASS	0.2
CADMIUM	0.020	ppm	ND	PASS	0.2
MERCURY	0.020	ppm	ND	PASS	0.2
LEAD	0.020	ppm	ND	PASS	0.5

Analyzed by: 1022, 53, 1440
Weight: 0.2867g
Extraction date: 03/03/24 08:34:16
Extracted by: 4306, 1022

Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL
Analytical Batch : DA070043HEA
Instrument Used : DA-ICPMS-004
Analyzed Date : 03/04/24 15:12:55
Reviewed On : 03/05/24 17:18:58
Batch Date : 03/02/24 13:52:23

Dilution : 50
Reagent : 020724.R07; 022124.R13; 022624.R02; 021324.R02; 030424.R04; 030424.R01;
030424.R02; 030424.01
Consumables : 179436; 35123025; 210508058
Pipette : DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
03/05/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Sirens Call RSO Syringes 1 g
Sirens Call
Matrix : Derivative
Type: Full Extract Cannabis Oil



Certificate of Analysis

PASSED

FLUENT

5540 W. Executive Drive
Tampa, FL, 33609, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA40302005-002

Harvest/Lot ID: 9926 6030 7625 2659

Batch# : 9926 6030 7625
2659

Sampled : 03/02/24

Ordered : 03/02/24

Sample Size Received : 16 gram

Total Amount : 720 units

Completed : 03/05/24 Expires: 03/05/25

Sample Method : SOP.T.20.010

Page 6 of 6



**Filth/Foreign
Material**

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1665, 53, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A
--------------------------------	---------------	-------------------------	----------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA070098FIL

Instrument Used : N/A

Analyzed Date : N/A

Reviewed On : 03/05/24 09:17:07

Batch Date : 03/05/24 09:08:10

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.505	PASS	0.85

Analyzed by: 4444, 53, 1440	Weight: 0.649g	Extraction date: 03/03/24 11:28:31	Extracted by: 4444
--------------------------------	-------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA070039WAT

Instrument Used : DA256 Rotronic HygroPalm

Analyzed Date : 03/03/24 10:21:24

Reviewed On : 03/05/24 09:16:35

Batch Date : 03/02/24 11:28:24

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
03/05/24