



# Certificate of Analysis

## COMPLIANCE FOR RETAIL

Sample: DA40302006-001  
Harvest/Lot ID: HYB-SFVXSHBX1-022724-C0134  
Batch#: 5574 4629 4525 0682  
Cultivation Facility: Zolfo Springs Cultivation  
Processing Facility: Zolfo Springs Processing  
Source Facility: Zolfo Springs Cultivation  
Seed to Sale#: 4910 6463 6234 9975  
Batch Date: 02/05/24  
Sample Size Received: 31.5 gram  
Total Amount: 2209 units  
Retail Product Size: 3.5 gram  
Ordered: 03/01/24  
Sampled: 03/02/24  
Completed: 03/05/24  
Sampling Method: SOP.T.20.010

Mar 05, 2024 | FLUENT

5540 W. Executive Drive  
Tampa, FL, 33609, US



**PASSED**

Pages 1 of 5


### PRODUCT IMAGE



### SAFETY RESULTS



Pesticides  
**PASSED**



Heavy Metals  
**PASSED**



Microbials  
**PASSED**



Mycotoxins  
**PASSED**



Residuals Solvents  
**NOT TESTED**



Filtration  
**PASSED**



Water Activity  
**PASSED**



Moisture  
**PASSED**



Terpenes  
**TESTED**

### MISC.



## Cannabinoid

**PASSED**



**Total THC**  
**34.879%**  
Dry Weight



**Total CBD**  
**0.075%**  
Dry Weight



**Total Cannabinoids**  
**41.072%**  
Dry Weight

	D9-THC	THCA	CBD	CBDa	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC	
%	0.643	34.52	ND	0.077	0.041	0.106	0.969	ND	0.012	ND	0.039	<b>Total THC</b> <b>30.917%</b> 1082.095 mg /Container
mg/unit	22.505	1208.2	ND	2.695	1.435	3.71	33.915	ND	0.42	ND	1.365	<b>Total CBD</b> <b>0.067%</b> 2.345 mg /Container
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	<b>Total Cannabinoids</b> <b>36.407%</b> 1274.245 mg /Container
	%	%	%	%	%	%	%	%	%	%	%	<b>As Received</b>

Analyzed by:  
3335, 1665, 53, 1440

Weight:  
0.2119g

Extraction date:  
03/04/24 10:52:03

Extracted by:  
1665,3335

Analysis Method : SOP.T.40.031, SOP.T.30.031  
Analytical Batch : DA070084POT  
Instrument Used : DA-LC-002  
Analyzed Date : 03/04/24 11:11:54

Reviewed On : 03/05/24 18:11:47  
Batch Date : 03/04/24 07:33:54

Dilution : 400  
Reagent : 022124.R04; 060723.24; 020724.R04  
Consumables : 927.100; LLS-00-0005; 280670723  
Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJA-  
Testing 97164

Signature  
03/05/24



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

FTH-SFV OG x Sherb BX1 WF3.5g (1/8oz)  
FTH-SFV OG x Sherb BX1  
Matrix : Flower  
Type: Flower-Cured



# Certificate of Analysis

PASSED

FLUENT

5540 W. Executive Drive  
Tampa, FL, 33609, US  
Telephone: (305) 900-6266  
Email: Taylor.Jones@getfluent.com

Sample : DA40302006-001  
Harvest/Lot ID: HYB-SFVXSHBX1-022724-C0134  
Batch# : 5574 4629 4525  
Sample Size Received : 31.5 gram  
Total Amount : 2209 units  
Sampled : 03/02/24  
Completed : 03/05/24 Expires: 03/05/25  
Ordered : 03/02/24  
Sample Method : SOP.T.20.010

Page 2 of 5



## Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	105.91	3.026		VALENCENE	0.007	ND	ND	
LIMONENE	0.007	30.14	0.861		ALPHA-CEDRENE	0.007	ND	ND	
BETA-MYRCENE	0.007	26.08	0.745		ALPHA-PHELLANDRENE	0.007	ND	ND	
LINALOOL	0.007	12.71	0.363		ALPHA-TERPINENE	0.007	ND	ND	
BETA-CARYOPHYLLENE	0.007	9.49	0.271		ALPHA-TERPINOLENE	0.007	ND	ND	
BETA-PINENE	0.007	5.99	0.171		CIS-NEROLIDOL	0.007	ND	ND	
FENCHYL ALCOHOL	0.007	4.45	0.127		GAMMA-TERPINENE	0.007	ND	ND	
ALPHA-PINENE	0.007	3.82	0.109		TRANS-NEROLIDOL	0.007	ND	ND	
GUAIOL	0.007	3.33	0.095		Analysis by:	Weight:	Extraction date:	Extracted by:	
TOTAL TERPENEOL	0.007	3.01	0.086		1665, 53, 1440	1.0398g	03/02/24 18:02:47	1665	
ALPHA-HUMULENE	0.007	3.01	0.086		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
ALPHA-BISABOLOL	0.007	1.75	0.050		Analytical Batch : DA070051TER			Reviewed On : 03/05/24 17:00:14	
FARNESENE	0.001	1.30	0.037		Instrument Used : DA-GCMS-004			Batch Date : 03/02/24 14:07:35	
CAMPHENE	0.007	0.88	0.025		Analysis Date : 03/02/24 18:03:22				
3-CARENE	0.007	ND	ND		Dilution : 10				
BORNEOL	0.013	ND	ND		Reagent : N/A				
CAMPOR	0.007	ND	ND		Consumables : N/A				
CARYOPHYLLENE OXIDE	0.007	ND	ND		Pipette : N/A				
CEDROL	0.007	ND	ND		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
EUCALYPTOL	0.007	ND	ND						
FENCHONE	0.007	ND	ND						
GERANIOL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
ISOBORNEOL	0.007	ND	ND						
ISOPULEGOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
OCIMENE	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
SABINENE	0.007	ND	ND						
SABINENE HYDRATE	0.007	ND	ND						
Total (%)			3.026						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
03/05/24



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

FTH-SFV OG x Sherb BX1 WF3.5g (1/8oz)  
FTH-SFV OG x Sherb BX1  
Matrix : Flower  
Type: Flower-Cured



# Certificate of Analysis

**PASSED**

FLUENT

5540 W. Executive Drive  
Tampa, FL, 33609, US  
Telephone: (305) 900-6266  
Email: Taylor.Jones@getfluent.com

Sample : DA40302006-001

Harvest/Lot ID: HYB-SFVXSHBX1-022724-C0134

Batch# : 5574 4629 4525  
0682

Sampled : 03/02/24

Ordered : 03/02/24

Sample Size Received : 31.5 gram

Total Amount : 2209 units

Completed : 03/05/24 Expires: 03/05/25

Sample Method : SOP.T.20.010

Page 3 of 5



## Pesticides

**PASSED**

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND	Analyzed by: 4056, 3379, 53, 1440      Weight: 1.0099g      Extraction date: 03/02/24 17:03:58      Extracted by: 4056					
DIAZINON	0.010	ppm	0.1	PASS	ND	Analysis Method :SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)					
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analytical Batch :DA070056PES      Reviewed On : 03/05/24 16:29:31					
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Instrument Used :DA-LCMS-003 (PES)      Batch Date :03/02/24 14:13:58					
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Analysis Date :03/03/24 18:08:36					
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Dilution : 250					
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Reagent : 022824.R01; 040423.08; 022924.R03; 022824.R04; 022624.R13; 021324.R05; 022824.R02					
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Analyzed by: 450, 1665, 53, 1440      Weight: 1.0099g      Extraction date: 03/02/24 17:03:58      Extracted by: 4056					
FLONICAMID	0.010	ppm	0.1	PASS	ND	Analysis Method :SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Analytical Batch :DA070057VOL      Reviewed On : 03/05/24 16:03:48					
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	Instrument Used :DA-GCMS-001      Batch Date :03/02/24 14:14:35					
IMAZALIL	0.010	ppm	0.1	PASS	ND	Analysis Date :03/04/24 14:24:46					
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	Dilution : 250					
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Reagent : 022824.R01; 040423.08; 021424.R18; 021424.R19					
MALATHION	0.010	ppm	0.2	PASS	ND	Consumables : 326250IW; 14725401					
METALAXYL	0.010	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
METHIOCARB	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
METHOMYL	0.010	ppm	0.1	PASS	ND						
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
03/05/24



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

FTH-SFV OG x Sherb BX1 WF3.5g (1/8oz)  
FTH-SFV OG x Sherb BX1  
Matrix : Flower  
Type: Flower-Cured



# Certificate of Analysis


PASSED


FLUENT

5540 W. Executive Drive  
Tampa, FL, 33609, US  
Telephone: (305) 900-6266  
Email: Taylor.Jones@getfluent.com

Sample : DA40302006-001  
Harvest/Lot ID: HYB-SFVXSHBX1-022724-C0134  
Batch# : 5574 4629 4525 Sample Size Received : 31.5 gram  
0682 Total Amount : 2209 units  
Sampled : 03/02/24 Completed : 03/05/24 Expires: 03/05/25  
Ordered : 03/02/24 Sample Method : SOP.T.20.010

Page 4 of 5

	Microbial					PASSED					
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
ECOLI SHIGELLA			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS		Analyzed by: 4056, 3379, 53, 1440 Weight: 1.0099g Extraction date: 03/02/24 17:03:58 Extracted by: 4056					
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000						
Analyzed by: 3390, 53, 1440	Weight: 0.9425g	Extraction date: 03/02/24 17:43:23	Extracted by: 3621			Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA070058MYC Instrument Used : N/A Analyzed Date : 03/03/24 18:08:59 Dilution : 250 Reagent : 022824.R01; 040423.08; 022924.R03; 022824.R04; 022624.R13; 021324.R05; 022824.R02 Consumables : 326250IW Pipette : DA-093; DA-094; DA-219					
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA070036MIC			Reviewed On : 03/05/24 19:43:07 Batch Date : 03/02/24 11:18:57								
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-013,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021						Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
Analyzed Date : 03/04/24 13:25:34											
Dilution : N/A Reagent : 012424.43; 012424.44; 022224.R10; 083123.107 Consumables : 7569001063 Pipette : N/A											
Analyzed by: 3621, 3390, 53, 1440	Weight: 0.9425g	Extraction date: 03/02/24 17:43:23	Extracted by: 3621			Heavy Metals					
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL Analytical Batch : DA070042TYM			Reviewed On : 03/05/24 17:38:08 Batch Date : 03/02/24 11:46:33								
Instrument Used : Incubator (25-27°C) DA-096						Metal					
Analyzed Date : 03/02/24 17:52:13											
Dilution : N/A Reagent : 012424.43; 012424.44; 012524.R09 Consumables : N/A Pipette : N/A						TOTAL CONTAMINANT LOAD METALS					
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.											

	Heavy Metals					PASSED									
Metal	LOD	Units	Result	Pass / Fail	Action Level	Metal	LOD	Units	Result	Pass / Fail	Action Level				
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1	ARSENIC	0.020	ppm	ND	PASS	0.2				
CADMIUM	0.020	ppm	ND	PASS	0.2	MERCURY	0.020	ppm	ND	PASS	0.2				
LEAD	0.020	ppm	ND	PASS	0.5	Analyzed by: 1022, 53, 1440 Weight: 0.2688g Extraction date: 03/02/24 14:54:52 Extracted by: 4306,1022									
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA070046HEA					Reviewed On : 03/05/24 17:07:18 Batch Date : 03/02/24 14:02:22										
Instrument Used : DA-ICPMS-004										Dilution : 50 Reagent : 020724.R07; 022124.R13; 022624.R02; 021324.R02; 030424.R04; 030424.R01; 030424.R02; 030424.R03; 030424.01 Consumables : 179436; 34623011; 210508058 Pipette : DA-061; DA-191; DA-216					
Analyzed Date : 03/04/24 17:32:53															
Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.															

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
03/05/24



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

FTH-SFV OG x Sherb BX1 WF3.5g (1/8oz)  
FTH-SFV OG x Sherb BX1  
Matrix : Flower  
Type: Flower-Cured



# Certificate of Analysis

PASSED

FLUENT

5540 W. Executive Drive  
Tampa, FL, 33609, US  
Telephone: (305) 900-6266  
Email: Taylor.Jones@getfluent.com

Sample : DA40302006-001  
Harvest/Lot ID: HYB-SFVXSHBX1-022724-C0134  
Batch# : 5574 4629 4525  
Sample Size Received : 31.5 gram  
Total Amount : 2209 units  
Completed : 03/05/24 Expires: 03/05/25  
Sample Method : SOP.T.20.010  
Sampled : 03/02/24  
Ordered : 03/02/24

Page 5 of 5



Filth/Foreign  
Material

PASSED



Moisture

PASSED

Analyte	LOD	Units	Result	P/F	Action Level	Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1	Moisture Content	1.00	%	11.36	PASS	15
Analyzed by: 1665, 53, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A			Analyzed by: 4444, 1665, 53, 1440	Weight: 0.494g	Extraction date: 03/03/24 10:51:33	Extracted by: 4444		
Analysis Method : SOP.T.40.090 Analytical Batch : DA070098FIL Instrument Used : N/A Analyzed Date : N/A						Analysis Method : SOP.T.40.021 Analytical Batch : DA070037MOI Instrument Used : DA-003 Moisture Analyzer Analyzed Date : 03/03/24 10:20:46					
Reviewed On : 03/05/24 09:17:11 Batch Date : 03/05/24 09:08:10						Reviewed On : 03/05/24 09:24:15 Batch Date : 03/02/24 11:26:44					
Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A						Dilution : N/A Reagent : 092520.50 Consumables : N/A Pipette : DA-066					

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.566	PASS	0.65
Analyzed by: 4444, 53, 1440	Weight: 1.642g	Extraction date: 03/03/24 11:21:32	Extracted by: 4444		
Analysis Method : SOP.T.40.019 Analytical Batch : DA070038WAT Instrument Used : DA256 Rotronic HygroPalm Analyzed Date : 03/03/24 10:21:47					
Reviewed On : 03/05/24 16:37:22 Batch Date : 03/02/24 11:27:58					
Dilution : N/A Reagent : 022024.28 Consumables : PS-14 Pipette : N/A					

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
03/05/24