



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA40307001-002
Harvest/Lot ID: 1090 9972 1364 4058
Batch#: 1090 9972 1364 4058
Cultivation Facility: Tampa Cultivation
Processing Facility : Tampa Processing
Source Facility : Tampa Cultivation
Seed to Sale# 4116 1753 2894 9845
Batch Date: 11/01/23
Sample Size Received: 15.5 gram
Total Amount: 1915 units
Retail Product Size: 0.5 gram
Ordered: 03/06/24
Sampled: 03/07/24
Completed: 03/09/24
Sampling Method: SOP.T.20.010

Mar 09, 2024 | FLUENT

5540 W. Executive Drive
Tampa, FL, 33609, US



PASSED

Pages 1 of 6

PRODUCT IMAGE



SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals Solvents
PASSED



Filtration
PASSED



Water Activity
PASSED



Moisture
NOT TESTED



Terpenes
TESTED

MISC.



Cannabinoid

PASSED



Total THC

91.645%

Total THC/Container : 458.23 mg



Total CBD

0.284%

Total CBD/Container : 1.42 mg



Total Cannabinoids

97.318%

Total Cannabinoids/Container : 486.59 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	91.645	ND	0.284	ND	0.262	2.150	ND	1.434	0.589	ND	0.954
mg/unit	458.23	ND	1.42	ND	1.31	10.75	ND	7.17	2.95	ND	4.77
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
	%	%	%	%	%	%	%	%	%	%	%

Analyzed by:
3335, 1665, 1440

Weight:
0.1013g

Extraction date:
03/07/24 13:55:08

Extracted by:
3335

Analysis Method : SOP.T.40.031, SOP.T.30.031
Analytical Batch : DA070195POT
Instrument Used : DA-LC-007
Analyzed Date : 03/07/24 14:11:53

Reviewed On : 03/09/24 15:23:00
Batch Date : 03/07/24 10:54:36

Dilution : 400
Reagent : 022724.R01; 060723.24; 020724.R04
Consumables : 947.109; 34623011; CE0123; R1KB14270
Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
03/09/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Miami Vibes Cartridge Concentrate 0.5g
Miami Vibes
Matrix : Derivative
Type: Distillate



Certificate of Analysis

PASSED

FLUENT

5540 W. Executive Drive
Tampa, FL, 33609, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA40307001-002
Harvest/Lot ID: 1090 9972 1364 4058

Batch# : 1090 9972 1364 4058
Sample Size Received : 15.5 gram
Total Amount : 1915 units
Completed : 03/09/24 Expires: 03/09/25
Sample Method : SOP.T.20.010

Page 2 of 6



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	7.44	1.487		PULEGONE	0.007	ND	ND	
ALPHA-TERPINOLENE	0.007	3.23	0.646		SABINENE	0.007	ND	ND	
BETA-MYRCENE	0.007	0.81	0.161		SABINENE HYDRATE	0.007	ND	ND	
OCIMENE	0.007	0.56	0.111		TOTAL TERPINEOL	0.007	ND	ND	
LIMONENE	0.007	0.41	0.081		ALPHA-CEDRENE	0.007	ND	ND	
BETA-CARYOPHYLLENE	0.007	0.40	0.079		ALPHA-TERPINENE	0.007	ND	ND	
CAMPHOR	0.007	0.31	0.061		CIS-NEROLIDOL	0.007	ND	ND	
BETA-PINENE	0.007	0.21	0.042		TRANS-NEROLIDOL	0.007	ND	ND	
BORNEOL	0.013	0.21	0.041		Analysis by:	Weight:	Extraction date:	Extracted by:	
ALPHA-PHELLANDRENE	0.007	0.17	0.034		795, 1665, 1440	0.2067g	03/07/24 13:09:15	3605.795	
ALPHA-PINENE	0.007	0.17	0.034		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
ALPHA-BISABOLOL	0.007	0.16	0.031		Analytical Batch : DA070204TER			Reviewed On : 03/09/24 15:31:52	
VALENCENE	0.007	0.15	0.029		Instrument Used : DA-GCMS-004			Batch Date : 03/07/24 11:03:51	
LINALOOL	0.007	0.13	0.026		Analyzed Date : N/A				
HEXAHYDROTHYMOL	0.007	0.13	0.025		Dilution : 10				
ALPHA-HUMULENE	0.007	0.12	0.023		Reagent : 062922.47				
3-CARENE	0.007	0.11	0.022		Consumables : LLS-00-0005; 210414634; MKCN9995; CE0123				
FENCHYL ALCOHOL	0.007	0.11	0.021		Pipette : N/A				
GAMMA-TERPINENE	0.007	0.10	0.020		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
CAMPHENE	0.007	ND	ND						
CARYOPHYLLENE OXIDE	0.007	ND	ND						
CEDROL	0.007	ND	ND						
EUCALYPTOL	0.007	ND	ND						
FARNESENE	0.001	ND	ND						
FENCHONE	0.007	ND	ND						
GERANIOL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
GUAIOL	0.007	ND	ND						
ISOBORNEOL	0.007	ND	ND						
ISOPULEGOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
Total (%)			1.487						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
03/09/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Miami Vibes Cartridge Concentrate 0.5g
Miami Vibes
Matrix : Derivative
Type: Distillate



Certificate of Analysis

PASSED

FLUENT

5540 W. Executive Drive
Tampa, FL, 33609, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA40307001-002

Harvest/Lot ID: 1090 9972 1364 4058

Batch# : 1090 9972 1364
4058

Sampled : 03/07/24
Ordered : 03/07/24

Sample Size Received : 15.5 gram

Total Amount : 1915 units

Completed : 03/09/24 Expires: 03/09/25

Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analyzed by:	3379, 1665, 1440	Weight:	0.2677g	Extraction date:	03/07/24 15:20:25
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analysis Method :	SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)			Reviewed On :	03/09/24 15:12:13
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analytical Batch :	DA070189PES			Batch Date :	03/07/24 10:36:51
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Instrument Used :	DA-LCMS-003 (PES)				
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Analyzed Date :	N/A				
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Dilution :	250				
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Reagent :	030324.R03; 040423.08; 030624.R05; 030624.R03; 030624.R04; 021324.R05; 030624.R01				
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Consumables :	326250IW				
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Pipette :	DA-093; DA-094; DA-219				
FIPRONIL	0.010	ppm	0.1	PASS	ND						
FLONICAMID	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Analyzed by:	450, 1665, 1440	Weight:	0.2677g	Extraction date:	03/07/24 15:20:25
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	Analysis Method :	SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL			Reviewed On :	03/09/24 15:10:11
IMAZALIL	0.010	ppm	0.1	PASS	ND	Analytical Batch :	DA070190VOL			Batch Date :	03/07/24 10:38:36
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	Instrument Used :	DA-GCMS-010				
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Analyzed Date :	03/07/24 16:19:12				
MALATHION	0.010	ppm	0.2	PASS	ND	Dilution :	250				
METALAXYL	0.010	ppm	0.1	PASS	ND	Reagent :	030324.R03; 040423.08; 021424.R18; 021424.R19				
METHIOCARB	0.010	ppm	0.1	PASS	ND	Consumables :	326250IW; 14725401				
METHOMYL	0.010	ppm	0.1	PASS	ND	Pipette :	DA-080; DA-146; DA-218				
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
03/09/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Miami Vibes Cartridge Concentrate 0.5g

Miami Vibes

Matrix : Derivative

Type: Distillate



Certificate of Analysis

PASSED

FLUENT

5540 W. Executive Drive
Tampa, FL, 33609, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA40307001-002

Harvest/Lot ID: 1090 9972 1364 4058

Batch# : 1090 9972 1364
4058

Sampled : 03/07/24

Ordered : 03/07/24

Sample Size Received : 15.5 gram

Total Amount : 1915 units

Completed : 03/09/24 Expires: 03/09/25

Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

Analyzed by:
850, 1665, 1440

Weight:
0.024g

Extraction date:
03/09/24 14:33:23

Extracted by:
850

Analysis Method : SOP.T.40.041.FL
Analytical Batch : DA07027650L
Instrument Used : DA-GCMS-003
Analyzed Date : 03/09/24 14:33:36

Reviewed On : 03/09/24 15:22:08
Batch Date : 03/08/24 14:43:56

Dilution : 1
Reagent : N/A
Consumables : G201.062; G201.062
Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
03/09/24



Certificate of Analysis

PASSED
FLUENT

 5540 W. Executive Drive
 Tampa, FL, 33609, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA40307001-002

Harvest/Lot ID: 1090 9972 1364 4058

 Batch# : 1090 9972 1364
 4058

 Sampled : 03/07/24
 Ordered : 03/07/24

Sample Size Received : 15.5 gram

Total Amount : 1915 units

Completed : 03/09/24 Expires: 03/09/25

Sample Method : SOP.T.20.010

Page 5 of 6

	Microbial	PASSED		Mycotoxins	PASSED
-----------------------------------------------------------------------------------	------------------	---------------	-----------------------------------------------------------------------------------	-------------------	---------------

Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ECOLI SHIGELLA			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000	Analyzed by: 3379, 1665, 1440	Weight: 0.2677g	Extraction date: 03/07/24 15:20:25		Extracted by: 3379	
Analyzed by: 3621, 1665, 1440	Weight: 1.015g	Extraction date: 03/07/24 12:29:05	Extracted by: 3390	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)							
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL				Analytical Batch : DA070213MYC							
Analytical Batch : DA070181MIC				Reviewed On : 03/09/24 15:00:33							
Instrument Used : PathogenDx Scanner DA-111, fisherbrand Isotemp Heat Block DA-020, fisherbrand Isotemp Heat Block DA-049, Fisher Scientific Isotemp Heat Block DA-021				Batch Date : 03/07/24 09:53:39							
Analyzed Date : 03/08/24 11:05:05				Dilution : 250							
Dilution : N/A				Reagent : 030324.R03; 040423.08; 030624.R05; 030624.R03; 030624.R04; 021324.R05; 030624.R01							
Reagent : 012424.32; 012424.33; 022224.R10; 083123.107				Consumables : 326250IW							
Consumables : 7569001033				Pipette : DA-093; DA-094; DA-219							
Pipette : N/A				Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.							

<div>Analyzed by: 3621, 1665, 1440</div>	<div>Weight: 1.015g</div>	<div>Extraction date: 03/07/24 12:29:05</div>	<div>Extracted by: 3390</div>	<div><div><div>Hg</div></div></div>	<div>Heavy Metals</div>	<div>PASSED</div>																																				
<div><div>Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL</div><div>Analytical Batch : DA070217TYM<div>Reviewed On : 03/09/24 18:51:11</div></div><div>Instrument Used : N/A<div>Batch Date : 03/07/24 12:37:01</div></div><div>Analyzed Date : N/A</div></div>																																										
<div><div>Dilution : N/A</div><div>Reagent : 012424.32; 012424.33; 012524.R09</div><div>Consumables : N/A</div><div>Pipette : N/A</div></div>				<table><thead><tr><th>Metal</th><th>LOD</th><th>Units</th><th>Result</th><th>Pass / Fail</th><th>Action Level</th></tr></thead><tbody><tr><td>TOTAL CONTAMINANT LOAD METALS</td><td>0.080</td><td>ppm</td><td>ND</td><td>PASS</td><td>1.1</td></tr><tr><td>ARSENIC</td><td>0.020</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.2</td></tr><tr><td>CADMIUM</td><td>0.020</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.2</td></tr><tr><td>MERCURY</td><td>0.020</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.2</td></tr><tr><td>LEAD</td><td>0.020</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.5</td></tr></tbody></table>			Metal	LOD	Units	Result	Pass / Fail	Action Level	TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1	ARSENIC	0.020	ppm	ND	PASS	0.2	CADMIUM	0.020	ppm	ND	PASS	0.2	MERCURY	0.020	ppm	ND	PASS	0.2	LEAD	0.020	ppm	ND	PASS	0.5
Metal	LOD	Units	Result	Pass / Fail	Action Level																																					
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1																																					
ARSENIC	0.020	ppm	ND	PASS	0.2																																					
CADMIUM	0.020	ppm	ND	PASS	0.2																																					
MERCURY	0.020	ppm	ND	PASS	0.2																																					
LEAD	0.020	ppm	ND	PASS	0.5																																					
<div>Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.</div>				<div><div>Analyzed by: 1022, 1665, 1440</div><div>Weight: 0.2589g</div><div>Extraction date: 03/07/24 13:34:10</div><div>Extracted by: 1022,4306</div></div>																																						
<div><div>Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL</div><div>Analytical Batch : DA070185HEA<div>Reviewed On : 03/08/24 17:14:40</div></div><div>Instrument Used : DA-ICPMS-004<div>Batch Date : 03/07/24 10:24:09</div></div><div>Analyzed Date : 03/08/24 10:09:00</div></div>																																										
<div><div>Dilution : 50</div><div>Reagent : 030524.R01; 030424.R04; 030424.R01; 030424.R02; 030424.R03; 030424.01; 021324.R02</div><div>Consumables : 179436; 34623011; 210508058</div><div>Pipette : DA-061; DA-191; DA-216</div></div>																																										
<div>Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.</div>																																										



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Miami Vibes Cartridge Concentrate 0.5g
Miami Vibes
Matrix : Derivative
Type: Distillate



Certificate of Analysis

PASSED

FLUENT

5540 W. Executive Drive
Tampa, FL, 33609, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA40307001-002

Harvest/Lot ID: 1090 9972 1364 4058

Batch# : 1090 9972 1364
4058

Sampled : 03/07/24

Ordered : 03/07/24

Sample Size Received : 15.5 gram

Total Amount : 1915 units

Completed : 03/09/24 Expires: 03/09/25

Sample Method : SOP.T.20.010

Page 6 of 6



Filth/Foreign
Material

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 1665, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A
----------------------------------	---------------	-------------------------	----------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA070208FIL

Instrument Used : Filth/Foreign Material Microscope

Analyzed Date : 03/07/24 11:13:40

Reviewed On : 03/07/24 22:50:44

Batch Date : 03/07/24 11:12:43

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.471	PASS	0.85

Analyzed by: 4056, 53, 1665, 1440	Weight: 0.264g	Extraction date: 03/07/24 13:41:09	Extracted by: 4056
--------------------------------------	-------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA070201WAT

Instrument Used : DA-028 Rotronic Hygropalm

Analyzed Date : 03/07/24 13:21:25

Reviewed On : 03/08/24 16:06:02

Batch Date : 03/07/24 11:01:59

Dilution : N/A

Reagent : 022024.28

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
03/09/24