

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Mar 09, 2024 | FLUENT

Certificate of Analysis


Kaycha Labs

FTH - Supreme Diesel WF 3.5g (1/8oz) FTH - Supreme Diesel Matrix: Flower Type: Flower-Cured



Sample:DA40307006-001 Harvest/Lot ID: HYB-SD-030124-C0134 Batch#: 3216 2087 1218 0350 **Cultivation Facility: Zolfo Springs Cultivation Processing Facility : Zolfo Springs** Processing Source Facility : Zolfo Springs Cultivation Seed to Sale# 1477 6801 6789 5817 Batch Date: 02/05/24 Sample Size Received: 31.5 gram Total Amount: 1886 units Retail Product Size: 3.5 gram Ordered: 03/06/24 Sampled: 03/07/24 Completed: 03/09/24 Sampling Method: SOP.T.20.010

PASSED



Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 03/09/24



FTH - Supreme Diesel WF 3.5g (1/8oz) FTH - Supreme Diesel Matrix : Flower Type: Flower-Cured



4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Certificate of Analysis

FLUENT

5540 W. Executive Drive Tampa, FL, 33609, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA40307006-001 Harvest/Lot ID: HYB-SD-030124-C0134 Batch# : 3216 2087 1218 Sample S

0350 Sampled : 03/07/24 Ordered : 03/07/24 Za-CU134 Sample Size Received : 31.5 gram Total Amount : 1886 units Completed : 03/09/24 Expires: 03/09/25 Sample Method : SOP.T.20.010

Page 2 of 5



Terpenes

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes		LOD (%)	mg/unit	%	Result (%)	
OTAL TERPENES	0.007	53.62	1.532		VALENCENE		0.007	ND	ND		
IMONENE	0.007	19.88	0.568		ALPHA-CEDRENE		0.007	ND	ND		
LINALOOL	0.007	5.04	0.144		ALPHA-PHELLANDRENE		0.007	ND	ND		
ETA-CARYOPHYLLENE	0.007	4.52	0.129		ALPHA-TERPINENE		0.007	ND	ND		
CIMENE	0.007	4.06	0.116		ALPHA-TERPINOLENE		0.007	ND	ND		
LPHA-PINENE	0.007	3.89	0.111		CIS-NEROLIDOL		0.007	ND	ND		
ETA-PINENE	0.007	3.82	0.109		GAMMA-TERPINENE		0.007	ND	ND		
ENCHYL ALCOHOL	0.007	2.98	0.085		TRANS-NEROLIDOL		0.007	ND	ND		
OTAL TERPINEOL	0.007	2.21	0.063		Analyzed by:	Weight:	Ex	traction date:			Extracted by:
UAIOL	0.007	2.07	0.059		1665, 53, 1440	1.0282g	03	/07/24 13:05:	41		3605,1665
ETA-MYRCENE	0.007	1.79	0.051		Analysis Method : SOP.T.30.061A.F	L, SOP.T.40.061A.FL					
LPHA-HUMULENE	0.007	1.33	0.038		Analytical Batch : DA070202TER Instrument Used : DA-GCMS-009					03/08/24 16:25:25 3/07/24 11:02:45	
LPHA-BISABOLOL	0.007	1.30	0.037		Analyzed Date : N/A			Batch	Date: 0.	5/07/24 11:02:45	
AMPHENE	0.007	0.77	0.022		Dilution : 10						
-CARENE	0.007	ND	ND		Reagent : 062922.47						
ORNEOL	0.013	ND	ND		Consumables : LLS-00-0005; 2104	14634; MKCN9995; C	E0123				
AMPHOR	0.007	ND	ND		Pipette : N/A	0.01					
ARYOPHYLLENE OXIDE	0.007	ND	ND		Terpenoid testing is performed utilizing	Gas Chromatography M	lass Spectr	ometry. For all I	Flower san	npies, the Total Terpenes	% is ary-weight corrected.
EDROL	0.007	ND	ND								
JCALYPTOL	0.007	ND	ND								
ARNESENE	0.001	ND	ND								
ENCHONE	0.007	ND	ND								
ERANIOL	0.007	ND	ND								
ERANYL ACETATE	0.007	ND	ND								
IEXAHYDROTHYMOL	0.007	ND	ND								
SOBORNEOL	0.007	ND	ND								
SOPULEGOL	0.007	ND	ND								
EROL	0.007	ND	ND								
ULEGONE	0.007	ND	ND								
ABINENE	0.007	ND	ND								
ABINENE HYDRATE	0.007	ND	ND								
otal (%)			1.532								

Total (%)

1.532

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 03/09/24

PASSED

TESTED



FTH - Supreme Diesel WF 3.5g (1/8oz) FTH - Supreme Diesel Matrix : Flower Type: Flower-Cured



4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Certificate of Analysis

FLUENT

5540 W. Executive Drive Tampa, FL, 33609, US Telephone: (305) 900-6266 Email: Tavlor.lones@qetfluent.com Sample : DA40307006-001 Harvest/Lot ID: HYB-SD-030124-C0134

Batch#: 3216 2087 1218 0350 Sampled: 03/07/24 Ordered: 03/07/24 Sample Size Received : 31.5 gram Total Amount : 1886 units Completed : 03/09/24 Expires: 03/09/25 Sample Method : SOP.T.20.010

Page 3 of 5



Pesticides

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE		ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND			ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PRALLETHRIN					
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE		ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010		0.1	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	maa	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010		0.1	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM		ppm	0.5	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND				0.1	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010				
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010		0.15	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	PARATHION-METHYL *	0.010		0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
DIAZINON	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analyzed by: Weight:	Ev	traction date		Extracte	d bu
DIMETHOATE	0.010		0.1	PASS	ND	3379, 53, 1665, 1440 0.9794g		/07/24 15:23:2		3379	a by.
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville),	SOP.T.30.10	2.FL (Davie), S	SOP.T.40.101.	FL (Gainesville)	
ETOFENPROX	0.010		0.1	PASS	ND	SOP.T.40.102.FL (Davie)					
ETOXAZOLE	0.010		0.1	PASS	ND	Analytical Batch : DA070191PES			n:03/08/24 1		
FENHEXAMID	0.010		0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)		Batch Date	:03/07/24 10:	41:09	
FENOXYCARB	0.010	T. D.	0.1	PASS	ND	Analyzed Date : N/A					
FENPYROXIMATE	0.010		0.1	PASS	ND	Dilution: 250 Reagent: 030324.R03; 040423.08; 030624.R05; (130624 B03	030624 B04-	021324 B05	030624 R01	
FIPRONIL	0.010		0.1	PASS	ND	Consumables : 326250IW	550024.1105	, 050024.1104,	, 021524.1105,	050024.1101	
FLONICAMID	0.010		0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FLUDIOXONIL	0.010		0.1	PASS	ND	Testing for agricultural agents is performed utilizing	Liquid Chror	natography Trij	ple-Quadrupole	e Mass Spectron	netry in
HEXYTHIAZOX	0.010		0.1	PASS	ND	accordance with F.S. Rule 64ER20-39.					
IMAZALIL	0.010		0.1	PASS	ND	Analyzed by: Weight:		tion date:		Extracted	by:
IMIDACLOPRID	0.010		0.4	PASS	ND	450, 1665, 1440 0.9794g		24 15:23:29		3379	
KRESOXIM-METHYL	0.010		0.1	PASS	ND	Analysis Method :SOP.T.30.151.FL (Gainesville), S Analytical Batch :DA070192VOL		eviewed On :(
MALATHION	0.010		0.2	PASS	ND	Instrument Used : DA-GCMS-001		atch Date : 03			
METALAXYL	0.010		0.1	PASS	ND	Analyzed Date :03/07/24 16:19:03			,		
METHIOCARB	0.010		0.1	PASS	ND	Dilution : 250					
METHOMYL	0.010	1.1.	0.1	PASS	ND	Reagent: 030324.R03; 040423.08; 021424.R18; 0)21424.R19				
MEVINPHOS	0.010		0.1	PASS	ND	Consumables : 326250IW; 14725401					
MYCLOBUTANIL	0.010		0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
NALED	0.010	ppm	0.25	PASS	ND	Testing for agricultural agents is performed utilizing accordance with F.S. Rule 64ER20-39.	Gas Chroma	tography Triple	e-Quadrupole N	lass Spectrome	try in

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Sen Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 03/09/24

PASSED

PASSED



FTH - Supreme Diesel WF 3.5g (1/8oz) FTH - Supreme Diesel Matrix : Flower Type: Flower-Cured



PASSED

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Certificate of Analysis

FLUENT

5540 W. Executive Drive Tampa, FL, 33609, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA40307006-001 Harvest/Lot ID: HYB-SD-030124-C0134

Batch# : 3216 2087 1218 0350 Sampled : 03/07/24 Ordered : 03/07/24 Sample Size Received : 31.5 gram Total Amount : 1886 units Completed : 03/09/24 Expires: 03/09/25 Sample Method : SOP.T.20.010

Page 4 of 5

Ċ.	Microbia	al			PAS	SED	ç	Μ	/cotoxi	ns			PAS	SED
Analyte		LOD	Units	Result	Pass / Fail	Action	Analyte			LOD	Units	Result		Action
ASPERGILLUS	TERREIIS			Not Present	PASS	Level	AFLATOXIN	B2		0.002	ppm	ND	Fail PASS	Level 0.02
ASPERGILLUS				Not Present	PASS		AFLATOXIN			0.002	ppm	ND	PASS	0.02
ASPERGILLUS				Not Present	PASS		OCHRATOXI			0.002	ppm	ND	PASS	0.02
ASPERGILLUS	FLAVUS			Not Present	PASS		AFLATOXIN	G1		0.002	ppm	ND	PASS	0.02
SALMONELLA	SPECIFIC GENE			Not Present	PASS		AFLATOXIN	G2		0.002	ppm	ND	PASS	0.02
ECOLI SHIGEL	LA			Not Present	PASS		Analyzed by:		Weight:	Extractio	n date:		Extracte	d by:
TOTAL YEAST	AND MOLD	10	CFU/g	110	PASS	100000		5, 1440	0.9794g	03/07/24			3379	
Analyzed by: 3621, 1665, 144	Weight: 0 0.93560		traction date		Extracted 3390	d by:			.30.101.FL (Gaine		40.101.FL	. (Gainesv	ille),	
Analysis Method	: SOP.T.40.056C, SC	·		40.209.FL			Analytical Bat	ch : DA070), SOP.T.40.102.Fl)214MYC	Review		3/08/24 1		
Analytical Batch	: DA070182MIC			Reviewe 15:26:22	d On : 03/0)9/24	Analyzed Date			Datch	Date: 03/	07/24 11.	4J.4J	
DA-049,Fisher S Analyzed Date : Dilution : N/A	ock DA-020,fisherbra cientific Isotemp Hea 03/08/24 11:05:04 4.32; 012424.33; 02 569001033	at Block I	DA-021				030624.R01 Consumables Pipette : DA-0	: 326250IN 193; DA-09	4; DA-219 g Liquid Chromatogi					
Analyzed by: 3621, 1665, 144		g 03	traction date 3/07/24 12:30	:29	Extracted 3390	d by:	Hg	Не	avy Me	tals			PAS	SED
Analysis Method Analytical Batch	: SOP.T.40.208 (Gai : DA070218TYM	nesville),		9.FL n:03/09/24 18:	58:43									
Instrument Used Analyzed Date :	,		Batch Date :	03/07/24 12:3	7:05		Metal			LOD	Units		Pass / Fail	Action Level
Dilution : N/A								TAMINAN	T LOAD METALS		ppm	ND	PASS	1.1
	4.32; 012424.33; 01	2524.R0	9				ARSENIC			0.020	ppm	ND	PASS	0.2
Consumables : N	/A						CADMIUM			0.020	ppm	ND	PASS PASS	0.2 0.2
Pipette : N/A							MERCURY LEAD			0.020	ppm mag	ND ND	PASS	0.2
	old testing is performed .S. Rule 64ER20-39.	d utilizing	MPN and tradition	onal culture base	d technique:	s in	Analyzed by:		Weight:	Extraction da	te:	E	xtracted I	ov:
							1022, 1665, 1	440	0.2748g	03/07/24 12:			022,4306	
							Analysis Meth Analytical Bat Instrument Us Analyzed Date	ch:DA070 ed:DA-IC	PMS-004	Reviewe		/08/24 12: 7/24 10:1:		
							021324.R02	:179436;	030424.R04; 030 34623011; 21050 1: DA-216		24.R02; 0	30424.R0	3; 030424	4.01;
							- ipette i DA-0	, <i>D</i> A-13	-, -, -,					

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 03/09/24



. FTH - Supreme Diesel WF 3.5g (1/8oz) FTH - Supreme Diesel Matrix : Flower Type: Flower-Cured



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

FLUENT

5540 W. Executive Drive Tampa, FL, 33609, US Telephone: (305) 900-6266 Email: Taylor.lones@getfluent.com Sample : DA40307006-001 Harvest/Lot ID: HYB-SD-030124-C0134 Batch#: 3216 2087 1218

Sampled : 03/07/24 Ordered : 03/07/24

Sample Size Received : 31.5 gram Total Amount : 1886 units Completed : 03/09/24 Expires: 03/09/25 Sample Method : SOP.T.20.010



Filth/Foreign **Material**





PASSED

Action Level

PASSED

Page 5 of 5

Analyte Filth and Foreign Material	LOD 0.100	Units %	Result ND	P/F PASS	Action Level	Analyte Moisture Content	LOD 1.00	Units %	Result 12.30	P/F PASS	Action Lev 15
Analyzed by: 1879, 1665, 1440	Weight: NA	Extract N/A	ion date:	Extra N/A	acted by:	Analyzed by: 4056, 53, 1665, 1440	Weight: 0.512g	Extracti 03/07/2	on date: 4 13:22:40		Extracted by: 4056
Analysis Method : SOP.T.40.09 Analytical Batch : DA070208FI Instrument Used : Filth/Foreigr Analyzed Date : 03/07/24 11:1	L Material Micro	oscope		On : 03/07/ : e : 03/07/24	/24 22:51:17 4 11:12:43	Analysis Method : SOP.T.40.02 Analytical Batch : DA070198M Instrument Used : DA-003 Moi Analyzed Date : 03/07/24 13:2	IOI sture Analyzei		Reviewed On Batch Date : (1 1	
Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A						Dilution : N/A Reagent : 020124.02; 031523 Consumables : N/A Pipette : DA-066	.19				
Filth and foreign material inspection technologies in accordance with F			spection utilizi	ng naked eye	e and microscope	Moisture Content analysis utilizing	g loss-on-drying	technology	in accordance	with F.S. P	ule 64ER20-39.
() Wate	r Activ	ity		PAS	SSED						

Analyte	LOD	Units	Result	P/F	Action Leve
Water Activity	0.010	aw	0.604	PASS	0.65
Analyzed by: 4056, 53, 1665, 1440	Weight: 1.19g	Extraction 03/07/24			xtracted by: 056
Analysis Method : SOP.T.40				02/00/2	4.10.15.50
Analytical Batch : DA07019			Reviewed Or		
Instrument Used : DA-028 F	, , , ,	m E	Batch Date :	03/07/24	11:00:14
Analyzed Date : 03/07/24 1	5:21:52				
Analyzed Date : 03/07/24 1 Dilution : N/A	5:21:52				
Dilution : N/A	5:21:52				
	5:21:52				

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 03/09/24