



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA40308003-006
Harvest/Lot ID: SA-SLA-022726-A152
Batch#: 6703 7146 8633 9684
Cultivation Facility: Tampa Cultivation
Processing Facility: Tampa Processing
Source Facility: Tampa Cultivation
Seed to Sale#: 1142 3866 0967 6208
Batch Date: 02/21/24
Sample Size Received: 52.5 gram
Total Amount: 3995 units
Retail Product Size: 3.5 gram
Ordered: 03/07/24
Sampled: 03/08/24
Completed: 03/12/24
Sampling Method: SOP.T.20.010











PASSED


Mar 12, 2024 | FLUENT

5540 W. Executive Drive
Tampa, FL, 33609, US



Pages 1 of 5

PRODUCT IMAGE	SAFETY RESULTS								MISC.
	 Pesticides PASSED	 Heavy Metals PASSED	 Microbials PASSED	 Mycotoxins PASSED	 Residuals Solvents NOT TESTED	 Filtration PASSED	 Water Activity PASSED	 Moisture PASSED	 Terpenes TESTED

	Cannabinoid	PASSED
--	--------------------	---------------

	Total THC 24.616% Dry Weight		Total CBD 0.056% Dry Weight		Total Cannabinoids 28.671% Dry Weight
--	--	---	---	---	---

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC	Total THC	Total CBD	Total Cannabinoids
%	0.214	25.002	ND	0.059	0.036	0.081	0.355	ND	ND	ND	0.04	22.14%	0.051%	25.787%
mg/unit	7.49	875.07	ND	2.065	1.26	2.835	12.425	ND	ND	ND	1.4	774.9 mg /Container	1.785 mg /Container	902.545 mg /Container
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001			
%	%	%	%	%	%	%	%	%	%	%	%			

Analyzed by: 3335, 1665, 2023, 1440 Weight: 0.2074g Extraction date: 03/08/24 14:21:37 Extracted by: 3335

Analysis Method : SOP.T.40.031, SOP.T.30.031 Reviewed On : 03/12/24 07:19:10
Analytical Batch : DA070234POT Batch Date : 03/08/24 09:52:11
Instrument Used : DA-LC-002

Dilution : 400
Reagent : 030824.R02; 060723.24; 030824.R01
Consumables : 947.109; 34623011; CE0123; R1KB14270
Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJA-
Testing 97164

Signature
03/12/24



Certificate of Analysis

PASSED

FLUENT

5540 W. Executive Drive
Tampa, FL, 33609, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA40308003-006

Harvest/Lot ID: SA-SLA-022726-A152

Batch# : 6703 7146 8633
9684

Sampled : 03/08/24
Ordered : 03/08/24

Sample Size Received : 52.5 gram

Total Amount : 3995 units

Completed : 03/12/24 Expires: 03/12/25

Sample Method : SOP.T.20.010

Page 2 of 5

Terpenes				TESTED			
Terpenes	LOD (%)	mg/unit %	Result (%)	Terpenes	LOD (%)	mg/unit %	Result (%)
TOTAL TERPENES	0.007	58.45	1.670	VALENCENE	0.007	ND	ND
LIMONENE	0.007	16.24	0.464	ALPHA-CEDRENE	0.007	ND	ND
BETA-CARYOPHYLLENE	0.007	12.53	0.358	ALPHA-PHELLANDRENE	0.007	ND	ND
ALPHA-PINENE	0.007	6.48	0.185	ALPHA-TERPINENE	0.007	ND	ND
FARNESENE	0.001	5.67	0.162	ALPHA-TERPINOLENE	0.007	ND	ND
BETA-PINENE	0.007	4.20	0.120	CIS-NEROLIDOL	0.007	ND	ND
ALPHA-HUMULENE	0.007	3.05	0.087	GAMMA-TERPINENE	0.007	ND	ND
LINALOOL	0.007	2.91	0.083	TRANS-NEROLIDOL	0.007	ND	ND
OCIMENE	0.007	2.56	0.073				
BETA-MYRCENE	0.007	2.24	0.064	Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL	Weight: 1.0711g	Extraction date: 03/08/24 13:08:48	Extracted by: 1879.795
FENCHYL ALCOHOL	0.007	1.82	0.052	Analytical Batch : DA070262TER			Reviewed On : 03/10/24 08:37:33
TOTAL TERPINEOL	0.007	1.16	0.033	Instrument Used : DA-GCMS-004			Batch Date : 03/08/24 12:15:06
ALPHA-BISABOLOL	0.007	0.77	0.022	Analysis Date : N/A			
3-CARENE	0.007	ND	ND	Dilution : 10			
BORNEOL	0.013	ND	ND	Reagent : N/A			
CAMPHENE	0.007	ND	ND	Consumables : N/A			
CAMPHOR	0.007	ND	ND	Pipette : N/A			
CARYOPHYLLENE OXIDE	0.007	ND	ND	Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.			
CEDROL	0.007	ND	ND				
EUCALYPTOL	0.007	ND	ND				
FENCHONE	0.007	ND	ND				
GERANIOL	0.007	ND	ND				
GERANYL ACETATE	0.007	ND	ND				
GUAIOL	0.007	ND	ND				
HEXAHYDROTHYMOL	0.007	ND	ND				
ISOBORNEOL	0.007	ND	ND				
ISOPULEGOL	0.007	ND	ND				
NEROL	0.007	ND	ND				
PULEGONE	0.007	ND	ND				
SABINENE	0.007	ND	ND				
SABINENE HYDRATE	0.007	ND	ND				
Total (%)			1.670				

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
03/12/24



Certificate of Analysis

PASSED

FLUENT

5540 W. Executive Drive
Tampa, FL, 33609, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA40308003-006

Harvest/Lot ID: SA-SLA-022726-A152

Batch# : 6703 7146 8633

9684

Sampled : 03/08/24

Ordered : 03/08/24


Sample Size Received : 52.5 gram

Total Amount : 3995 units

Completed : 03/12/24 Expires: 03/12/25

Sample Method : SOP.T.20.010

Page 3 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINO CYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND	Analyzed by: 3379, 53, 2023, 1440 Weight: 1.0561g Extraction date: 03/08/24 17:41:37 Extracted by: 3379 Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie) Analytical Batch : DA070240PES Reviewed On : 03/11/24 11:20:04 Instrument Used : DA-LCMS-003 (PES) Batch Date : 03/08/24 10:35:46 Analyzed Date : 03/08/24 17:50:40 Dilution : 250 Reagent : 030324.R03; 040423.08; 030624.R05; 030624.R03; 030624.R04; 021324.R05; 030624.R01 Consumables : 326250IW Pipette : DA-093; DA-094; DA-219					
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Analyzed by: 450, 585, 53, 2023, 1440 Weight: 1.0561g Extraction date: 03/08/24 17:41:37 Extracted by: 3379 Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL (Gainesville), SOP.T.40.151A.FL (Davie) Analytical Batch : DA070241VOL Reviewed On : 03/11/24 11:31:30 Instrument Used : DA-GCMS-001 Batch Date : 03/08/24 10:37:55 Analyzed Date : 03/08/24 18:54:51 Dilution : 250 Reagent : 030324.R03; 040423.08; 021424.R18; 021424.R19 Consumables : 326250IW; 14725401 Pipette : DA-080; DA-146; DA-218					
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
ETOXAZOLE	0.010	ppm	0.1	PASS	ND						
FENHEXAMID	0.010	ppm	0.1	PASS	ND						
FENOXYCARB	0.010	ppm	0.1	PASS	ND						
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND						
FIPRONIL	0.010	ppm	0.1	PASS	ND						
FLONICAMID	0.010	ppm	0.1	PASS	ND						
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND						
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND						
IMAZALIL	0.010	ppm	0.1	PASS	ND						
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND						
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND						
MALATHION	0.010	ppm	0.2	PASS	ND						
METALAXYL	0.010	ppm	0.1	PASS	ND						
METHIACARB	0.010	ppm	0.1	PASS	ND						
METHOMYL	0.010	ppm	0.1	PASS	ND						
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJA-
Testing 97164

Signature
03/12/24



Certificate of Analysis

PASSED

FLUENT

5540 W. Executive Drive
Tampa, FL, 33609, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA40308003-006
Harvest/Lot ID: SA-SLA-022726-A152
Batch# : 6703 7146 8633 9684
Sample Size Received : 52.5 gram
Total Amount : 3995 units
Sampled : 03/08/24
Completed : 03/12/24 Expires: 03/12/25
Ordered : 03/08/24
Sample Method : SOP.T.20.010


Page 4 of 5

	Microbial	PASSED		Mycotoxins	PASSED
---	------------------	---------------	---	-------------------	---------------

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ECOLI SHIGELLA			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000
Analyzed by: 3390, 585, 2023, 1440 Weight: 0.9775g Extraction date: 03/08/24 11:27:36 Extracted by: 3621 Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA070230MIC Reviewed On : 03/11/24 16:24:16 Instrument Used : PathogenDx Scanner DA-111.fisherbrand Isotemp Heat Block DA-020.fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021 Batch Date : 03/08/24 09:34:19 Analyzed Date : 03/08/24 16:16:56 Dilution : N/A Reagent : 012424.31; 012424.35; 022224.R10; 083123.107 Consumables : 7569001064 Pipette : N/A					

Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
Analyzed by: 3379, 585, 2023, 1440 Weight: 1.0561g Extraction date: 03/08/24 17:41:37 Extracted by: 3379 Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA070257MYC Reviewed On : 03/11/24 08:29:38 Instrument Used : N/A Batch Date : 03/08/24 12:10:02 Analyzed Date : 03/08/24 17:51:08 Dilution : 250 Reagent : 030324.R03; 040423.08; 030624.R05; 030624.R03; 030624.R04; 021324.R05; 030624.R01 Consumables : 326250IW Pipette : DA-093; DA-094; DA-219 Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

Analyte	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1
ARSENIC	0.020	ppm	ND	PASS	0.2
CADMIUM	0.020	ppm	ND	PASS	0.2
MERCURY	0.020	ppm	ND	PASS	0.2
LEAD	0.020	ppm	ND	PASS	0.5
Analyzed by: 3390, 4044, 585, 2023, 1440 Weight: 0.9775g Extraction date: 03/08/24 11:27:36 Extracted by: 3621 Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL Analytical Batch : DA070249TYM Reviewed On : 03/11/24 10:31:49 Instrument Used : Incubator (25-27°C) DA-096 Batch Date : 03/08/24 11:28:01 Analyzed Date : 03/08/24 14:28:07 Dilution : N/A Reagent : 012424.31; 012424.35; 012524.R09 Consumables : N/A Pipette : N/A Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.					

	Heavy Metals	PASSED
---	---------------------	---------------

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1
ARSENIC	0.020	ppm	ND	PASS	0.2
CADMIUM	0.020	ppm	ND	PASS	0.2
MERCURY	0.020	ppm	ND	PASS	0.2
LEAD	0.020	ppm	ND	PASS	0.5
Analyzed by: 1022, 1665, 2023, 1440 Weight: 0.2809g Extraction date: 03/08/24 11:44:22 Extracted by: 1022 Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA070237HEA Reviewed On : 03/08/24 17:54:24 Instrument Used : DA-ICPMS-004 Batch Date : 03/08/24 10:28:17 Analyzed Date : 03/08/24 15:34:48 Dilution : 50 Reagent : 030524.R01; 030424.R04; 030424.R01; 030424.R02; 030424.R03; 030424.01; 021324.R02 Consumables : 179436; 34623011; 210508058 Pipette : DA-061; DA-191; DA-216 Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164



Signature
03/12/24



Certificate of Analysis

PASSED

FLUENT

5540 W. Executive Drive
Tampa, FL, 33609, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA40308003-006
Harvest/Lot ID: SA-SLA-022726-A152
Batch# : 6703 7146 8633 Sample Size Received : 52.5 gram
9684 Total Amount : 3995 units
Sampled : 03/08/24 Completed : 03/12/24 Expires: 03/12/25
Ordered : 03/08/24 Sample Method : SOP.T.20.010

Page 5 of 5



Filth/Foreign Material **PASSED**



Moisture **PASSED**

Analyte	LOD	Units	Result	P/F	Action Level	Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1	Moisture Content	1.00	%	10.06	PASS	15
Analyzed by: 1879, 2023, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A			Analyzed by: 4056, 1665, 2023, 1440	Weight: 0.507g	Extraction date: 03/08/24 17:14:14	Extracted by: 4056		
Analysis Method : SOP.T.40.090 Analytical Batch : DA070340FIL Instrument Used : N/A Analyzed Date : 03/11/24 05:25:12						Analysis Method : SOP.T.40.021 Analytical Batch : DA070266MOI Instrument Used : DA-003 Moisture Analyzer Analyzed Date : 03/08/24 12:34:43					
Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A						Dilution : N/A Reagent : 020124.02; 031523.19 Consumables : N/A Pipette : DA-066					

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.



Water Activity **PASSED**

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.488	PASS	0.65
Analyzed by: 4056, 585, 2023, 1440	Weight: 1.711g	Extraction date: 03/08/24 17:25:57	Extracted by: 4056		
Analysis Method : SOP.T.40.019 Analytical Batch : DA070267WAT Instrument Used : DA-028 Rotronic HygroPalm Analyzed Date : 03/08/24 12:34:09					
Dilution : N/A Reagent : 022024.28 Consumables : PS-14 Pipette : N/A					

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

