

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

**COMPLIANCE FOR RETAIL** 

# **Certificate of Analysis**

**Kaycha Labs** 



Miami Vibes Cartridge Concentrate 1g (90%) Miami Vibes Matrix: Derivative Type: Distillate

> Sample:DA40309008-001 Harvest/Lot ID: 5516 1650 3000 9526 Batch#: 5516 1650 3000 9526 **Cultivation Facility: Tampa Cultivation Processing Facility : Tampa Processing Source Facility : Tampa Cultivation** Seed to Sale# 8470 8118 2571 4038 Batch Date: 11/22/23 Sample Size Received: 16 gram Total Amount: 1978 units Retail Product Size: 1 gram Ordered: 03/08/24 Sampled: 03/09/24 Completed: 03/12/24

Sampling Method: SOP.T.20.010


Pages 1 of 6

PASSED



Tampa, FL, 33609, US

PRODUCT IMAGE SAFETY RESULTS



This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

#### **Vivian Celestino** Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164

Signature 03/12/24



..... Miami Vibes Cartridge Concentrate 1g (90%) Miami Vibes Matrix : Derivative Type: Distillate



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

## **Certificate of Analysis**

FLUENT

5540 W. Executive Drive Tampa, FL, 33609, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA40309008-001 Harvest/Lot ID: 5516 1650 3000 9526 Batch#: 5516 1650 3000

9526 Sampled : 03/09/24 Ordered : 03/09/24

Sample Size Received : 16 gram Total Amount : 1978 units Completed : 03/12/24 Expires: 03/12/25 Sample Method : SOP.T.20.010

Page 2 of 6



### Terpenes

lerpenes .	LOD (%)	mg/unit	%	Result (%)		Terpenes		LOD (%)	mg/unit	%	Result (%)	
TOTAL TERPENES	0.007	11.26	1.126			ALPHA-HUMULENE		0.007	ND	ND		
ALPHA-TERPINOLENE	0.007	6.25	0.625			ALPHA-PHELLANDRENE		0.007	ND	ND		
BETA-MYRCENE	0.007	1.47	0.147			ALPHA-PINENE		0.007	ND	ND		
DCIMENE	0.007	1.42	0.142			ALPHA-TERPINENE		0.007	ND	ND		
ETA-CARYOPHYLLENE	0.007	0.90	0.090			BETA-PINENE		0.007	ND	ND		
IMONENE	0.007	0.57	0.057			CIS-NEROLIDOL		0.007	ND	ND		
INALOOL	0.007	0.41	0.041			GAMMA-TERPINENE		0.007	ND	ND		
-CARENE	0.007	0.24	0.024		1	TRANS-NEROLIDOL		0.007	ND	ND		
ORNEOL	0.013	ND	ND			Analyzed by:	Weight:		Extraction da	te:	E	tracted by:
AMPHENE	0.007	ND	ND			1665, 585, 1440	0.252g		03/10/24 11:		18	379
AMPHOR	0.007	ND	ND			Analysis Method : SOP.T.30.061A.FL, SO	P.T.40.061A.FL					
ARYOPHYLLENE OXIDE	0.007	ND	ND			Analytical Batch : DA070291TER Instrument Used : DA-GCMS-008					3/12/24 09:36:14 09/24 12:40:29	
EDROL	0.007	ND	ND			Analyzed Date : N/A			Batch	Date : 03/0	19/24 12:40:29	
UCALYPTOL	0.007	ND	ND			Dilution : 10						
ARNESENE	0.001	ND	ND			Reagent : N/A						
INCHONE	0.007	ND	ND			Consumables : N/A						
ENCHYL ALCOHOL	0.007	ND	ND			Pipette : N/A						
ERANIOL	0.007	ND	ND			Terpenoid testing is performed utilizing Gas C	.hromatography M	ass Spect	rometry. For all I	Hower sampl	les, the Total Terpenes % is dry-w	reight corrected.
ERANYL ACETATE	0.007	ND	ND									
JAIOL	0.007	ND	ND									
EXAHYDROTHYMOL	0.007	ND	ND									
SOBORNEOL	0.007	ND	ND									
SOPULEGOL	0.007	ND	ND									
EROL	0.007	ND	ND									
ULEGONE	0.007	ND	ND									
ABINENE	0.007	ND	ND									
ABINENE HYDRATE	0.007	ND	ND									
OTAL TERPINEOL	0.007	ND	ND									
ALENCENE	0.007	ND	ND									
ALENCENE		ND	ND									
ALPHA-BISABOLOL	0.007	ND	ND									
	0.007		ND									

Total (%)

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

#### **Vivian Celestino** Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 03/12/24

## PASSED

TESTED



Type: Distillate

Miami Vibes Cartridge Concentrate 1g (90%) Miami Vibes Matrix : Derivative



4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

## **Certificate of Analysis**

FLUENT

5540 W. Executive Drive Tampa, FL, 33609, US Telephone: (305) 900-6266 Email: Tavlor.lones@qetfluent.com Sample : DA40309008-001 Harvest/Lot ID: 5516 1650 3000 9526

Batch#:5516 1650 3000 9526 Sampled:03/09/24 Ordered:03/09/24 Sample Size Received :16 gram Total Amount : 1978 units Completed : 03/12/24 Expires: 03/12/25 Sample Method : SOP.T.20.010

Page 3 of 6

5

## Pesticides

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET		ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE		maa	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND			ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PRALLETHRIN					
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE		ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PROPOXUR		ppm	0.1	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM		ppm	0.5	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND			ppm	0.1	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010		0.15	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *					
CHLORMEQUAT CHLORIDE	0.010		1	PASS	ND	PARATHION-METHYL *	0.010		0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
COUMAPHOS	0.010		0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
DAMINOZIDE	0.010		0.1	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
DIAZINON	0.010		0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DICHLORVOS	0.010		0.1	PASS	ND	Analyzed by: Weight:	Ext	traction date:		Extracted	by:
DIMETHOATE	0.010		0.1	PASS	ND	<b>3379, 585, 1665, 1440</b> 0.2373g		/11/24 12:30:3		4056,3379	
ETHOPROPHOS	0.010		0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville),	SOP.T.30.10	2.FL (Davie), 9	SOP.T.40.101.	FL (Gainesville)	,
ETOFENPROX	0.010		0.1	PASS	ND	SOP.T.40.102.FL (Davie)					
ETOXAZOLE	0.010		0.1	PASS	ND	Analytical Batch : DA070313PES			n:03/12/241		
FENHEXAMID	0.010		0.1	PASS	ND	Instrument Used :DA-LCMS-003 (PES) Analyzed Date :03/11/24 12:34:58		Batch Date :	:03/10/24 09:4	47:43	
FENOXYCARB	0.010		0.1	PASS	ND	Dilution : 250					
FENPYROXIMATE	0.010		0.1	PASS	ND	Reagent : 030324.R03; 040423.08; 030624.R05;	030624.R03	3: 030624.R04:	021324.R05:	030624.R01	
FIPRONIL	0.010		0.1	PASS	ND	Consumables : 326250IW		, ,			
FLONICAMID	0.010		0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FLUDIOXONIL	0.010		0.1	PASS	ND	Testing for agricultural agents is performed utilizing	Liquid Chror	natography Trij	ple-Quadrupole	e Mass Spectron	netry in
HEXYTHIAZOX	0.010		0.1	PASS	ND	accordance with F.S. Rule 64ER20-39.					
IMAZALIL	0.010		0.1	PASS	ND	Analyzed by: Weight: 450, 585, 1665, 1440 0.2373g		raction date: 11/24 12:30:37	,	Extracted 4056.3379	
IMIDACLOPRID	0.010		0.4	PASS	ND	Analysis Method :SOP.T.30.151.FL (Gainesville),					
KRESOXIM-METHYL	0.010		0.1	PASS	ND	Analysis Method : 30F.1.30.131.FL (Gamesville), Analytical Batch : DA070315VOL		eviewed On :			
MALATHION	0.010		0.2		ND	Instrument Used :DA-GCMS-010		atch Date :03			
METALAXYL	0.010		0.1	PASS	ND	Analyzed Date :03/11/24 15:33:24					
METHIOCARB	0.010		0.1	PASS	ND	Dilution : 250					
METHOMYL	0.010		0.1	PASS	ND	Reagent: 030324.R03; 040423.08; 021424.R18;	021424.R19	9			
MEVINPHOS	0.010		0.1	PASS	ND	Consumables : 326250IW; 14725401					
MYCLOBUTANIL	0.010		0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218	Caa Chara	to prove the T is the	. O	la as Casadan -	
NALED	0.010	ppm	0.25	PASS	ND	Testing for agricultural agents is performed utilizing accordance with F.S. Rule 64ER20-39.	Gas Unroma	lography Triple	e-quadrupole N	lass spectrome	ury in

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LDD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

### Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 03/12/24

### PASSED

PASSED



..... Miami Vibes Cartridge Concentrate 1g (90%) Miami Vibes Matrix : Derivative Type: Distillate



PASSED

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

## **Certificate of Analysis**

FLUENT

5540 W. Executive Drive Tampa, FL, 33609, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA40309008-001 Harvest/Lot ID: 5516 1650 3000 9526 Batch# : 5516 1650 3000 9526 Sampled : 03/09/24

Ordered : 03/09/24

Sample Size Received : 16 gram Total Amount : 1978 units Completed : 03/12/24 Expires: 03/12/25 Sample Method : SOP.T.20.010

Page 4 of 6



## **Residual Solvents**

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
IEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
FOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND
Analyzed by: 850, 1665, 1440	Weight: 0.0252g	Extraction date: 03/12/24 16:11:0	0		<b>xtracted by:</b> 50
Analysis Method : SOP.T.40.041.FL Analytical Batch : DA070343SOL Instrument Used : DA-GCMS-002 Analyzed Date : 03/11/24 11:33:46			<b>On :</b> 03/12/24 19:01:45 <b>te :</b> 03/11/24 10:59:03		

Reagent : N/A Consumables : G201.062: G201.062 Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

#### **Vivian Celestino** Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 03/12/24

PASSED



Miami Vibes Cartridge Concentrate 1g (90%) Miami Vibes Matrix : Derivative Type: Distillate



PASSED

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

## **Certificate of Analysis**

FLUENT

5540 W. Executive Drive Tampa, FL, 33609, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA40309008-001 Harvest/Lot ID: 5516 1650 3000 9526 Batch# : 5516 1650 3000 Sample

9526 Sampled : 03/09/24 Ordered : 03/09/24 Sample Size Received : 16 gram Total Amount : 1978 units Completed : 03/12/24 Expires: 03/12/25 Sample Method : SOP.T.20.010

Page 5 of 6

Ċ.	Microbia	al			PAS	SED	လို့	Мус	otoxin	IS			PAS	SED
Analyte		LOD	Units	Result	Pass / Fail	Action Level	Analyte			LOD	Units	Result	Pass / Fail	Action Level
SALMONELLA	SPECIFIC GENE			Not Present	PASS	Level	AFLATOXIN I	32		0.002	ppm	ND	PASS	0.02
ECOLI SHIGE				Not Present	PASS		AFLATOXIN I			0.002	ppm	ND	PASS	0.02
ASPERGILLUS	S FLAVUS			Not Present	PASS		OCHRATOXI			0.002	ppm	ND	PASS	0.02
ASPERGILLUS	5 FUMIGATUS			Not Present	PASS		AFLATOXIN	31		0.002	ppm	ND	PASS	0.02
SPERGILLU	S TERREUS			Not Present	PASS		AFLATOXIN	G2		0.002	ppm	ND	PASS	0.02
ASPERGILLU	S NIGER			Not Present	PASS		Analyzed by:		Weight:	Extractio	n date:		Extracted	l hv:
TOTAL YEAS	AND MOLD	10	CFU/g	<10	PASS	100000	3379, 585, 166	5, 1440	0.2373g		12:30:37		4056,337	
Analyzed by: 390, 1665, 14	Weight: 40 0.851g		traction date: /10/24 10:26:		Extracted 4044	by:			101.FL (Gaines\ P.T.40.102.FL (		.40.101.FL	. (Gainesv	ille),	
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL           Analytical Batch : DA070289MIC         Reviewed On : 03/12/24           19:27:44							Analytical Bate Instrument Use Analyzed Date	ed:N/A			wed On : 0 Date : 03/			
sotemp Heat E Analyzed Date Dilution : N/A	: N/A 24.31; 012424.35; 02						accordance with	93; DA-094; D ing utilizing Liqu n F.S. Rule 64ER	uid Chromatograp 20-39.		e-Quadrupo			
Analyzed by: 3390, 53, 1665	Weig , 1440 0.85		Extraction da 03/10/24 10:2		Extracte 4044	d by:	Hg	пеа	vy Met	ais			PAS	SED
	d : SOP.T.40.208 (Gair h : DA070306TYM	nesville),	Reviewed Or	).FL 1:03/12/24 07: 03/09/24 18:50			Metal			LOD	Units	Result	Pass / Fail	Action Level
alyzed Date			batch bate .	05/05/24 10.50	0.57		TOTAL CONT	AMINANT LO	AD METALS	0.080	ppm	ND	PASS	1.1
ilution : N/A							ARSENIC			0.020	ppm	ND	PASS	0.2
	24.31; 012424.35; 012	2524.R09	9				CADMIUM			0.020	ppm	ND	PASS	0.2
onsumables :	N/A						MERCURY			0.020	ppm	ND	PASS	0.2
ipette : N/A							LEAD			0.020	ppm	ND	PASS	0.5
	nold testing is performed F.S. Rule 64ER20-39.	utilizing N	MPN and tradition	onal culture base	d techniques	in	Analyzed by: 1022, 53, 1665	, 1440	Weight: 0.2569g	Extraction 03/10/24			Extracted 4306,102	
							Analysis Metho Analytical Bato Instrument Uso Analyzed Date	h:DA070296	-004	Review	ed On : 03, ate : 03/09			
							Dilution : 50 Reagent : 0305 021324.R02		.24.R06; 03042		L24.R04; 0	31124.R0	5; 03042	4.01;

Consumables : 179436; 34623011; 210508058 Pipette : DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

### Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 03/12/24



Page 6 of 6

Miami Vibes Cartridge Concentrate 1g (90%) Miami Vibes Matrix : Derivative Type: Distillate



PASSED

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

## **Certificate of Analysis**

#### FLUENT

5540 W. Executive Drive Tampa, FL, 33609, US Telephone: (305) 900-6266 Email: Taylor.lones@getfluent.com 
 Sample : DA40309008-001

 Harvest/Lot ID: 5516 1650 3000
 9526

 Batch# : 5516 1650 3000
 Sample

 9526
 Total Ar

Sampled : 03/09/24 Ordered : 03/09/24 Sample Size Received : 16 gram Total Amount : 1978 units Completed : 03/12/24 Expires: 03/12/25 Sample Method : SOP.T.20.010



Analyte Filth and Foreign Materia	LOD 0.100	Units	<b>Result</b> ND	P/F PASS	Action Level			
Analyzed by: 1879, 1665, 1440	Weight: NA	Extract N/A	ion date:	Extracted by: N/A				
Analysis Method : SOP.T.40.0 Analytical Batch : DA070340 Instrument Used : N/A Analyzed Date : 03/11/24 05:	FIL		ad On : 03/11/ ate : 03/11/24					
Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A								
Filth and foreign material inspec technologies in accordance with			spection utilizi	ng naked ey	e and microscope			
() Wate	er Activ	vity		ΡΑ	SSED			
Analyte	LOD	Units	Result	P/F	Action Level			
Water Activity	0.010	aw	0.499	PASS	0.85			
Analyzed by: 1444, 585, 1665, 1440	Weight: 0.237g		ion date: Extracted by 24 08:15:54 4444					
Analysis Method : SOP.T.40.0 Analytical Batch : DA070295 Instrument Used : DA-028 Ro	WAT	m	Reviewed Or Batch Date :					

Dilution : N/A Reagent : 022024.28 Consumables : PS-14 Pipette : N/A

Analyzed Date : 03/10/24 13:45:18

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

### Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Signature

03/12/24