



# Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA40309008-003

Harvest/Lot ID: 3890 7649 3883 4771

Batch#: 3890 7649 3883 4771

Cultivation Facility: Tampa Cultivation

Processing Facility : Tampa Processing

Source Facility : Tampa Cultivation

Seed to Sale# 1862 9437 9834 3932

Batch Date: 10/12/23

Sample Size Received: 15.5 gram

Total Amount: 1883 units

Retail Product Size: 0.5 gram

Ordered: 03/08/24

Sampled: 03/09/24

Completed: 03/12/24

Sampling Method: SOP.T.20.010

Mar 12, 2024 | FLUENT

5540 W. Executive Drive  
Tampa, FL, 33609, US



**PASSED**

Pages 1 of 6

PRODUCT IMAGE



SAFETY RESULTS



Pesticides  
**PASSED**



Heavy Metals  
**PASSED**



Microbials  
**PASSED**



Mycotoxins  
**PASSED**



Residuals Solvents  
**PASSED**



Filtration  
**PASSED**



Water Activity  
**PASSED**



Moisture  
**NOT TESTED**



Terpenes  
**TESTED**

MISC.



## Cannabinoid

**PASSED**



Total THC

**87.459%**

Total THC/Container : 437.30 mg



Total CBD

**0.273%**

Total CBD/Container : 1.37 mg



Total Cannabinoids

**92.091%**

Total Cannabinoids/Container : 460.46 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	87.459	ND	0.273	ND	0.357	0.844	ND	1.754	0.599	ND	0.805
mg/unit	437.30	ND	1.37	ND	1.79	4.22	ND	8.77	3.00	ND	4.03
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
	%	%	%	%	%	%	%	%	%	%	%

Analyzed by:  
3335, 1665, 585, 1440

Weight:  
0.1097g

Extraction date:  
03/11/24 11:50:14

Extracted by:  
1665,3335

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA070338POT

Instrument Used : DA-LC-007

Analyzed Date : 03/11/24 12:19:35

Reviewed On : 03/12/24 09:36:20

Batch Date : 03/10/24 22:52:40

Dilution : 400

Reagent : 022124.R04; 071222.01; 021424.R04

Consumables : 947.109; 280670723; CE0123; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
03/12/24



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Golden Hour Cartridge Concentrate 0.5g

Golden Hour

Matrix : Derivative

Type: Distillate



# Certificate of Analysis

PASSED

FLUENT

5540 W. Executive Drive  
Tampa, FL, 33609, US  
Telephone: (305) 900-6266  
Email: Taylor.Jones@getfluent.com

Sample : DA40309008-003

Harvest/Lot ID: 3890 7649 3883 4771

Batch# : 3890 7649 3883  
4771

Sampled : 03/09/24

Ordered : 03/09/24

Sample Size Received : 15.5 gram

Total Amount : 1883 units

Completed : 03/12/24 Expires: 03/12/25

Sample Method : SOP.T.20.010

Page 2 of 6



## Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	5.51	1.102		ALPHA-HUMULENE	0.007	ND	ND	
ALPHA-TERPINOLENE	0.007	3.12	0.623		ALPHA-PINENE	0.007	ND	ND	
BETA-MYRCENE	0.007	0.72	0.144		ALPHA-TERPINENE	0.007	ND	ND	
OCIMENE	0.007	0.62	0.123		BETA-CARYOPHYLLENE	0.007	ND	ND	
LIMONENE	0.007	0.30	0.059		BETA-PINENE	0.007	ND	ND	
LINALOOL	0.007	0.21	0.042		CIS-NEROLIDOL	0.007	ND	ND	
NEROL	0.007	0.19	0.038		GAMMA-TERPINENE	0.007	ND	ND	
ALPHA-BISABOLOL	0.007	0.19	0.037		TRANS-NEROLIDOL	0.007	ND	ND	
ALPHA-PHELLANDRENE	0.007	0.18	0.036		Analysis by:	Weight:	Extraction date:	Extracted by:	
3-CARENE	0.007	ND	ND		1665, 585, 1440	0.262g	03/10/24 11:54:53	1879	
BORNEOL	0.013	ND	ND		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
CAMPHENE	0.007	ND	ND		Analytical Batch : DA070291TER			Reviewed On : 03/12/24 09:36:23	
CAMPHOR	0.007	ND	ND		Instrument Used : DA-GCMS-008			Batch Date : 03/09/24 12:40:29	
CARYOPHYLLENE OXIDE	0.007	ND	ND		Analyzed Date : N/A				
CEDROL	0.007	ND	ND		Dilution : 10				
EUCALYPTOL	0.007	ND	ND		Reagent : N/A				
FARNESENE	0.001	ND	ND		Consumables : N/A				
FENCHONE	0.007	ND	ND		Pipette : N/A				
FENCHYL ALCOHOL	0.007	ND	ND		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
GERANIOL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
GUAIOL	0.007	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
ISOBORNEOL	0.007	ND	ND						
ISOPULEGOL	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
SABINENE	0.007	ND	ND						
SABINENE HYDRATE	0.007	ND	ND						
TOTAL TERPENEOL	0.007	ND	ND						
VALENCENE	0.007	ND	ND						
ALPHA-CEDRENE	0.007	ND	ND						
Total (%)			1.102						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
03/12/24



# Certificate of Analysis

**PASSED**
**FLUENT**

 5540 W. Executive Drive  
 Tampa, FL, 33609, US  
 Telephone: (305) 900-6266  
 Email: Taylor.Jones@getfluent.com

Sample : DA40309008-003

Harvest/Lot ID: 3890 7649 3883 4771

 Batch# : 3890 7649 3883  
 4771

Sampled : 03/09/24

Ordered : 03/09/24


Sample Size Received : 15.5 gram

Total Amount : 1883 units

Completed : 03/12/24 Expires: 03/12/25

Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND	<div>Analyzed by: 3379, 585, 1665, 1440Weight: 0.2172gExtraction date: 03/11/24 12:30:38Extracted by: 4056,3379</div> <div>Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)</div> <div>Analytical Batch : DA070313PESReviewed On : 03/12/24 11:20:32</div> <div>Instrument Used : DA-LCMS-003 (PES)Batch Date : 03/10/24 09:47:43</div> <div>Analyzed Date : 03/11/24 12:34:58</div> <div>Dilution : 250</div> <div>Reagent : 030324.R03; 040423.08; 030624.R05; 030624.R03; 030624.R04; 021324.R05; 030624.R01</div> <div>Consumables : 326250IW</div> <div>Pipette : DA-093; DA-094; DA-219</div> <div>Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.</div>					
DIAZINON	0.010	ppm	0.1	PASS	ND						
DICHLORVOS	0.010	ppm	0.1	PASS	ND						
DIMETHOATE	0.010	ppm	0.1	PASS	ND						
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND						
ETOFENPROX	0.010	ppm	0.1	PASS	ND						
ETOXAZOLE	0.010	ppm	0.1	PASS	ND						
FENHEXAMID	0.010	ppm	0.1	PASS	ND						
FENOXYCARB	0.010	ppm	0.1	PASS	ND						
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND						
FIPRONIL	0.010	ppm	0.1	PASS	ND						
FLONICAMID	0.010	ppm	0.1	PASS	ND						
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND						
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND						
IMAZALIL	0.010	ppm	0.1	PASS	ND						
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND						
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND						
MALATHION	0.010	ppm	0.2	PASS	ND						
METALAXYL	0.010	ppm	0.1	PASS	ND						
METHIOCARB	0.010	ppm	0.1	PASS	ND						
METHOMYL	0.010	ppm	0.1	PASS	ND						
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						



# Certificate of Analysis

**PASSED**
**FLUENT**

 5540 W. Executive Drive  
 Tampa, FL, 33609, US  
 Telephone: (305) 900-6266  
 Email: Taylor.Jones@getfluent.com

Sample : DA40309008-003

Harvest/Lot ID: 3890 7649 3883 4771

 Batch# : 3890 7649 3883  
 4771

Sampled : 03/09/24

Ordered : 03/09/24

Sample Size Received : 15.5 gram

Total Amount : 1883 units

Completed : 03/12/24 Expires: 03/12/25

Sample Method : SOP.T.20.010

Page 4 of 6



## Residual Solvents

**PASSED**

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

 Analyzed by:  
 850, 1665, 1440

 Weight:  
 0.0213g

 Extraction date:  
 03/12/24 16:11:01

 Extracted by:  
 850

 Analysis Method : SOP.T.40.041.FL  
 Analytical Batch : DA070343SOL  
 Instrument Used : DA-GCMS-002  
 Analyzed Date : 03/11/24 11:33:46

 Reviewed On : 03/12/24 19:01:47  
 Batch Date : 03/11/24 10:59:03

 Dilution : 1  
 Reagent : N/A  
 Consumables : G201.062; G201.062  
 Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Golden Hour Cartridge Concentrate 0.5g

Golden Hour

Matrix : Derivative

Type: Distillate



# Certificate of Analysis

PASSED

FLUENT

5540 W. Executive Drive  
Tampa, FL, 33609, US  
Telephone: (305) 900-6266  
Email: Taylor.Jones@getfluent.com

Sample : DA40309008-003

Harvest/Lot ID: 3890 7649 3883 4771

Batch# : 3890 7649 3883  
4771

Sampled : 03/09/24

Ordered : 03/09/24

Sample Size Received : 15.5 gram

Total Amount : 1883 units

Completed : 03/12/24 Expires: 03/12/25

Sample Method : SOP.T.20.010

Page 5 of 6

	Microbial	PASSED		Mycotoxins	PASSED
--	-----------	--------	--	------------	--------

Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
ECOLI SHIGELLA			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000	Analyzed by: 3379, 585, 1665, 1440	Weight: 0.2172g	Extraction date: 03/11/24 12:30:38		Extracted by: 4056,3379	
Analyzed by: 3390, 1665, 1440	Weight: 0.831g	Extraction date: 03/10/24 10:26:03	Extracted by: 4044			Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)					
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL			Reviewed On : 03/12/24 19:27:45 Batch Date : 03/09/24 12:19:54			Analytical Batch : DA070316MYC			Reviewed On : 03/12/24 09:20:35		
Analytical Batch : DA070289MIC						Instrument Used : N/A			Batch Date : 03/10/24 10:18:47		
						Analyzed Date : 03/11/24 12:35:26					
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems						Dilution : 250					
Thermocycler DA-171,fisherbrand Isotemp Heat Block						Reagent : 030324.R03; 040423.08; 030624.R05; 030624.R03; 030624.R04; 021324.R05; 030624.R01					
DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific						Consumables : 326250IW					
Isotemp Heat Block DA-021						Pipette : DA-093; DA-094; DA-219					
Analyzed Date : N/A											

Analyzed by: 3390, 53, 1665, 1440		Weight: 0.831g	Extraction date: 03/10/24 10:26:03	Extracted by: 4044	<div><div>Hg</div></div>	Heavy Metals		PASSED			
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL Analytical Batch : DA070306TYM Instrument Used : N/A Analyzed Date : N/A						Metal	LOD	Units	Result	Pass / Fail	Action Level
Dilution : N/A Reagent : 012424.31; 012424.35; 012524.R09 Consumables : N/A Pipette : N/A					TOTAL CONTAMINANT LOAD METALS		0.080	ppm	ND	PASS	1.1
					ARSENIC		0.020	ppm	ND	PASS	0.2
					CADMIUM		0.020	ppm	ND	PASS	0.2
					MERCURY		0.020	ppm	ND	PASS	0.2
					LEAD		0.020	ppm	ND	PASS	0.5

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.	<b>Analyzed by:</b> 1022, 53, 1665, 1440	<b>Weight:</b> 0.2951g	<b>Extraction date:</b> 03/10/24 09:35:44	<b>Extracted by:</b> 4306,1022
	<b>Analysis Method :</b> SOP.T.30.082.FL, SOP.T.40.082.FL			
	<b>Analytical Batch :</b> DA070296HEA		<b>Reviewed On :</b> 03/12/24 08:14:36	
	<b>Instrument Used :</b> DA-ICPMS-004		<b>Batch Date :</b> 03/09/24 14:54:57	
	<b>Analyzed Date :</b> 03/11/24 13:02:19			
	<b>Dilution :</b> 50			
	<b>Reagent :</b> 030524.R01; 031124.R06; 030424.R01; 031124.R04; 031124.R05; 030424.01; 021324.R02			
	<b>Consumables :</b> 179436; 34623011; 210508058			
	<b>Pipette :</b> DA-061; DA-191; DA-216			

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
03/12/24



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Golden Hour Cartridge Concentrate 0.5g  
Golden Hour  
Matrix : Derivative  
Type: Distillate



# Certificate of Analysis

PASSED

## FLUENT

5540 W. Executive Drive  
Tampa, FL, 33609, US  
Telephone: (305) 900-6266  
Email: Taylor.Jones@getfluent.com

Sample : DA40309008-003

Harvest/Lot ID: 3890 7649 3883 4771

Batch# : 3890 7649 3883  
4771

Sampled : 03/09/24

Ordered : 03/09/24

Sample Size Received : 15.5 gram

Total Amount : 1883 units

Completed : 03/12/24 Expires: 03/12/25

Sample Method : SOP.T.20.010

Page 6 of 6



Filth/Foreign  
Material

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 1665, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A
----------------------------------	---------------	-------------------------	----------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA070340FIL

Instrument Used : N/A

Analyzed Date : 03/11/24 05:25:12

Reviewed On : 03/11/24 05:39:35

Batch Date : 03/11/24 05:21:33

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.525	PASS	0.85

Analyzed by: 4444, 585, 1665, 1440	Weight: 0.311g	Extraction date: 03/11/24 08:15:55	Extracted by: 4444
---------------------------------------	-------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA070295WAT

Instrument Used : DA-028 Rotronic HygroPalm

Analyzed Date : 03/10/24 13:45:18

Reviewed On : 03/11/24 14:39:59

Batch Date : 03/09/24 14:20:43

Dilution : N/A

Reagent : 022024.28

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
03/12/24