

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Mar 18. 2024 | FLUENT

### **Certificate of Analysis** COMPLIANCE FOR RETAIL

Kaycha Labs

Original Peach Gels 10 Count Original Peach Matrix: Edible Type: Soft Chew



Sample:DA40314003-001 Harvest/Lot ID: 7153 6045 2456 3583 Batch#: 7153 6045 2456 3583 Cultivation Facility: Tampa Cultivation Processing Facility : Tampa Processing Source Facility : Tampa Cultivation Seed to Sale# 4458 3465 0245 1906 Batch Date: 01/31/24 Sample Size Received: 840 gram Total Amount: 3462 units Retail Product Size: 61.9792 gram Ordered: 03/13/24 Sampled: 03/14/24 Completed: 03/18/24 Sampling Method: SOP.T.20.010

PASSED

	xecutive Dr	rive						_		<b>F</b> /	AJJEL
	., 33609, US								Pages 1	of 5	
RODUCT IMA	AGE S	AFETY RESULTS									MISC.
		Pesticides	Hg Heavy Metals PASSED	Microbia		toxins Residu	als Solvents SSED	Filth	Water Activity PASSED	Moisture NOT TESTED	Terpenes NOT TESTED
Ä	Cannal	binoid									PASSED
	30.	al THC 1469 THC/Contained	-		A N	al CBD	r : 0.00 mg		30.1	Cannabinoid L55% Innabinoids/Con	S tainer : 96.07 mg
% mg/unit LOD	рэ-тнс 0.146 90.49 0.001 %	THCA ND ND 0.001 %	CBD ND ND 0.001 %	CBDA ND ND 0.001 %	D8-THC ND ND 0.001 %	свс 0.004 2.48 0.001 %	CBGA ND ND 0.001 %	сви 0.002 1.24 0.001 %	тнсv ND ND 0.001 %	CBDV ND ND 0.001 %	свс 0.003 1.86 0.001 %
alyzed by: 35, 1665, 585,	, 1440			Weight: 3.0713g		Extraction date: 03/14/24 12:40				Extracted by: 3335	
nalytical Batch strument Used	: SOP.T.40.031, S : DA070452POT : DA-LC-007 03/14/24 12:52:09						)3/15/24 12:54:53 /14/24 09:56:30				

Dilution: 40 Reagent: 030624.R33; 070122.11; 020124.02; 060723.24; 021424.R04 Consumables: 947 109: 34633011; CE0123; B1KB14270

Consumables : 947.109; 34623011; CE0123; R1KB14270 Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

#### Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 03/18/24



Original Peach Gels 10 Count Original Peach Matrix : Edible Type: Soft Chew



4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

### **Certificate of Analysis**

FLUENT

5540 W. Executive Drive Tampa, FL, 33609, US Telephone: (305) 900-6266 Email: Tavlor.lones@qetfluent.com Sample : DA40314003-001 Harvest/Lot ID: 7153 6045 2456 3583

Batch#:7153 6045 2456 3583 Sampled:03/14/24 Ordered:03/14/24 Sample Size Received : 840 gram Total Amount : 3462 units Completed : 03/18/24 Expires: 03/18/25 Sample Method : SOP.T.20.010

Page 2 of 5



#### Pesticides

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	30	PASS	ND	OXAMYL	0.010	) ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	3	PASS	ND	PACLOBUTRAZOL	0.010	) ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	1	PASS	ND	PHOSMET		mag (	0.2	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	1	PASS	ND	PIPERONYL BUTOXIDE		) ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	3	PASS	ND			) ppm	0.4	PASS	ND
TOTAL SPINOSAD	0.010	ppm	3	PASS	ND	PRALLETHRIN				PASS	ND
ABAMECTIN B1A	0.010	ppm	0.3	PASS	ND	PROPICONAZOLE		) ppm	1		
ACEPHATE	0.010		3	PASS	ND	PROPOXUR		) ppm	0.1	PASS	ND
ACEQUINOCYL	0.010		2	PASS	ND	PYRIDABEN		) ppm	3	PASS	ND
ACETAMIPRID	0.010		3	PASS	ND	SPIROMESIFEN	0.010	) ppm	3	PASS	ND
ALDICARB	0.010		0.1	PASS	ND	SPIROTETRAMAT	0.010	) ppm	3	PASS	ND
AZOXYSTROBIN	0.010		3	PASS	ND	SPIROXAMINE	0.010	) ppm	0.1	PASS	ND
BIFENAZATE	0.010		3	PASS	ND	TEBUCONAZOLE	0.010	) ppm	1	PASS	ND
BIFENTHRIN	0.010		0.5	PASS	ND	THIACLOPRID	0.010	) ppm	0.1	PASS	ND
BOSCALID	0.010		3	PASS	ND	THIAMETHOXAM	0.010	) ppm	1	PASS	ND
CARBARYL	0.010		0.5	PASS	ND	TRIFLOXYSTROBIN		mag (	3	PASS	ND
CARBOFURAN	0.010		0.1	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *		) PPM	0.2	PASS	ND
CHLORANTRANILIPROLE	0.010		3	PASS	ND	PARATHION-METHYL *		) PPM	0.1	PASS	ND
CHLORMEQUAT CHLORIDE	0.010		3	PASS	ND			) PPM	3	PASS	ND
CHLORPYRIFOS	0.010		0.1	PASS	ND	CAPTAN *					
CLOFENTEZINE	0.010		0.5	PASS	ND	CHLORDANE *		) PPM	0.1	PASS	ND
COUMAPHOS	0.010		0.1		ND	CHLORFENAPYR *		) PPM	0.1	PASS	ND
DAMINOZIDE	0.010		0.1	PASS	ND	CYFLUTHRIN *	0.050	) PPM	1	PASS	ND
DIAZINON	0.010		3 0.1	PASS	ND ND	CYPERMETHRIN *	0.050	) PPM	1	PASS	ND
DICHLORVOS	0.010 0.010		0.1	PASS	ND	Analyzed by: Weight	: Extract	ion date:		Extracted	by:
DIMETHOATE ETHOPROPHOS	0.010		0.1	PASS	ND	<b>3379, 585, 1440</b> 1.1229g		4 16:13:45		450,585	
ETHOPROPHOS	0.010		0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gaine	sville), SOP.T.30.10	02.FL (Davie),	SOP.T.40.101.	.FL (Gainesville	),
ETOYENPROX	0.010		1.5	PASS	ND	SOP.T.40.102.FL (Davie) Analytical Batch :DA070470PES		Deviewed O	n:03/15/24 1	1,40,25	
FENHEXAMID	0.010		3	PASS	ND	Instrument Used : DA-LCMS-003 (PES)			:03/14/24 10:		
FENOXYCARB	0.010		0.1	PASS	ND	Analyzed Date : N/A					
FENPYROXIMATE	0.010	P.P.	2	PASS	ND	Dilution : 250					
FIPRONIL	0.010		0.1	PASS	ND	Reagent: 031124.R01; 031324.R19; 0313	24.R20; 031324.R	52; 021324.RO	5; 031324.R1	7; 040423.08	
FLONICAMID	0.010		2	PASS	ND	Consumables : 3262501W Pipette : DA-093: DA-094: DA-219					
FLUDIOXONIL	0.010		3	PASS	ND	Testing for agricultural agents is performed u	tilizing Liquid Chrou	notography Tri		o Maco Coostror	noto in
HEXYTHIAZOX	0.010		2	PASS	ND	accordance with F.S. Rule 64ER20-39.	icilizing Liquid Chroi	natography in	pie-Quadrupoi	e Mass spectror	neury in
IMAZALIL	0.010		0.1	PASS	ND	Analyzed by: Weight:	Extracti	on date:		Extracted I	bv:
IMIDACLOPRID	0.010	ppm	1	PASS	ND	450, 585, 1440 1.1229g		16:13:45		450,585	- ) -
KRESOXIM-METHYL	0.010	ppm	1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gaine	sville), SOP.T.30.15	51A.FL (Davie)	, SOP.T.40.15	1.FL	
MALATHION	0.010	ppm	2	PASS	ND	Analytical Batch : DA070472VOL		eviewed On :			
METALAXYL	0.010	ppm	3	PASS	ND	Instrument Used :DA-GCMS-001 Analyzed Date :03/14/24 16:24:09	В	atch Date : 03	/14/24 10:46:	:26	
METHIOCARB	0.010	ppm	0.1	PASS	ND						
METHOMYL	0.010	ppm	0.1	PASS	ND	Dilution : 250 Reagent : 031324.R20; 040423.08; 02142	4 R18· 021424 R10	2			
MEVINPHOS	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW; 14725401		,			
MYCLOBUTANIL	0.010	ppm	3	PASS	ND	Pipette : DA-080; DA-146; DA-218					
NALED	0.010	ppm	0.5	PASS	ND	Testing for agricultural agents is performed u	tilizing Gas Chroma	tography Triple	e-Quadrupole !	Mass Spectrome	etry in
						accordance with F.S. Rule 64ER20-39.					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LDD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

#### Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 03/18/24

#### PASSED

PASSED



Original Peach Gels 10 Count Original Peach Matrix : Edible Type: Soft Chew

Page 3 of 5



4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

### **Certificate of Analysis**

FLUENT

5540 W. Executive Drive Tampa, FL, 33609, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA40314003-001 Harvest/Lot ID: 7153 6045 2456 3583 Batch# : 7153 6045 2456 Sample 3583 Total Ar Sampled : 03/14/24 Complet

Ordered : 03/14/24

5 2456 3583 Sample Size Received : 840 gram Total Amount : 3462 units Completed : 03/18/24 Expires: 03/18/25 Sample Method : SOP.T.20.010

### Ä

#### **Residual Solvents**

0.800 0.200 75.000 12.500 0.100 50.000 0.200 500.000 40.000 500.000 6.000 50.000 0.500	ppm ppm ppm ppm ppm ppm ppm ppm ppm ppm	8 2 750 125 1 500 2 5000 400 5000 60	PASS PASS PASS PASS PASS PASS PASS PASS	ND ND ND ND ND ND ND ND ND		
75.000 12.500 0.100 50.000 0.200 500.000 40.000 500.000 6.000 50.000	ppm ppm ppm ppm ppm ppm ppm ppm	750 125 1 500 2 5000 400 5000 60	PASS PASS PASS PASS PASS PASS PASS PASS	ND ND ND ND ND ND ND		
12.500 0.100 50.000 0.200 500.000 40.000 500.000 6.000 50.000	ppm ppm ppm ppm ppm ppm ppm ppm	125 1 500 2 5000 400 5000 60	PASS PASS PASS PASS PASS PASS PASS	ND ND ND ND ND ND		
0.100 50.000 0.200 500.000 40.000 500.000 6.000 50.000	ppm ppm ppm ppm ppm ppm ppm	1 500 2 5000 400 5000 60	PASS PASS PASS PASS PASS PASS	ND ND ND ND ND		
50.000 0.200 500.000 40.000 500.000 6.000 50.000	ppm ppm ppm ppm ppm ppm	500 2 5000 400 5000 60	PASS PASS PASS PASS PASS	ND ND ND ND		
0.200 500.000 40.000 500.000 6.000 50.000	ppm ppm ppm ppm ppm	2 5000 400 5000 60	PASS PASS PASS PASS	ND ND ND ND		
500.000 40.000 500.000 6.000 50.000	ppm ppm ppm ppm	5000 400 5000 60	PASS PASS PASS	ND ND ND		
40.000 500.000 6.000 50.000	ppm ppm ppm	400 5000 60	PASS	ND ND		
500.000 6.000 50.000	ppm ppm	5000 60	PASS	ND		
6.000 50.000	ppm	60				
50.000			PASS	ND		
	ppm			ND		
0 500		500	PASS	ND		
0.500	ppm	5	PASS	ND		
500.000	ppm	5000	PASS	ND		
25.000	ppm	250	PASS	ND		
25.000	ppm	250	PASS	ND		
75.000	ppm	750	PASS	ND		
15.000	ppm	150	PASS	ND		
15.000	ppm	150	PASS	ND		
500.000	ppm	5000	PASS	ND		
2.500	ppm	25	PASS	ND		
Weight: Extraction date:   0.0235g 03/15/24 17:36:35			<b>Ex</b> 85	tracted by:		
<b>Reviewed On :</b> 03/15/24 19:44:49 <b>Batch Date :</b> 03/14/24 14:07:32						
	500.000 2.500	500.000 ppm 2.500 ppm ight: Extraction date: 235g 03/15/24 17:36:35 Reviewed	500.000 ppm 5000   2.500 ppm 25   ight: Extraction date:   235g 03/15/24 17:36:35	15000 ppm 150   500.000 ppm 5000 PASS   2.500 ppm 25 PASS   ight: Extraction date: Extraction date: 85   235g 03/15/24 17:36:35 85		

Dilution : 1 Reagent : 030923.29 Consumables : G201.062; G201.

Consumables : G201.062; G201.062 Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

#### Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 03/18/24

PASSED

PASSED



Original Peach Gels 10 Count Original Peach Matrix : Edible Type: Soft Chew



PASSED

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

## **Certificate of Analysis**

FLUENT

5540 W. Executive Drive Tampa, FL, 33609, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA40314003-001 Harvest/Lot ID: 7153 6045 2456 3583 Batch# : 7153 6045 2456 Sample

3583 Sampled : 03/14/24 Ordered : 03/14/24 Sample Size Received : 840 gram Total Amount : 3462 units Completed : 03/18/24 Expires: 03/18/25 Sample Method : SOP.T.20.010

Page 4 of 5

ĊĘ.	Microk	pial			PAS	SED	လို့	Му	/cotoxi	ns			PAS	SED
Analyte		LOD	Units	Result	Pass / Fail	Action Level	Analyte			LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS 1	TERREUS			Not Present	PASS	Level	AFLATOXIN I	32		0.002	ppm	ND	PASS	0.02
ASPERGILLUS N				Not Present	PASS		AFLATOXIN I			0.002	ppm	ND	PASS	0.02
ASPERGILLUS F	FUMIGATUS			Not Present	PASS		OCHRATOXI	A		0.002	ppm	ND	PASS	0.02
ASPERGILLUS F	LAVUS			Not Present	PASS		AFLATOXIN	<b>31</b>		0.002	ppm	ND	PASS	0.02
SALMONELLA S	SPECIFIC GENE			Not Present	PASS		AFLATOXIN	32		0.002	ppm	ND	PASS	0.02
ECOLI SHIGELL	A			Not Present	PASS		Analyzed by:		Weight:	Extraction da	te:	E	xtracted	bv:
TOTAL YEAST A	AND MOLD	10	CFU/g	<10	PASS	100000	3379, 585, 144	0	1.1229g	03/14/24 16:			50,585	~ ,.
Analyzed by: 3390, 3621, 585, Analysis Method : Analytical Batch :	SOP.T.40.056C	Weight: 0.8461g C, SOP.T.40.0	Extraction d 03/14/24 10 58.FL, SOP.T.4	:27:05 40.209.FL	Extracte 3621			FL (Davie) h:DA070 ed:N/A	.30.101.FL (Gaine ), SOP.T.40.102.F )471MYC	L (Davie) Review	wed On : 0	Gainesv 3/15/24 1 44/24 10:	1:39:25	
Instrument Used sotemp Heat Blo DA-049,Fisher Sci Analyzed Date : 0 Dilution : N/A Reagent : 012424 Consumables : 75 Pipette : N/A	ck DA-020,fishe ientific Isotemp 3/14/24 19:14:4	erbrand Isote Heat Block [ 48	mp Heat Bloc DA-021		te:03/14/	<b>-</b> 7	040423.08 Consumables : Pipette : DA-09	326250IV 93; DA-09	4; DA-219 g Liquid Chromatog					
Analyzed by: 3621, 585, 1440 Analysis Method :	Weig 0.846	51g 03	traction date: /14/24 10:27:		Extracted 3621	by:	Hg	He	avy Me	tals			PAS	SED
Analytical Batch : Instrument Used : Analyzed Date : 0	DA070461TYM Incubator (25-	27*C) DA-09	Revi	ewed On : 03/1 h Date : 03/14/2			Metal			LOD	Units	Result	Fail	Action Level
Dilution : N/A		-						AMINAN	T LOAD METALS		ppm	ND	PASS	5
Reagent: 012424	4.12; 012424.21	L; 012524.R0	9				ARSENIC			0.020	ppm	ND	PASS	1.5
Consumables : N/		-					CADMIUM			0.020	ppm	ND	PASS	0.5
Pipette : N/A							MERCURY LEAD			0.020 0.020	ppm	ND ND	PASS PASS	3 0.5
Fotal yeast and mo			MPN and traditi	onal culture based	l techniques	in					ppm			
accordance with F.S	5. KUIE 64EK20-39	1.					Analyzed by: 3629, 585, 144	0	Weight: 0.2596g	Extraction da 03/14/24 14:			Extracted 4306	l by:
							Analysis Metho Analytical Bato Instrument Uso Analyzed Date	h:DA070 ed:DA-IC	.30.082.FL, SOP. 0477HEA PMS-004	Review		/18/24 09: 4/24 11:52		
							Dilution : 50 Reagent : 0305	524.R01; (	031124.R06; 031	424.R03; 0311	L24.R04; 0	)30424.01		

Reagent : 030524.R01; 031124.R06; 031424.R03; 031124.R04; 030424.01 Consumables : 179436; 35123025; 210508058 Pipette : DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

#### Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 03/18/24



Original Peach Gels 10 Count **Original Peach** Matrix : Edible Type: Soft Chew



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

# **Certificate of Analysis**

FLUENT

5540 W. Executive Drive Tampa, FL, 33609, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA40314003-001 Harvest/Lot ID: 7153 6045 2456 3583 Batch# : 7153 6045 2456 3583

PASSED

Sampled : 03/14/24 Ordered : 03/14/24

Sample Size Received : 840 gram Total Amount : 3462 units Completed : 03/18/24 Expires: 03/18/25 Sample Method : SOP.T.20.010

Filth/Foreign Material

### Homogeneity

PASSED

Page 5 of 5

Amount of tests conducted : 26

Analyte Filth and Fore	ign Material	<b>LOD</b> 0.100	Units %	<b>Result</b> ND	P/F PASS	Action Level	,
Analyzed by: 1879, 585, 1440		Weight: NA	Extraction N/A	on date:	Extr N/A	acted by:	-
Analysis Method Analytical Batch Instrument Used Analyzed Date :	: DA070486FII I : Filth/Foreign	L Material Micro	oscope			4/24 19:27:03 24 19:05:04	(
Dilution : N/A Reagent : N/A Consumables : N Pipette : N/A	I/A						A
Filth and foreign m technologies in ac				spection utilizi	ng naked ey	e and microscope	
$\bigcirc$	Wate	r Activ	ity		PA	SSED	F C F

Analyte	<b>LOD</b>	<b>Units</b>	<b>Result</b> 0.550	P/F	Action Leve	
Water Activity	0.010	aw		PASS	0.85	
Analyzed by:	Extracti	on date:		Extracted by:		
4444, 4056, 585, 1440	03/15/2	4 18:35:57		4444,4056		
Analysis Method : SOP.T.40.0 Analytical Batch : DA070483' Instrument Used : DA256 Roi Analyzed Date : 03/14/24 13:	WAT tronic HygroPaln	n	Reviewed Or Batch Date :	1 - 1		
Dilution: N/A Reagent: 022024.28 Consumables: PS-14 Pipette: N/A						

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

Analyte		LOD	Units	Pass/Fail	Result	Action Level
TOTAL THC - HO (RSD)	MOGENEITY	0.001	%	PASS	4.408	25
Analyzed by	Average Weight	e	Extractio	n date :	E	tracted By :
3702, 585, 1440	6.17g		03/14/24	11:10:11	37	702
Analysis Method : 3 Analytical Batch : 6 Instrument Used : Analyzed Date : 03	DA070445HOM DA-LC-006	50P.T.40	Review	ed On : 03/15/2 ate : 03/14/24		2
Dilution : 40 Reagent : 022124. Consumables : 947 Pipette : DA-055; [	109; LCJ0311R; 3				CE0123; R	1KB14270
Homogeneity testing accordance with F.S.		g High Pe	erformance l	iquid Chromatog	graphy with I	UV detection in

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

#### **Vivian Celestino** Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 03/18/24

#### PASSED