



# Certificate of Analysis

## COMPLIANCE FOR RETAIL

Sample: DA40314004-001  
 Harvest/Lot ID: HYB-AGXSBX1-030724-C0136  
 Batch#: 0825 4372 0221 2717  
 Cultivation Facility: Zolfo Springs Cultivation  
 Processing Facility: Zolfo Springs Processing  
 Source Facility: Zolfo Springs Cultivation  
 Seed to Sale#: 7654 2683 4625 1208  
 Batch Date: 02/14/24  
 Sample Size Received: 31.5 gram  
 Total Amount: 1397 units  
 Retail Product Size: 3.5 gram  
 Ordered: 03/13/24  
 Sampled: 03/14/24  
 Completed: 03/18/24  
 Sampling Method: SOP.T.20.010

Mar 18, 2024 | FLUENT

5540 W. Executive Drive  
 Tampa, FL, 33609, US



**PASSED**

Pages 1 of 5


PRODUCT IMAGE



SAFETY RESULTS



Pesticides  
PASSED



Heavy Metals  
PASSED



Microbials  
PASSED



Mycotoxins  
PASSED



Residuals Solvents  
NOT TESTED



Filtration  
PASSED



Water Activity  
PASSED



Moisture  
PASSED



Terpenes  
TESTED

MISC.



Cannabinoid

**PASSED**



Total THC  
**25.527%**  
Dry Weight



Total CBD  
**0.057%**  
Dry Weight



Total Cannabinoids  
**29.96%**  
Dry Weight

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.442	24.445	ND	0.056	0.023	0.067	0.609	ND	ND	ND	0.037
mg/unit	15.47	855.575	ND	1.96	0.805	2.345	21.315	ND	ND	ND	1.295
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%	%	%	%	%	%	%	%	%	%	%	%

Total THC  
**21.88%**  
765.8 mg /Container

Total CBD  
**0.049%**  
1.715 mg /Container

Total Cannabinoids  
**25.679%**  
898.765 mg /Container

As Received

Analyzed by:  
1665, 3335, 585, 1440

Weight:  
0.222g

Extraction date:  
03/14/24 12:35:11

Extracted by:  
3335

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA070453POT

Instrument Used : DA-LC-002

Analyzed Date : 03/14/24 12:53:41

Reviewed On : 03/15/24 12:52:48

Batch Date : 03/14/24 09:57:58

Dilution : 400

Reagent : 030924.R02; 060723.24; 021424.R02

Consumables : 947.109; 34623011; CE123; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

State License # CMTL-0002  
 ISO 17025 Accreditation # ISO/IEC  
 17025:2017 Accreditation PJLA-  
 Testing 97164



Signature  
03/18/24



# Certificate of Analysis

**PASSED**

**FLUENT**

5540 W. Executive Drive  
Tampa, FL, 33609, US  
Telephone: (305) 900-6266  
Email: Taylor.Jones@getfluent.com

Sample : DA40314004-001  
Harvest/Lot ID: HYB-AGXSBX1-030724-C0136  
Batch# : 0825 4372 0221    Sample Size Received : 31.5 gram  
2717    Total Amount : 1397 units  
Sampled : 03/14/24    Completed : 03/18/24 Expires: 03/18/25  
Ordered : 03/14/24    Sample Method : SOP.T.20.010

Page 2 of 5

Terpenes				TESTED			
Terpenes	LOD (%)	mg/unit %	Result (%)	Terpenes	LOD (%)	mg/unit %	Result (%)
TOTAL TERPENES	0.007	61.88	1.768	SABINENE HYDRATE	0.007	ND	ND
LIMONENE	0.007	13.16	0.376	VALENCENE	0.007	ND	ND
BETA-CARYOPHYLLENE	0.007	10.05	0.287	ALPHA-CEDRENE	0.007	ND	ND
LINALOOL	0.007	8.86	0.253	ALPHA-PHELLANDRENE	0.007	ND	ND
FARNESENE	0.001	7.28	0.208	ALPHA-TERPINENE	0.007	ND	ND
ALPHA-PINENE	0.007	6.06	0.173	ALPHA-TERPINOLENE	0.007	ND	ND
BETA-PINENE	0.007	3.99	0.114	CIS-NEROLIDOL	0.007	ND	ND
ALPHA-HUMULENE	0.007	2.80	0.080	GAMMA-TERPINENE	0.007	ND	ND
FENCHYL ALCOHOL	0.007	2.28	0.065	Analyzed by: 1665, 585, 1440    Weight: 1.0134g    Extraction date: 03/14/24 15:28:14    Extracted by: 795 Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL Analytical Batch : DA070462TER    Reviewed On : 03/18/24 07:02:36 Instrument Used : DA-GCMS-004    Batch Date : 03/14/24 10:31:06 Analyzed Date : 03/15/24 09:15:58 Dilution : 10 Reagent : N/A Consumables : N/A Pipette : N/A Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.			
TOTAL TERPINEOL	0.007	1.75	0.050				
TRANS-NEROLIDOL	0.007	1.72	0.049				
ALPHA-BISABOLOL	0.007	1.51	0.043				
OCIMENE	0.007	1.40	0.040				
BETA-MYRCENE	0.007	1.05	0.030				
3-CARENE	0.007	ND	ND				
BORNEOL	0.013	ND	ND				
CAMPHENE	0.007	ND	ND				
CAMPHOR	0.007	ND	ND				
CARYOPHYLLENE OXIDE	0.007	ND	ND				
CEDROL	0.007	ND	ND				
EUCALYPTOL	0.007	ND	ND				
FENCHONE	0.007	ND	ND				
GERANIOL	0.007	ND	ND				
GERANYL ACETATE	0.007	ND	ND				
GUAIOL	0.007	ND	ND				
HEXAHYDROTHYMOL	0.007	ND	ND				
ISOBORNEOL	0.007	ND	ND				
ISOPULEGOL	0.007	ND	ND				
NEROL	0.007	ND	ND				
PULEGONE	0.007	ND	ND				
SABINENE	0.007	ND	ND				
<b>Total (%)</b>			<b>1.768</b>				

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJA-  
Testing 97164

Signature  
03/18/24



# Certificate of Analysis


**PASSED**

FLUENT

5540 W. Executive Drive  
Tampa, FL, 33609, US  
Telephone: (305) 900-6266  
Email: Taylor.Jones@getfluent.com

Sample : DA40314004-001  
Harvest/Lot ID: HYB-AGXSBX1-030724-C0136  
Batch# : 0825 4372 0221 Sample Size Received : 31.5 gram  
2717 Total Amount : 1397 units  
Sampled : 03/14/24 Completed : 03/18/24 Expires: 03/18/25  
Ordered : 03/14/24 Sample Method : SOP.T.20.010

Page 3 of 5



## Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	<b>Analyzed by:</b> 3379, 585, 1440 <b>Weight:</b> 0.9496g <b>Extraction date:</b> 03/14/24 16:13:46 <b>Extracted by:</b> 450,585 <b>Analysis Method :</b> SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie) <b>Analytical Batch :</b> DA070470PES <b>Reviewed On :</b> 03/15/24 11:40:38 <b>Instrument Used :</b> DA-LCMS-003 (PES) <b>Batch Date :</b> 03/14/24 10:43:58 <b>Analyzed Date :</b> N/A <b>Dilution :</b> 250 <b>Reagent :</b> 031124.R01; 031324.R19; 031324.R20; 031324.R52; 021324.R05; 031324.R17; 040423.08 <b>Consumables :</b> 326250IW <b>Pipette :</b> DA-093; DA-094; DA-219					
DICHLORVOS	0.010	ppm	0.1	PASS	ND	<b>Analyzed by:</b> 450, 585, 1440 <b>Weight:</b> 0.9496g <b>Extraction date:</b> 03/14/24 16:13:46 <b>Extracted by:</b> 450,585 <b>Analysis Method :</b> SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL (Gainesville) <b>Analytical Batch :</b> DA070472VOL <b>Reviewed On :</b> 03/15/24 11:38:28 <b>Instrument Used :</b> DA-GCMS-001 <b>Batch Date :</b> 03/14/24 10:46:26 <b>Analyzed Date :</b> 03/14/24 16:24:09 <b>Dilution :</b> 250 <b>Reagent :</b> 031324.R20; 040423.08; 021424.R18; 021424.R19 <b>Consumables :</b> 326250IW; 14725401 <b>Pipette :</b> DA-080; DA-146; DA-218					
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	<b>Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.</b>					
ETOFENPROX	0.010	ppm	0.1	PASS	ND						
ETOXAZOLE	0.010	ppm	0.1	PASS	ND						
FENHEXAMID	0.010	ppm	0.1	PASS	ND						
FENOXYCARB	0.010	ppm	0.1	PASS	ND						
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND						
FIPRONIL	0.010	ppm	0.1	PASS	ND						
FLONICAMID	0.010	ppm	0.1	PASS	ND						
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND						
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND						
IMAZALIL	0.010	ppm	0.1	PASS	ND						
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND						
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND						
MALATHION	0.010	ppm	0.2	PASS	ND						
METALAXYL	0.010	ppm	0.1	PASS	ND						
METHIACARB	0.010	ppm	0.1	PASS	ND						
METHOMYL	0.010	ppm	0.1	PASS	ND						
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
03/18/24



# Certificate of Analysis

**PASSED**

**FLUENT**

5540 W. Executive Drive  
Tampa, FL, 33609, US  
Telephone: (305) 900-6266  
Email: Taylor.Jones@getfluent.com

Sample : DA40314004-001  
Harvest/Lot ID: HYB-AGXSBX1-030724-C0136  
Batch# : 0825 4372 0221    Sample Size Received : 31.5 gram  
2717    Total Amount : 1397 units  
Sampled : 03/14/24    Completed : 03/18/24 Expires: 03/18/25  
Ordered : 03/14/24    Sample Method : SOP.T.20.010

Page 4 of 5

	<b>Microbial</b>	<b>PASSED</b>		<b>Mycotoxins</b>	<b>PASSED</b>
---	------------------	---------------	---	-------------------	---------------

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ECOLI SHIGELLA			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	120	PASS	100000
<b>Analyzed by:</b> 3390, 3621, 585, 1440 <b>Weight:</b> 0.8377g <b>Extraction date:</b> 03/14/24 11:58:56 <b>Extracted by:</b> 3621 <b>Analysis Method :</b> SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL <b>Analytical Batch :</b> DA070449MIC <b>Reviewed On :</b> 03/16/24 14:53:57 <b>Batch Date :</b> 03/14/24 09:23:15 <b>Instrument Used :</b> PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-010,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021 <b>Analyzed Date :</b> 03/14/24 19:14:47 <b>Dilution :</b> N/A <b>Reagent :</b> 012424.12; 012424.21; 022224.R10; 091523.43 <b>Consumables :</b> 7569003015 <b>Pipette :</b> N/A					

Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
<b>Analyzed by:</b> 3379, 585, 1440 <b>Weight:</b> 0.9496g <b>Extraction date:</b> 03/14/24 16:13:46 <b>Extracted by:</b> 450,585 <b>Analysis Method :</b> SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) <b>Analytical Batch :</b> DA070471MYC <b>Reviewed On :</b> 03/15/24 11:39:28 <b>Instrument Used :</b> N/A <b>Batch Date :</b> 03/14/24 10:46:23 <b>Analyzed Date :</b> N/A <b>Dilution :</b> 250 <b>Reagent :</b> 031124.R01; 031324.R19; 031324.R20; 031324.R52; 021324.R05; 031324.R17; 040423.08 <b>Consumables :</b> 326250IW <b>Pipette :</b> DA-093; DA-094; DA-219 Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

Analyte	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1
ARSENIC	0.020	ppm	ND	PASS	0.2
CADMIUM	0.020	ppm	ND	PASS	0.2
MERCURY	0.020	ppm	ND	PASS	0.2
LEAD	0.020	ppm	ND	PASS	0.5
<b>Analyzed by:</b> 3621, 585, 1440 <b>Weight:</b> 0.8377g <b>Extraction date:</b> 03/14/24 11:58:56 <b>Extracted by:</b> 3621 <b>Analysis Method :</b> SOP.T.40.208 (Gainesville), SOP.T.40.209.FL <b>Analytical Batch :</b> DA070467TYM <b>Reviewed On :</b> 03/16/24 14:54:31 <b>Instrument Used :</b> Incubator (25-27°C) DA-097 <b>Batch Date :</b> 03/14/24 10:37:51 <b>Analyzed Date :</b> 03/14/24 12:55:39 <b>Dilution :</b> N/A <b>Reagent :</b> 012424.12; 012424.21; 012524.R09 <b>Consumables :</b> N/A <b>Pipette :</b> N/A Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.					

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1
ARSENIC	0.020	ppm	ND	PASS	0.2
CADMIUM	0.020	ppm	ND	PASS	0.2
MERCURY	0.020	ppm	ND	PASS	0.2
LEAD	0.020	ppm	ND	PASS	0.5
<b>Analyzed by:</b> 3629, 585, 1440 <b>Weight:</b> 0.2517g <b>Extraction date:</b> 03/14/24 16:07:55 <b>Extracted by:</b> 4306,4056,1022 <b>Analysis Method :</b> SOP.T.30.082.FL, SOP.T.40.082.FL <b>Analytical Batch :</b> DA070479HEA <b>Reviewed On :</b> 03/18/24 09:01:33 <b>Instrument Used :</b> DA-ICPMS-004 <b>Batch Date :</b> 03/14/24 11:57:44 <b>Analyzed Date :</b> 03/16/24 15:54:49 <b>Dilution :</b> 50 <b>Reagent :</b> 030524.R01; 031124.R06; 031424.R03; 031124.R04; 031124.R05; 030424.01 <b>Consumables :</b> 179436; 34623011; 210508058 <b>Pipette :</b> DA-061; DA-191; DA-216 Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164



Signature  
03/18/24



# Certificate of Analysis

**PASSED**

**FLUENT**

5540 W. Executive Drive  
Tampa, FL, 33609, US  
Telephone: (305) 900-6266  
Email: Taylor.Jones@getfluent.com

Sample : DA40314004-001  
Harvest/Lot ID: HYB-AGXSBX1-030724-C0136  
Batch# : 0825 4372 0221    Sample Size Received : 31.5 gram  
2717    Total Amount : 1397 units  
Sampled : 03/14/24    Completed : 03/18/24 Expires: 03/18/25  
Ordered : 03/14/24    Sample Method : SOP.T.20.010

Page 5 of 5



**Filth/Foreign Material** **PASSED**



**Moisture** **PASSED**

Analyte	LOD	Units	Result	P/F	Action Level
<b>Filth and Foreign Material</b>	0.100	%	ND	PASS	1
<b>Analyzed by:</b> 1879, 585, 1440	<b>Weight:</b> NA	<b>Extraction date:</b> N/A	<b>Extracted by:</b> N/A		
<b>Analysis Method :</b> SOP.T.40.090			<b>Reviewed On :</b> 03/14/24 19:26:54		
<b>Analytical Batch :</b> DA070486FIL			<b>Batch Date :</b> 03/14/24 19:05:04		
<b>Instrument Used :</b> Filth/Foreign Material Microscope					
<b>Analyzed Date :</b> 03/14/24 19:17:00					
<b>Dilution :</b> N/A					
<b>Reagent :</b> N/A					
<b>Consumables :</b> N/A					
<b>Pipette :</b> N/A					

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Result	P/F	Action Level
<b>Moisture Content</b>	1.00	%	14.29	PASS	15
<b>Analyzed by:</b> 4444, 4056, 585, 1440	<b>Weight:</b> 0.511g	<b>Extraction date:</b> 03/15/24 18:05:17	<b>Extracted by:</b> 4444,4056		
<b>Analysis Method :</b> SOP.T.40.021			<b>Reviewed On :</b> 03/15/24 19:53:09		
<b>Analytical Batch :</b> DA070481MOI			<b>Batch Date :</b> 03/14/24 12:48:50		
<b>Instrument Used :</b> DA-003 Moisture Analyzer					
<b>Analyzed Date :</b> 03/14/24 13:56:58					
<b>Dilution :</b> N/A					
<b>Reagent :</b> 092520.50; 020124.02					
<b>Consumables :</b> N/A					
<b>Pipette :</b> DA-066					

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.



**Water Activity** **PASSED**

Analyte	LOD	Units	Result	P/F	Action Level
<b>Water Activity</b>	0.010	aw	0.611	PASS	0.65
<b>Analyzed by:</b> 4444, 4056, 585, 1440	<b>Weight:</b> 1.659g	<b>Extraction date:</b> 03/15/24 18:27:56	<b>Extracted by:</b> 4444,4056		
<b>Analysis Method :</b> SOP.T.40.019			<b>Reviewed On :</b> 03/15/24 19:58:50		
<b>Analytical Batch :</b> DA070482WAT			<b>Batch Date :</b> 03/14/24 12:59:03		
<b>Instrument Used :</b> DA256 Rotronic HygroPalm					
<b>Analyzed Date :</b> 03/14/24 13:57:15					
<b>Dilution :</b> N/A					
<b>Reagent :</b> 022024.28					
<b>Consumables :</b> PS-14					
<b>Pipette :</b> N/A					

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

